

Author index*

A

- Adams KF Jr, Gheorghiad M, Uretsky BF, Young JB, Patterson JH, Tomasko L, Packer M. Clinical predictors of worsening heart failure during withdrawal from digoxin therapy. 1998;135:389-97
- Adams KF Jr, Zannad F. Clinical definition and epidemiology of advanced heart failure. 1998;135:S204-15
- Adamus J (see Lange et al). 1998;135:970-9
- Adgey AAJ. An overview of the results of clinical trials with glycoprotein IIb/IIIa inhibitors. 1998;135:S43-55
- Adgey AAJ (see Ferguson et al). 1998;135:S77-89
- Aggelakas S (see Michaelides et al). 1998;135:74-81
- Akagi T (see Fukuda et al). 1998;135:482-7
- Akiyama T (see Reimers et al). 1998;135:726-31
- Alderman MH, JNC V revisited: standard of care or individualized treatment for hypertension? 1998;135:S8-15 (Symposium)
- Alehan D, Özkutlu S. Beneficial effects of 1-year captopril therapy in children with chronic aortic regurgitation who have no symptoms. 1998;135:598-603
- Alexander JH, Alexander K, Kong DF, Tung CY, Whellan D. Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997. 1998;135:157-80
- Alexander JH, Greenbaum AB, Hudson MP, Kong DF, Miller JM, Tung CY, Whellan D. Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998. 1998;135:1099-114
- Alexander K (see Alexander et al). 1998;135:157-80
- Alfonso F (see Phillips et al). 1998;135:719-25
- Allen JK, Blumenthal RS. Risk factors in the offspring of women with premature coronary heart disease. 1998;135:428-34
- Al-Mousa EN, Dodge JT Jr, Rizzo M, McLean C, Ryan K, Moynihan J, Kelley M, Marble SJ, Goel M, Daley WL, Gibson CM. Thrombolysis in Myocardial Infarction frame count in saphenous vein grafts. 1998;135:323-8
- Ambrosio GB (see Vescovo et al). 1998;135:130-7
- Ammirati F, Colivicchi F, Biffi A, Magris B, Pandozi C, Santini M. Head-up tilt testing potentiated with low-dose sublingual isosorbide dinitrate: a simplified time-saving approach for the evaluation of unexplained syncope. 1998;135:671-6
- Anderson JL (see Karagounis et al). 1998;135:1027-35
- Anderson T (see Lange et al). 1998;135:970-9
- Ando H (see Ito et al). 1998;135:1020-6
- Ando H (see Yotsukura et al). 1998;135:1004-9
- Andries E (see Vanderheyden et al). 1998;135:67-73
- Andrikopoulos GK (see Dilaveris et al). 1998;135:733-8
- Annex BH (see Tenaglia et al). 1998;135:10-4
- Antman EM. TIMI 11B. Enoxaparin versus unfractionated heparin for unstable angina or non-Q-wave myocardial infarction: a double-blind, placebo-controlled, parallel-group, multicenter trial. Rationale, study design, and methods. 1998;135:S353-S360
- Antoniucci D, Valenti R, Santoro GM, Bolognese L, Trapani M, Cerisano G, Boddi V, Fazzini PF. Restenosis after coronary stenting in current clinical practice. 1998;135:510-8
- Aoki I (see Kawano et al). 1998;135:268-71
- Aoki N (see Kawano et al). 1998;135:268-71
- Applebaum RM, Wun HH, Katz ES, Tunick PA, Kronzon I. Effects of intraaortic balloon counterpulsation on carotid artery blood flow. 1998;135:850-4

*January, pp. 1-180; February, part 1, pp. 181-366; part 2, pp. S1-30; March, pp. 367-550; April, part 1, pp. 551-732; part 2, pp. S31-106; May, part 1, pp. 733-924; part 2, pp. S107-200; June, part 1, pp. 925-1114; part 2, pp. S201-326; part 3, pp. S327-66.

B

- Aptekar E (see Dubois-Randé et al). 1998;135:844-9
- Arai T (see Kawano et al). 1998;135:268-71
- Arakawa N (see Nakamura et al). 1998;135:414-20
- Arena FJ (see Galloway et al). 1998;135:888-900
- Armstrong PW (see Braunwald et al). 1998;135:S56-66
- Armstrong PW (see Uretsky et al). 1998;135:S264-84
- Ascione L (see Caso et al). 1998;135:43-50
- Assanelli E (see Salvioni et al). 1998;135:503-9
- Assennato P (see Hoffmann et al). 1998;135:684-8
- Awata N (see Tsuchikane et al). 1998;135:495-502
- Bacchella L (see Modena et al). 1998;135:287-92
- Bacchetti P (see Wong et al). 1998;135:435-42
- Bahu M (see Weiss et al). 1998;135:945-51
- Baig MK, Mahon N, McKenna WJ, Caforio ALP, Bonow RO, Francis GS, Gheorghiad M. The pathophysiology of advanced heart failure. 1998;135:S216-30
- Baiyan X (see Hnatkova et al). 1998;135:1010-9
- Bal ET (see Sutorp et al). 1998;135:318-22
- Baldereschi G (see Marchionni et al). 1998;135:855-61
- Ball SP (see Becker et al). 1998;135:786-96
- Bandini F (see Mazzoli et al). 1998;135:15-20
- Banuelos C (see Phillips et al). 1998;135:719-25
- Barbash GI (see Birnbaum et al). 1998;135:805-12
- Barlera S (see Bobbio et al). 1998;135:443-8
- Barron JL (see Missouris et al). 1998;135:838-43
- Bartoletti A (see Del Rosso et al). 1998;135:564-70
- Bartoli P (see Del Rosso et al). 1998;135:564-70
- Bartram U (see Van Praagh et al). 1998;135:772-85
- Barzilay JI, Kronmal RA, Bittner V, Eaker E, Foster ED. Coronary artery disease in diabetic and nondiabetic patients with lower extremity arterial disease: a report from the Coronary Artery Surgery Study Registry. 1998;135:1055-62
- Basaran Y (see Degertekin et al). 1998;135:207-14
- Basu S (see Senior et al). 1998;135:1093-8
- Beanlands RS (see Le May et al). 1998;135:714-8
- Becker RC, Burns M, Gore JM, Spencer FA, Ball SP, French W, Lambrew C, Bowly L, Hilbe J, Rogers WJ. Early assessment and in-hospital management of patients with acute myocardial infarction at increased risk for adverse outcomes: a nationwide perspective of current clinical practice. 1998;135:786-96
- Beere PA (see Russell et al). 1998;135:107-14
- Belef M (see Schwarzacher et al). 1998;135:1063-6
- Bellin D (see Gullestad et al). 1998;135:221-9
- Belotti G. Correction. 1998;135:550 (Letter)
- Berder V (see Brembilla-Perrot et al). 1998;135:748-54
- Berger AK, Edris DW, Breall JA, Oetgen WJ, Marciniak TA, Molinari GF. Resource use and quality of care for Medicare patients with acute myocardial infarction in Maryland and the District of Columbia: analysis of data from the Cooperative Cardiovascular Project. 1998;135:349-56
- Berger PB (see Christian et al). 1998;135:310-7
- Bergerone S (see Bobbio et al). 1998;135:443-8
- Berkenboom G, Crasset V, Giot C, Unger P, Vachery J-L, LeClerc J-L. Endothelial function of internal mammary artery in patients with coronary artery disease and in cardiac transplant recipients. 1998;135:488-94
- Berman DS (see Merz et al). 1998;135:881-7
- Bermejo J (see García-Fernández et al). 1998;135:476-81
- Bernal JA (see Richards et al). 1998;135:641-6
- Betriu A (see Chronos et al). 1998;135:S67-76
- Beurrier D (see Brembilla-Perrot et al). 1998;135:748-54
- Beyer R (see Varon et al). 1998;135:S187-93
- Biffi A (see Ammirati et al). 1998;135:671-6
- Bigras J-L (see Pavlova et al). 1998;135:1081-5
- Birnbaum Y, Herz I, Sciarovsky S, Zlotikamien B, Chetrit A,

- Olmer L, Barbash GI. Admission clinical and electrocardiographic characteristics predicting an increased risk for early reinfarction after thrombolytic therapy. 1998;135:805-12
- Bittner V (see Barzilay et al). 1998;135:1055-62
- Black HR. New concepts in hypertension: focus on the elderly. 1998;135:S2-7 (Symposium)
- Block P (see Dendale et al). 1998;135:875-80
- Blum A, Miller H. Role of cytokines in heart failure. 1998;135:181-6 (Prog. cardiol.)
- Blumenthal RS (see Allen and Blumenthal). 1998;135:428-34
- Bobbio M, Bergerone S, Maggioni AP, Malacrida R, Franzosi MG, Barlera S, Tognoni G. Administration of thrombolytic therapy to 17,944 patients with acute myocardial infarction: the GISSI-3 database. 1998;135:443-8
- Boddi V (see Antoniucci et al). 1998;135:510-8
- Bogousslavsky J (see Nendaz et al). 1998;135:532-41
- Bolognese L (see Antoniucci et al). 1998;135:510-8
- Bonan R (see Dupuis et al). 1998;135:614-20
- Bonan R (see Malekianpour et al). 1998;135:1067-75
- Bonechi F (see Del Rosso et al). 1998;135:564-70
- Bonow RO (see Baig et al). 1998;135:S216-30
- Bonow RO (see Gheorghade et al). 1998;135:S231-48
- Borzak S (see Tisdale et al). 1998;135:739-47
- Boutin C (see Magee et al). 1998;135:907-13
- Bovill EG (see Tracy et al). 1998;135:29-37
- Bowker TJ (see Kurbaan et al). 1998;135:703-8
- Bowlby L (see Becker et al). 1998;135:786-96
- Bowman L (see van Hout et al). 1998;135:S98-106
- Brandinelli-Geri A (see Del Rosso et al). 1998;135:564-70
- Braunwald E. The emerging role of low-molecular-weight heparins in cardiology practice—introduction. 1998;135:S327-S328
- Braunwald E, Maseri A, Armstrong PW, Califf RM, Gibler WB, Hamm CW, Simoons ML, Van de Werf F. Rationale and clinical evidence for the use of GP IIb/IIIa inhibitors in acute coronary syndromes. 1998;135:S56-66
- Breall JA (see Berger et al). 1998;135:349-56
- Brembilla-Perrot B, Jacquemin L, Houplon P, Houriez P, Beurrier D, Berder V, de la Chaise AT, Louis P. Increased atrial vulnerability in arrhythmogenic right ventricular disease. 1998;135:748-54
- Brener B (see Varon et al). 1998;135:S187-93
- Briglia E (see Hollander et al). 1998;135:245-52
- Brill JV (see Uretsky et al). 1998;135:S264-84
- Brodin L-A (see Ribeiro et al). 1998;135:868-74
- Brooks K (see Rich et al). 1998;135:367-72
- Brown RG (see Tracy et al). 1998;135:29-37
- Browner DK (see Ganiats et al). 1998;135:819-24
- Brugada P (see Vanderheyden et al). 1998;135:67-73
- Budoff M (see Kennedy et al). 1998;135:696-702
- Burns M (see Becker et al). 1998;135:786-96
- C**
- Caforio ALP (see Baig et al). 1998;135:S216-30
- Califf RM, Gheorghade M. Managing the patient with advanced heart failure—introduction. 1998;135:S201-3
- Califf RM, Simoons ML. Use of GP IIb/IIIa inhibitors in coronary syndromes: State of the art—introduction. 1998;135:S33-4
- Califf RM, Vidaillet H, Goldman L. Advanced congestive heart failure: What do patients want? 1998;135:S320-S326
- Califf RM (see Braunwald et al). 1998;135:S56-66
- Califf RM (see Schulman et al). 1998;135:S285-92
- Camassa N (see Reimers et al). 1998;135:726-31
- Camm AJ (see Hnatkova et al). 1998;135:1010-9
- Cannon CP (see Tracy et al). 1998;135:29-37
- Cappuccino FP (see Missouri et al). 1998;135:838-43
- Carlsson J (see Miketic et al). 1998;135:709-13
- Carlsson T (see Horne et al). 1998;135:1040-7
- Carr E (see Missouri et al). 1998;135:838-43
- Carvalho C (see Roukema et al). 1998;135:88-92
- Caso P, Ascione L, Lange A, Palka P, Mininni N, Sutherland GR. Diagnostic value of transesophageal echocardiography in the assessment of congenitally corrected transposition of the great arteries in adult patients. 1998;135:43-50
- Caspi A (see Schneeweiss et al). 1998;135:272-80
- Castelli A (see Modena et al). 1998;135:287-92
- Cerisano G (see Antoniucci et al). 1998;135:510-8
- Cernacek P (see Dupuis et al). 1998;135:614-20
- Cerqueira MD (see Maynard et al). 1998;135:797-804
- Cesario D, Clark J, Maisel A. Beneficial effects of intermittent home administration of the inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study. 1998;135:121-9
- Chandraratna PAN (see Gadallah et al). 1998;135:38-42
- Charlon V (see Schneeweiss et al). 1998;135:272-80
- Cheirif J (see Richards et al). 1998;135:641-6
- Chen J (see Krumholz et al). 1998;135:523-31
- Chen M-F (see Ho et al). 1998;135:655-62
- Chen M-F (see Lee et al). 1998;135:634-40
- Chen W-J (see Ho et al). 1998;135:655-62
- Chen W-J (see Lee et al). 1998;135:634-40
- Cheng J-J (see Shyu et al). 1998;135:862-7
- Chenu P (see Gurné et al). 1998;135:146-51
- Chetrit A (see Birnbaum et al). 1998;135:805-12
- Chieng P-U (see Ho et al). 1998;135:655-62
- Christian TF, Milavetz JJ, Miller TD, Clements IP, Holmes DR, Gibbons RJ. Prevalence of spontaneous reperfusion and associated myocardial salvage in patients with acute myocardial infarction. 1998;135:421-7
- Christian TF, O'Keefe JH, DeWood MA, Spain MG, Grines CL, Berger PB, Gibbons RJ. Intercenter variability in outcome for patients treated with direct coronary angioplasty during acute myocardial infarction. 1998;135:310-7
- Christian TF (see Miller et al). 1998;135:663-70
- Chronos N, Vahanian A, Betriu A, Emanuelsson H, Goldberg S, Gulba D, van Hout BA. Use of abciximab in interventional cardiology. 1998;135:S67-76
- Chrysant SG. The role of vascular health in hypertension management—introduction. 1998;135:S1 (Symposium)
- Chrysant SG. Vascular remodeling: the role of angiotensin-converting enzyme inhibitors. 1998;135:S21-30 (Symposium)
- Cines DB. Glycoprotein IIb/IIIa antagonists: potential induction and detection of drug-dependent antiplatelet antibodies. 1998;135:S152-9
- Clark J (see Cesario et al). 1998;135:121-9
- Clements IP (see Christian et al). 1998;135:421-7
- Clements IP (see Miller et al). 1998;135:663-70
- Codd M (see Hennessy et al). 1998;135:952-9
- Codd MB (see McKenna et al). 1998;135:833-7
- Cody RJ (see Gheorghade et al). 1998;135:S231-48
- Cohen DJ (see Krumholz et al). 1998;135:523-31
- Cohen M. New therapies for unstable angina and non-Q-wave myocardial infarction: recent clinical trials. 1998;135:S343-S352
- Cokkinos D (see Michaelides et al). 1998;135:74-81
- Colan SD (see Fraisse et al). 1998;135:230-6
- Colivicchi F (see Ammirati et al). 1998;135:671-6
- Collen D (see Tracy et al). 1998;135:29-37
- Colletti I (see Hoffmann et al). 1998;135:684-8
- Colombo A (see Reimers et al). 1998;135:726-31
- Cooper HA, Gersh BJ. Treatment of chronic mitral regurgitation. 1998;135:925-36 (Curriculum cardiol.)
- Cox D. Methods for monitoring platelet function. 1998;135:S160-9
- Grasset V (see Berkenboom et al). 1998;135:488-94
- Crépeau J (see Dupuis et al). 1998;135:614-20
- Crijns HJGM (see van Boven et al). 1998;135:571-6
- Crijns HJGM (see Van Den Berg et al). 1998;135:242-4

D

- Daikoku S (see Nagaya et al). 1998;135:21-8
Daley WL (see Al-Mousa et al). 1998;135:323-8
Dall'Agata A (see Kasprzak et al). 1998;135:995-1003
Daoud E (see Weiss et al). 1998;135:945-51
Darwish AZ (see Knudsen et al). 1998;135:51-7
Dauterman KW, Massie BM, Gheorghiade M. Heart failure caused by preserved systolic function: a common and costly clinical entity. 1998;135:S310-S319
Davies RF (see Le May et al). 1998;135:714-8
Davis BR (see Hager et al). 1998;135:406-13
Deac R (see Moreyra et al). 1998;135:138-45
Degertekin M, Basaran Y, Gencbay M, Yaymaci B, Dindar I, Turan F. Validation of flow convergence region method in assessing mitral valve area in the course of transthoracic and transesophageal echocardiographic studies. 1998;135:207-14
De Kam PJ (see Van Den Berg et al). 1998;135:242-4
de la Chaise AT (see Brembilla-Perrot et al). 1998;135:748-54
de la Peña MG (see García-Fernández et al). 1998;135:476-81
Del Rosso A, Bartoli P, Bartoletti A, Brandinelli-Geri A, Bonechi F, Maioli M, Mazza F, Michelucci A, Russo L, Salvetti E, Sansoni M, Zipoli A, Fierro A, Ieri A. Shortened head-up tilt testing potentiated with sublingual nitroglycerin in patients with unexplained syncope. 1998;135:564-70
Dendale P, Franken PR, Block P, Pratikakis Y, De Roos A. Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction. 1998;135:875-80
Der E (see Shah et al). 1998;135:373-8
Dernellis J (see Pitsavos et al). 1998;135:604-8
De Roos A (see Dendale et al). 1998;135:875-80
Detrano RC (see Kennedy et al). 1998;135:696-702
DeWood MA (see Christian et al). 1998;135:310-7
Diamond P (see Hennessy et al). 1998;135:952-9
Di Bari M (see Marchionni et al). 1998;135:855-61
Diedrich J (see Werner et al). 1998;135:300-9
Di Francesco L (see Reimers et al). 1998;135:726-31
Dilaveris PE, Gialafos EJ, Sideris SK, Theopistou AM, Andrikopoulos GK, Kyriakidis M, Gialafos JE, Toutouzas PK. Simple electrocardiographic markers for the prediction of paroxysmal idiopathic atrial fibrillation. 1998;135:733-8
Dilaveris PE (see Michaelides et al). 1998;135:74-81
Di Mario C (see Reimers et al). 1998;135:726-31
Dindar I (see Degertekin et al). 1998;135:207-14
Dissmann R, Linderer T, Schröder R. Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and a-hydroxybutyrate dehydrogenase. 1998;135:1-9
Dittrich HC (see Ganiats et al). 1998;135:819-24
Dodge JT Jr (see Al-Mousa et al). 1998;135:323-8
Doherty TM (see Wang et al). 1998;135:82-7
Donatelli M (see Hoffmann et al). 1998;135:684-8
Doré M. Platelet-leukocyte interactions. 1998;135:S146-51
Doucet S (see Malekianpour et al). 1998;135:1067-75
Drblik SP (see Pavlova et al). 1998;135:1081-5
Dubach P (see Reinhart et al). 1998;135:379-82
Dubois-Randé J-L, Teiger E, Garot J, Aptecar E, Pernès J-M, Tixier D, Gueret P, Loiseaux D, Dupouy P. Effects of the 14F Hemopump on coronary hemodynamics in patients undergoing high-risk coronary angioplasty. 1998;135:844-9
Dupouy P (see Dubois-Randé et al). 1998;135:844-9
Dupuis J, Cernacek P, Tardif J-C, Stewart DJ, Gosselin G, Dyrda I, Bonan R, Crépeau J. Reduced pulmonary clearance of endothelin-1 in pulmonary hypertension. 1998;135:614-20
Duval D (see Malekianpour et al). 1998;135:1067-75
Dwyer EM (see Kalaria and Dwyer). 1998;135:901-6
Dyrda I (see Dupuis et al). 1998;135:614-20
Dziekian G (see Reinhart et al). 1998;135:379-82

E

- Eaker E (see Barzilay et al). 1998;135:1055-62
Edris DW (see Berger et al). 1998;135:349-56
Eishi K (see Kobayashi et al). 1998;135:1086-92
Elghelbazouri F (see Rey et al). 1998;135:1036-9
Elhendy A (see Kasprzak et al). 1998;135:995-1003
Ellenbogen KA (see Wood et al). 1998;135:1048-54
Ellis SG, Hill CM, Lytle BW. Spectrum of surgical risk for left main coronary stenoses: benchmark for potentially competing percutaneous therapies. 1998;135:335-8
Elsässer A, Müller KD, Vogt A, Strasser R, Gagel C, Schlepper M, Klövekorn WP. Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery. 1998;135:463-75
Elsner D (see Muscholl et al). 1998;135:58-66
Emanuelsson H (see Chronos et al). 1998;135:S67-76
Ernst SMPG (see Suttrop et al). 1998;135:318-22
Esmailzadeh B (see Korte et al). 1998;135:577-83
Etsuda H (see Hikita et al). 1998;135:813-8

F

- Facchin L (see Vescovo et al). 1998;135:130-7
Falk L (see Horneftam et al). 1998;135:1040-7
Fang JC, Rocco T, Jarcho J, Ganz P, Mudge GH. Noninvasive assessment of transplant-associated arteriosclerosis. 1998;135:980-7
Fantini A (see Mazzoli et al). 1998;135:15-20
Fantini F (see Marchionni et al). 1998;135:855-61
Fazzini PF (see Antonucci et al). 1998;135:510-8
Feigen LP (see Nicholson et al). 1998;135:S170-8
Feigenbaum H (see Mohler et al). 1998;135:253-60
Ferguson JJ, Kereiakes DJ, Adgey AAJ, Fox KAA, Hillegeass WB Jr, Pfisterer M, Vassaneli C. Safe use of platelet GP IIb/IIIa inhibitors. 1998;135:S77-89
Ferguson JJ, Lau TK. New antiplatelet agents for acute coronary syndromes. 1998;135:S194-200
Ferguson JJ, Waly HM, Wilson JM. Fundamentals of coagulation and glycoprotein IIb/IIIa receptor inhibition. 1998;135:S35-42
Fernandez-Ortiz A (see Phillips et al). 1998;135:719-25
Ferrari M (see Werner et al). 1998;135:300-9
Fierro A (see Del Rosso et al). 1998;135:564-70
Fimmers R (see Korte et al). 1998;135:577-83
Finci L (see Reimers et al). 1998;135:726-31
Fineberg N (see Mohler et al). 1998;135:253-60
Fitchett D (see Notarius et al). 1998;135:339-48
Fitzgerald DJ (see Quinn and Fitzgerald). 1998;135:S113-8
Fitzgerald PJ (see Schwarzacher et al). 1998;135:1063-6
Foster ED (see Barzilay et al). 1998;135:1055-62
Fouon J-C (see Pavlova et al). 1998;135:1081-5
Fowler M (see Gullestad et al). 1998;135:221-9
Fox KAA (see Ferguson et al). 1998;135:S77-89
Fox KAA (see Lange et al). 1998;135:970-9
Fraisie A, Colan SD, Jonas RA, Gauvreau K, Geva T. Accuracy of echocardiography for detection of aortic arch obstruction after stage I Norwood procedure. 1998;135:230-6
Francis GS (see Baig et al). 1998;135:S216-30
Francis GS (see Gheorghiade et al). 1998;135:S231-48
Francis GS (see Stevenson et al). 1998;135:S293-309
Frank DM (see Tisdale et al). 1998;135:739-47
Frank H (see Clobits et al). 1998;135:592-7
Franken PR (see Dendale et al). 1998;135:875-80
Franzosi MG (see Bobbio et al). 1998;135:443-8
Frelinger AL III, Hillman RS. Novel methods for assessing platelet function. 1998;135:S184-6

- French W (see Becker et al). 1998;135:786-96
 French WJ (see Wang et al). 1998;135:82-7
 Frishman WH (see Gombert-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)
 Froelicher ES (see Wong et al). 1998;135:435-42
 Frojmovic MM. Platelet aggregation in flow: differential roles for adhesive receptors and ligands. 1998;135:S119-31
 Fujii K (see Yotsukura et al). 1998;135:1004-9
 Fukazawa H (see Yamamoto et al). 1998;135:365 (Letter)
 Fukuda T, Akagi T, Ishibashi M, Inoue O, Sugimura T, Kato H. Noninvasive evaluation of myocardial ischemia in Kawasaki disease: comparison between dipyridamole stress thallium imaging and exercise stress testing. 1998;135:482-7
 Fukuhara A (see Tsuchikane et al). 1998;135:495-502
 Fumagalli S (see Marchionni et al). 1998;135:855-61
 Funamoto M (see Tsuchikane et al). 1998;135:495-502
 Fuster V. Mechanisms of arterial thrombosis: foundation for therapy. 1998;135:S361-S66
- G**
- Gadallah S, Thaker KB, Kawanishi D, Mehra A, Lau S, Rashtian M, Chandraratna PAN. Comparison of intracoronary Doppler guide wire and transesophageal echocardiography in measurement of flow velocity and coronary flow reserve in the left anterior descending coronary artery. 1998;135:38-42
 Gagel C (see Elsässer et al). 1998;135:463-75
 Galli S (see Salvioni et al). 1998;135:503-9
 Galloway MT, Paglieroni TG, Wun T, Arena FJ, Lewis WR. Platelet activation during dobutamine stress echocardiography. 1998;135:888-900
 Ganiats TG, Browner DK, Dittich HC. Comparison of Quality of Well-Being scale and NYHA functional status classification in patients with atrial fibrillation. 1998;135:819-24
 Ganz P (see Fang et al). 1998;135:980-7
 García-Fernández MA, López-Pérez JM, Pérez-Castellano N, Quero LF, Virgós-Lamela A, Otero-Ferreiro A, Lasara AM, Vega M, Moreno M, Pastor-Benavent JA, Bermejo J, García-Pardo J, de la Peña MG. Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements. 1998;135:476-81
 García-Pardo J (see García-Fernández et al). 1998;135:476-81
 Garot J (see Dubois-Randé et al). 1998;135:844-9
 Gastmann O (see Werner et al). 1998;135:300-9
 Gattis WA (see O'Connor et al). 1998;135:S249-63
 Gauvreau K (see Fraisse et al). 1998;135:230-6
 Gawad Y (see Hollander et al). 1998;135:245-52
 Gee L (see Wong et al). 1998;135:435-42
 Genchay M (see Degertekin et al). 1998;135:207-14
 Gersh BJ (see Cooper and Gersh). 1998;135:925-36 (Curriculum cardiol.)
 Geva T (see Fraisse et al). 1998;135:230-6
 Gheorghiadu M, Cody RJ, Francis GS, McKenna WJ, Young JB, Bonow RO. Current medical therapy for advanced heart failure. 1998;135:S231-48
 Gheorghiadu M (see Adams et al). 1998;135:389-97
 Gheorghiadu M (see Baig et al). 1998;135:S216-30
 Gheorghiadu M (see Califf and Gheorghiadu). 1998;135:S201-3
 Gheorghiadu M (see Dauterman et al). 1998;135:S310-S319
 Gheorghiadu M (see McDermott and Gheorghiadu). 1998;135:924 (Letter)
 Gheorghiadu M (see Shivkumar et al). 1998;135:261-7
 Gialafos EJ (see Dilaveris et al). 1998;135:733-8
 Gialafos J (see Michaelides et al). 1998;135:74-81
 Gialafos JE (see Dilaveris et al). 1998;135:733-8
 Gibbons RJ (see Christian et al). 1998;135:421-7
 Gibbons RJ (see Miller et al). 1998;135:663-70
 Gibler WB (see Braunwald et al). 1998;135:S56-66
 Gibson CM (see Al-Mousa et al). 1998;135:323-8
 Gilligan DM (see Wood et al). 1998;135:1048-54
 Gilliland Y (see Richards et al). 1998;135:641-6
 Gilon D, Schechter D, Rein AJT, Gimmon Z, Or R, Rozenman Y, Slavin S, Gotsman MS, Nagler A. Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation. 1998;135:457-62
 Gimmon Z (see Gilon et al). 1998;135:457-62
 Giot C (see Berkenboom et al). 1998;135:488-94
 Glasser SP. Hypertension, hypertrophy, hormones, and the heart. 1998;135:S16-20 (Symposium)
 Gleim GW (see Moses et al). 1998;135:988-94
 Globits S, Frank H, Pacher B, Huelsmann M, Ogris E, Pacher R. Atrial natriuretic peptide release is more dependent on atrial filling volume than on filling pressure in chronic congestive heart failure. 1998;135:592-7
 Gobba F (see Modena et al). 1998;135:287-92
 Goebbels U (see Reinhart et al). 1998;135:379-82
 Goel M (see Al-Mousa et al). 1998;135:323-8
 Goethals M (see Vanderheyden et al). 1998;135:67-73
 Goicolea J (see Phillips et al). 1998;135:719-25
 Goklany AK, Murphy JD, Hillegass WB Jr. Abciximab therapy in percutaneous intervention: economic issues in the United States. 1998;135:S90-7
 Goldberg AD (see Tisdale et al). 1998;135:739-47
 Goldberg RJ, McGovern PG, Guggina T, Savageau J, Rosamond WD, Luepker RV. Prehospital delay in patients with acute coronary heart disease: concordance between patient interviews and medical records. 1998;135:293-9
 Goldberg S (see Chronos et al). 1998;135:S67-76
 Goldman L (see Califf et al). 1998;135:S320-S326
 Goldstein S (see Shivkumar et al). 1998;135:261-7
 Gombert-Maitland M, Frishman WH. Thyroid hormone and cardiovascular disease. 1998;135:187-96 (Curriculum cardiol.)
 Gore JM (see Becker et al). 1998;135:786-96
 Gosselin G (see Dupuis et al). 1998;135:614-20
 Gosselin G (see Malekianpour et al). 1998;135:1067-75
 Goto Y (see Nagaya et al). 1998;135:21-8
 Gotsman MS (see Gilon et al). 1998;135:457-62
 Gotzsche O (see Knudsen et al). 1998;135:51-7
 Goyal R (see Weiss et al). 1998;135:945-51
 Gray DT (see Miller et al). 1998;135:663-70
 Greenbaum AB (see Alexander et al). 1998;135:1099-114
 Grines CL (see Christian et al). 1998;135:310-7
 Grünenfelder J (see Van Praagh et al). 1998;135:772-85
 Guazzi MD (see Salvioni et al). 1998;135:503-9
 Gueret P (see Dubois-Randé et al). 1998;135:844-9
 Guggina T (see Goldberg et al). 1998;135:293-9
 Gulba D (see Chronos et al). 1998;135:S67-76
 Gullestad L, Myers J, Ross H, Rickenbacher P, Slauson S, Bellin D, Vagelos R, Fowler M. Serial exercise testing and prognosis in selected patients considered for cardiac transplantation. 1998;135:221-9
 Guo X (see Hnatkova et al). 1998;135:1010-9
 Gurné O, Chenu P, Timmermans P, Marchandise B, Schroeder E. Evaluation in vivo of the endothelial function of the native gastroduodenal artery. 1998;135:146-51
- H**
- Haaksma J (see van Boven et al). 1998;135:571-6
 Haas NF (see Nicholson et al). 1998;135:S170-8
 Hager WD, Davis BR, Riba A, Moye LA, Wun C-C, Rouleau JL, Lamas GA, Pfeffer MA. Absence of a deleterious effect of

- calcium channel blockers in patients with left ventricular dysfunction after myocardial infarction: the SAVE study experience. 1998;135:406-13
- Hall C (see Horneftam et al). 1998;135:1040-7
- Hallstrom AP (see Maynard et al). 1998;135:797-804
- Halter JB (see Weiss et al). 1998;135:945-51
- Hamer A (see Krum et al). 1998;135:237-41
- Hamm CW (see Braunwald et al). 1998;135:556-66
- Hamm CW (see Terres et al). 1998;135:281-6
- Hannan RL (see Solomon et al). 1998;135:557-63
- Hanson SR, Sakariassen KS. Blood flow and antithrombotic drug effects. 1998;135:S132-45
- Haramaki N (see Nishiyama et al). 1998;135:115-20
- Harder J (see Pavlova et al). 1998;135:1081-5
- Hare D (see Krum et al). 1998;135:237-41
- Hart G (see Roukema et al). 1998;135:88-92
- Hasumura Y (see Kawano et al). 1998;135:268-71
- Haverich A (see Pethig et al). 1998;135:628-33
- Heidenreich PA (see Shah et al). 1998;135:373-8
- Held P (see Horneftam et al). 1998;135:1040-7
- Hellkvist K (see Sylven et al). 1998;135:677-83
- Helmert KF (see Merz et al). 1998;135:881-7
- Hennessy T, Diamond P, Holligan B, O'Keane C, Hurley J, Codd M, McCarthy C, McCann H, Sugrue D. Correlation of myocardial histologic changes in hibernating myocardium with dobutamine stress echocardiographic findings. 1998;135:952-9
- Hense H-W (see Muscholl et al). 1998;135:58-66
- Hernandez R (see Phillips et al). 1998;135:719-25
- Herz I (see Birnbaum et al). 1998;135:805-12
- Heublein B (see Pethig et al). 1998;135:628-33
- Higginbotham MB (see Russell et al). 1998;135:107-14
- Higginbotham MB (see Russell et al). 1998;135:398-405
- Higgins JE (see Moses et al). 1998;135:988-94
- Higgins RSD (see Tisdale et al). 1998;135:739-47
- Higginson LA (see Le May et al). 1998;135:714-8
- Hikita H, Etsuda H, Takase B, Satomura K, Kurita A, Nakamura H. Extent of ischemic stimulus and plasma b-endorphin levels in silent myocardial ischemia. 1998;135:813-8
- Hilbe J (see Becker et al). 1998;135:786-96
- Hill CM (see Ellis et al). 1998;135:335-8
- Hilleagass WB Jr (see Ferguson et al). 1998;135:877-89
- Hilleagass WB Jr (see Goklaney et al). 1998;135:890-7
- Hillman RS (see Frelinger and Hillman). 1998;135:S184-6
- Hioki Y (see Kawano et al). 1998;135:268-71
- Hiramori K (see Nakamura et al). 1998;135:414-20
- Hirata S (see Sasaki et al). 1998;135:937-44
- Hirota Y (see Ito et al). 1998;135:1020-6
- Hirsh J. Low-molecular-weight heparin for the treatment of venous thromboembolism. 1998;135:S336-S342
- Hisanaga T (see Maeda et al). 1998;135:825-32
- Hnatkova K, Waktare JEP, Murgatroyd FD, Guo X, Baiyan X, Camm AJ, Malik M. Analysis of the cardiac rhythm preceding episodes of paroxysmal atrial fibrillation. 1998;135:1010-9
- Ho Y-L, Wu C-C, Huang P-J, Lin L-C, Chieng P-U, Chen W-J, Chen M-F, Lee Y-T. Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography. 1998;135:655-62
- Hodge DO (see Miller et al). 1998;135:663-70
- Hoffmann E, Assennato P, Donatelli M, Colletti I, Valenti TM. Plasma endothelin-1 levels in patients with angina pectoris and normal coronary angiograms. 1998;135:684-8
- Hollander JE, Levitt MA, Young GP, Briglia E, Wetli CV, Gawad Y. Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction. 1998;135:245-52
- Holligan B (see Hennessy et al). 1998;135:952-9
- Holmes DR (see Christian et al). 1998;135:421-7
- Holmgren A (see Ribeiro et al). 1998;135:868-74
- Hombach V (see Osterhues et al). 1998;135:755-61
- Homori M (see Kawano et al). 1998;135:268-71
- Hopkins RA (see Solomon et al). 1998;135:557-63
- Horneftam B, Hall C, Held P, Carlsson T, Falk L, Karlson BW, Lundström T, Peterson M. N-terminal proANF in acute atrial fibrillation: a biochemical marker of atrial pressures but not a predictor for conversion to sinus rhythm. 1998;135:1040-7
- Houplon P (see Brembilla-Perrot et al). 1998;135:748-54
- Houriez P (see Brembilla-Perrot et al). 1998;135:748-54
- Howes LG (see Krum et al). 1998;135:237-41
- Huang P-J (see Ho et al). 1998;135:655-62
- Hudson G (see Malekianpour et al). 1998;135:1067-75
- Hudson MP (see Alexander et al). 1998;135:1099-114
- Huelsmann M (see Globits et al). 1998;135:592-7
- Hung C-R (see Shyu et al). 1998;135:862-7
- Hurley J (see Hennessy et al). 1998;135:952-9
- Ieri A (see Del Rosso et al). 1998;135:564-70
- Igawa A (see Miwa et al). 1998;135:762-71
- Ikeda H (see Nishiyama et al). 1998;135:115-20
- Ikeda U (see Yamamoto et al). 1998;135:542-9
- Ikesa U (see Yamamoto et al). 1998;135:365 (Letter)
- Imaizumi T (see Nishiyama et al). 1998;135:115-20
- Inoue H (see Miwa et al). 1998;135:762-71
- Inoue O (see Fukuda et al). 1998;135:482-7
- Ishibashi M (see Fukuda et al). 1998;135:482-7
- Ishihara T (see Sasaki et al). 1998;135:937-44
- Ishikawa K (see Kawano et al). 1998;135:268-71
- Ishikawa K (see Sasaki et al). 1998;135:937-44
- Ishikawa K (see Yoshino et al). 1998;135:689-95
- Ishikawa K (see Yotsukura et al). 1998;135:1004-9
- Isner JM (V Riessen et al). 1998;135:357-64
- Ito T, Suwa M, Otake Y, Kobashi A, Hirota Y, Ando H, Kawamura K. Assessment of left atrial appendage function after cardioversion of atrial fibrillation: relation to left atrial mechanical function. 1998;135:1020-6
- Iwama T (see Kitazume et al). 1998;135:1076-80
- Jackson B (see Krum et al). 1998;135:237-41
- Jacobs WR (see Langholz et al). 1998;135:197-206
- Jacquemin L (see Brembilla-Perrot et al). 1998;135:748-54
- Jarcho J (see Fang et al). 1998;135:980-7
- Jennings LK, White MM. Expression of ligand-induced binding sites on glycoprotein IIb/IIIa complexes and the effect of various inhibitors. 1998;135:S179-83
- Jonas RA (see Fraisse et al). 1998;135:230-6
- Jorfeldt L (see Ribeiro et al). 1998;135:868-74
- Juhlin-Dannfelt A (see Ribeiro et al). 1998;135:868-74
- Jukema JW (see van Boven et al). 1998;135:571-6
- Jung W (see Korte et al). 1998;135:577-83
- Junod AF (see Nendaz et al). 1998;135:532-41
- Kachi E (see Sasaki et al). 1998;135:937-44
- Kachi E (see Yoshino et al). 1998;135:689-95
- Kajiwara T (see Yoshino et al). 1998;135:689-95
- Kalaria VG, Dwyer EM. Ability of the exercise electrocardiogram test to detect ischemia in stable coronary artery disease patients with ST-segment depression on the resting electrocardiogram. 1998;135:901-6

- Kalaria VG, Passannante MR, Shah T, Modi K, Weisse AB. Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy. 1998;135:215-20
- Kamakura S (see Nakayama et al). 1998;135:99-106
- Kangawa K (see Nagaya et al). 1998;135:21-8
- Karagounis LA, Anderson JL, Moreno FL, Sorensen SG. Multivariate associates of QT dispersion in patients with acute myocardial infarction: primacy of patency status of the infarct-related artery. 1998;135:1027-35
- Karlson BW (see Hornestam et al). 1998;135:1040-7
- Karrasch J (see Krum et al). 1998;135:237-41
- Kasprzak JD, Nosir YFM, Dall'Agata A, Elhendy A, Taams M, Ten Cate FJ, Roelandt JRTC. Quantification of the aortic valve area in three-dimensional echocardiographic data sets: analysis of orifice overestimation resulting from sub-optimal cut-plane selection. 1998;135:995-1003
- Katayama A (see Yotsukura et al). 1998;135:1004-9
- Kato H (see Fukuda et al). 1998;135:482-7
- Katoh O (see Tsuchikane et al). 1998;135:495-502
- Katz ES (see Applebaum et al). 1998;135:850-4
- Katz NM (see Solomon et al). 1998;135:557-63
- Kawamura K (see Ito et al). 1998;135:1020-6
- Kawanishi D (see Gadallah et al). 1998;135:38-42
- Kawano K, Aoki I, Aoki N, Homori M, Maki A, Hioki Y, Hasumura Y, Terano A, Arai T, Mizuno H, Ishikawa K. Human platelet activation by thrombolytic agents: effects of tissue-type plasminogen activator and urokinase on platelet surface P-selectin expression. 1998;135:268-71
- Kearney M (see Riessen et al). 1998;135:357-64
- Kearns SA (see Le May et al). 1998;135:714-8
- Kelder JC (see Suttrop et al). 1998;135:318-22
- Kelley M (see Al-Mousa et al). 1998;135:323-8
- Kennedy J, Shaville R, Wang S, Budoff M, Detrano RC. Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography. 1998;135:696-702
- Kereiakes DJ (see Ferguson et al). 1998;135:877-89
- Kern MJ (see Moses et al). 1998;135:988-94
- Kernoff RS (see Schwarzscher et al). 1998;135:1063-6
- Khattri R (see Senior et al). 1998;135:1093-8
- Kimura BJ (see Phillips et al). 1998;135:719-25
- Kinoshita M (see Maeda et al). 1998;135:825-32
- Kitazume H, Kubo I, Iwama T. Long-term angiographic prognosis of lesions dilated by coronary angioplasty. 1998;135:1076-80
- Kleiman NS (see Tracy et al). 1998;135:29-37
- Klitzner TS (see Shinbane et al). 1998;135:93-8
- Klövekorn WP (see Elsässer et al). 1998;135:463-75
- Kümmel P (see Terres et al). 1998;135:281-6
- Knies A (see Werner et al). 1998;135:300-9
- Knight BP (see Weiss et al). 1998;135:945-51
- Knudsen AS, Darwisch AZ, Norgaard A, Gotzsche O, Thygesen K. Time course of myocardial viability after acute myocardial infarction: an echocardiographic study. 1998;135:51-7
- Kobashi A (see Ito et al). 1998;135:1020-6
- Kobayashi T (see Tsuchikane et al). 1998;135:495-502
- Kobayashi Y, Nagata S, Eishi K, Nakano K, Miyatake K. Serial Doppler echocardiographic evaluation of Carpentier-Edwards pericardial valve dysfunction: comparison with Ionescu-Shiley valve. 1998;135:1086-92
- Kobayashi Y (see Nagaya et al). 1998;135:21-8
- Kobrin I (see Schneeweiss et al). 1998;135:272-80
- Kochs M (see Osterhues et al). 1998;135:755-61
- Koide Y (see Yotsukura et al). 1998;135:1004-9
- Kong DF (see Alexander et al). 1998;135:157-80
- Kong DF (see Alexander et al). 1998;135:1099-114
- Kop W (see Merz et al). 1998;135:881-7
- Kopelen HA (see Nagueh et al). 1998;135:647-54
- Korte T, Jung W, Schlippe U, Wolpert C, Esmailzadeh B, Fimmers R, Schmitt O, Lüderitz B. Prospective evaluation of shoulder-related problems in patients with pectoral cardioverter-defibrillator implantation. 1998;135:577-83
- Kostis JB (see Moreyra et al). 1998;135:138-45
- Kouretas PC (see Solomon et al). 1998;135:557-63
- Kovacs T (see Moreyra et al). 1998;135:138-45
- Krantz DS (see Merz et al). 1998;135:881-7
- Kreps EM (see Moses et al). 1998;135:988-94
- Kreuzer H (see Werner et al). 1998;135:300-9
- Kronmal RA (see Barzilay et al). 1998;135:1055-62
- Kronzon I (see Applebaum et al). 1998;135:850-4
- Krum H, Karrasch J, Hamer A, Hare D, Howes LG, Jackson B, Leslie P. Effect of angiotensin-converting enzyme inhibitor dosing interval on functional parameters in patients with chronic heart failure. 1998;135:237-41
- Krumholz HM, Chen J, Murillo JE, Cohen DJ, Radford MJ. Clinical correlates of in-hospital costs for acute myocardial infarction in patients 65 years of age and older. 1998;135:523-31
- Kuan P-L (see Shyu et al). 1998;135:862-7
- Kubo I (see Kitazume et al). 1998;135:1076-80
- Kuch B (see Muscholl et al). 1998;135:58-66
- Kurbaan AS, Bowker TJ, Rickards AF. Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy. 1998;135:703-8
- Kurita A (see Hikita et al). 1998;135:813-8
- Kuroiwa A (see Sonoda et al). 1998;135:621-7
- Kyriakidis M (see Dilaveris et al). 1998;135:733-8

L

- Labinaz M (see Le May et al). 1998;135:714-8
- Lahiri A (see Senior et al). 1998;135:1093-8
- Lamas GA (see Hager et al). 1998;135:406-13
- Lambrew C (see Becker et al). 1998;135:786-96
- Lange A, Palka P, Nowicki A, Olszewski R, Anderson T, Adamus J, Sutherland GR, Fox KAA. Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study. 1998;135:970-9
- Lange A (see Caso et al). 1998;135:43-50
- Langholz D, Mackin WJ, Wallis DE, Jacobs WR, Scanlon PJ, Louie EK. Transesophageal echocardiographic assessment of systolic mitral leaflet displacement among patients with mitral valve prolapse. 1998;135:197-206
- Lanir N (see Varon et al). 1998;135:187-93
- Lansky DM (see Nicholson et al). 1998;135:170-8
- Laramée LA (see Le May et al). 1998;135:714-8
- Lasara AM (see García-Fernández et al). 1998;135:476-81
- Lashevski I (see Varon et al). 1998;135:187-93
- Lau S (see Gadallah et al). 1998;135:38-42
- Lau TK (see Ferguson and Lau). 1998;135:194-200
- Lauri G (see Salvioni et al). 1998;135:503-9
- Laurier J (see Malekianpour et al). 1998;135:1067-75
- Lawler J (see Riessen et al). 1998;135:357-64
- LeClerc J-L (see Berkenboom et al). 1998;135:488-94
- Lee T-M, Su S-F, Lin Y-J, Chen W-J, Chen M-F, Liao C-S, Lee Y-T. Role of transesophageal echocardiography in the evaluation of patients with clinical pacemaker syndrome. 1998;135:634-40
- Lee Y-T (see Ho et al). 1998;135:655-62
- Lee Y-T (see Lee et al). 1998;135:634-40
- Le May MR, Labinaz M, Marquis J-F, O'Brien ER, Beanlands RS, Laramée LA, Williams WL, Davies RF, Kearns SA, Higginson LA. Late clinical and angiographic follow-up after stenting in evolving and recent myocardial infarction. 1998;135:714-8
- Leprout C (see Vescovo et al). 1998;135:130-7
- Lesh MD (see Shinbane et al). 1998;135:93-8
- Leslie P (see Krum et al). 1998;135:237-41

- Lespérance J (see Malekianpour et al). 1998;135:1067-75
Levin RI (see Stein and Levin). 1998;135:914-23
Levitt MA (see Hollander et al). 1998;135:245-52
Levy RD (see Notarius et al). 1998;135:339-48
Lewis WR (see Galloway et al). 1998;135:888-900
Liau C-S (see Lee et al). 1998;135:634-40
Libera LD (see Vescovo et al). 1998;135:130-7
Lie KI (see van Boven et al). 1998;135:571-6
Lie KI (see Van Den Berg et al). 1998;135:242-4
Lin L-C (see Ho et al). 1998;135:655-62
Lin Y-J (see Lee et al). 1998;135:634-40
Lindahl S (see Sylvén et al). 1998;135:677-83
Linderer T (see Dissmann et al). 1998;135:1-9
Lip GYH. Hemostatic markers in heart disease. 1998;135:365-6
(Letter reply)
Logan LJ (see Russell et al). 1998;135:107-14
Loisance D (see Dubois-Randé et al). 1998;135:844-9
López-Pérez JM (see García-Fernández et al). 1998;135:476-81
Louie EK (see Langholz et al). 1998;135:197-206
Louis P (see Brembilla-Perrot et al). 1998;135:748-54
Lüderitz B (see Korte et al). 1998;135:577-83
Luepker RV (see Goldberg et al). 1998;135:293-9
Lundstrom R (see Wong et al). 1998;135:435-42
Lundström T (see Horneštam et al). 1998;135:1040-7
Luther P (see Rich et al). 1998;135:367-72
Lytle BW (see Ellis et al). 1998;135:335-8

M

- Macaya C (see Phillips et al). 1998;135:719-25
MacGregor GA (see Missouri et al). 1998;135:838-43
MacInerney EJ (see Uretsky et al). 1998;135:5264-84
Mackin WJ (see Langholz et al). 1998;135:197-206
Maeda K, Tsutamoto T, Wada A, Hisanaga T, Kinoshita M.
Plasma brain natriuretic peptide as a biochemical marker of
high left ventricular end-diastolic pressure in patients with
symptomatic left ventricular dysfunction. 1998;135:825-32
Magder S (see Notarius et al). 1998;135:339-48
Magee AG, Boutin C, McCrindle BW, Smallhorn JE.
Echocardiography and cardiac catheterization in the pre-
operative assessment of ventricular septal defect in infan-
cy. 1998;135:907-13
Maggioni AP (see Bobbio et al). 1998;135:443-8
Magris B (see Ammirati et al). 1998;135:671-6
Mahalingham B (see Moreyra et al). 1998;135:138-45
Mahan E (see Tracy et al). 1998;135:29-37
Mahon N (see Baig et al). 1998;135:5216-30
Maioli M (see Del Rosso et al). 1998;135:564-70
Maisei A (see Cesario et al). 1998;135:121-9
Maisei A (see Nuñez and Maisei). 1998;135:383-8
Maki A (see Kawano et al). 1998;135:268-71
Makita S (see Nakamura et al). 1998;135:414-20
Malacrida R (see Bobbio et al). 1998;135:443-8
Malekianpour M, Bonan R, Lespérance J, Gosselin G, Hudon
G, Doucet S, Laurier J, Duval D. Comparison of ionic and
nonionic low osmolar contrast media in relation to throm-
botic complications of angioplasty in patients with unsta-
ble angina. 1998;135:1067-75
Malik M (see Hnatkova et al). 1998;135:1010-9
Man KC (see Weiss et al). 1998;135:945-51
Mann KG (see Tracy et al). 1998;135:29-37
Marble SJ (see Al-Mousa et al). 1998;135:323-8
Marchandise B (see Gurné et al). 1998;135:146-51
Marchionni N, Fumagalli S, Baldereschi G, Di Bari M, Fantini F.
Effective arterial elastance and the hemodynamic effects of
intraaortic balloon counterpulsation in patients with coro-
nary heart disease. 1998;135:855-61
Marciniak TA (see Berger et al). 1998;135:349-56
Marenzi G (see Salvioni et al). 1998;135:503-9
Mark DB (see Schulman et al). 1998;135:S285-92
Markandu ND (see Missouri et al). 1998;135:838-43
Marmor A (see Schneeweiss et al). 1998;135:272-80
Marquis J-F (see Le May et al). 1998;135:714-8
Martanovic P (see Van Praagh et al). 1998;135:772-85
Martin JS (see Maynard et al). 1998;135:797-804
Maseri A (see Braunwald et al). 1998;135:556-66
Massie BM (see Dauterman et al). 1998;135:S310-S319
Massie BM (see Shah et al). 1998;135:373-8
Massie BM (see Stevenson et al). 1998;135:S293-309
Mast EG (see Suttrop et al). 1998;135:318-22
Matsumori A (see Yamada et al). 1998;135:329-34
Matsumoto T (see Nagaya et al). 1998;135:21-8
Matsuo H (see Nagaya et al). 1998;135:21-8
Matsuoka H (see Nagaya et al). 1998;135:21-8
Mattioli G (see Modena et al). 1998;135:287-92
Maynard C, Swenson R, Paris JA, Martin JS, Hallstrom AP,
Cerqueira MD, Weaver WD. Randomized, controlled trial
of RheothRx (poloxamer 188) in patients with suspected
acute myocardial infarction. 1998;135:797-804
Mazza F (see Del Rosso et al). 1998;135:564-70
Mazzoli S, Tofani N, Fantini A, Semplici F, Bandini F, Salvi A,
Vergassola R. Chlamydia pneumoniae antibody response in
patients with acute myocardial infarction and their follow-
up. 1998;135:15-20
McCann H (see Hennessy et al). 1998;135:952-9
McCann HA (see McKenna et al). 1998;135:833-7
McCarthy C (see Hennessy et al). 1998;135:952-9
McCrindle BW (see Magee et al). 1998;135:907-13
McDermott MM, Gheorghiadé M. Correction. 1998;135:924
(Letter)
McGovern PG (see Goldberg et al). 1998;135:293-9
McKenna CJ, Codd MB, McCann HA, Sugrue DD. Alcohol con-
sumption and idiopathic dilated cardiomyopathy: a case
control study. 1998;135:833-7
McKenna WJ (see Baig et al). 1998;135:5216-30
McKenna WJ (see Gheorghiadé et al). 1998;135:S231-48
McLean C (see Al-Mousa et al). 1998;135:323-8
McNeer FR (see Russell et al). 1998;135:107-14
McNeer FR (see Russell et al). 1998;135:398-405
Mehra A (see Gadallah et al). 1998;135:38-42
Meijis M (see Roukema et al). 1998;135:88-92
Meinertz T (see Terres et al). 1998;135:281-6
Merz CNB, Kop W, Krantz DS, Helmers KF, Berman DS,
Rozanski A. Cardiovascular stress response and coronary
artery disease: evidence of an adverse postmenopausal
effect in women. 1998;135:881-7
Metz JA (see Schwarzacher et al). 1998;135:1063-6
Michaelides AP, Dilaveris PE, Psomadaki ZD, Aggelakas S,
Stefanadis C, Cokkinos D, Gialafos J, Toutouzas PK.
Reliability of exercise-induced ST segment changes to
detect restenosis 3 months after coronary angioplasty: sig-
nificance of the appearance in other leads. 1998;135:74-81
Michelucci A (see Del Rosso et al). 1998;135:564-70
Miketic S, Carlsson J, Tebbe U. Influence of gradually
increased slow balloon inflation on restenosis after coro-
nary angioplasty. 1998;135:709-13
Milavetz JJ (see Christian et al). 1998;135:421-7
Miller H (see Blum and Miller). 1998;135:181-6 (Prog. cardiol.)
Miller JM (see Alexander et al). 1998;135:1099-114
Miller TD, Christian TF, Clements IP, Hodge DO, Gray DT,
Gibbons RJ. Prognostic value of exercise thallium-201
imaging in a community population. 1998;135:663-70
Miller TD (see Christian et al). 1998;135:421-7
Mininni N (see Caso et al). 1998;135:43-50
Mintzer R (see Uretsky et al). 1998;135:S264-84
Missouri CG, Cappuccio FP, Varsamis E, Barron JL, Carr E,
Markandu ND, MacGregor GA. Serotonin and heart rate in
hypertensive and normotensive subjects. 1998;135:838-43

- Miwa K, Igawa A, Miyagi Y, Nakagawa K, Inoue H. Alterations of autonomic nervous activity preceding nocturnal variant angina: sympathetic augmentation with parasympathetic impairment. 1998;135:762-71
- Miyagi Y (see Miwa et al). 1998;135:762-71
- Miyao Y (see Nagaya et al). 1998;135:21-8
- Miyatake K (see Kobayashi et al). 1998;135:1086-92
- Miyatake K (see Nakayama et al). 1998;135:99-106
- Miyazaki S (see Nagaya et al). 1998;135:21-8
- Mizuno H (see Kawano et al). 1998;135:268-71
- Modena MG, Molinari R, Rossi R, Muia N Jr, Castelli A, Mattioli G, Bacchella L, Gobba F. Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction. 1998;135:287-92
- Modi K (see Kalaria et al). 1998;135:215-20
- Mohler ER III, Ryan T, Segar DS, Sawada SG, Sonel AF, Perkins L, Fineberg N, Feigenbaum H, Wilensky RL. Clinical utility of troponin T levels and echocardiography in the emergency department. 1998;135:253-60
- Molinari GF (see Berger et al). 1998;135:349-56
- Molinari R (see Modena et al). 1998;135:287-92
- Molnar J (see Tarabey et al). 1998;135:519-22
- Morady F (see Weiss et al). 1998;135:945-51
- Moreno FL (see Karagounis et al). 1998;135:1027-35
- Moreno M (see García-Fernández et al). 1998;135:476-81
- Moreyra AE, Wilson AC, Deac R, Suciu C, Kostis JB, Ortan F, Kovacs T, Mahalingham B. Factors associated with atrial fibrillation in patients with mitral stenosis: a cardiac catheterization study. 1998;135:138-45
- Morii I (see Nagaya et al). 1998;135:21-8
- Moses JW, Undermir C, Strain JE, Kreps EM, Higgins JE, Gleim GW, Kern MJ. Relation between single tomographic intravascular ultrasound image parameters and intracoronary Doppler flow velocity in patients with intermediately severe coronary stenoses. 1998;135:988-94
- Moye LA (see Hager et al). 1998;135:406-13
- Moynihan J (see Al-Mousa et al). 1998;135:323-8
- Muders F (see Muscholl et al). 1998;135:58-66
- Mudge GH (see Fang et al). 1998;135:980-7
- Muia N Jr (see Modena et al). 1998;135:287-92
- Müller KD (see Elsässer et al). 1998;135:463-75
- Murata I, Takenaka K, Shinohara S, Suzuki T, Sasaki T, Yamamoto K. Diversity of myocardial involvement in systemic sclerosis: an 8-year study of 95 Japanese patients. 1998;135:960-9
- Murgatroyd FD (see Hnatkova et al). 1998;135:1010-9
- Murillo JE (see Krumholz et al). 1998;135:523-31
- Murphy JD (see Goklaney et al). 1998;135:S90-7
- Muscholl MW, Schunkert H, Muders F, Elsner D, Kuch B, Hense H-W, Riegger GAJ. Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension. 1998;135:58-66
- Myers J (see Gullestad et al). 1998;135:221-9
- Myers J (see Reinhart et al). 1998;135:379-82
- N**
- Nagata S (see Kobayashi et al). 1998;135:1086-92
- Nagaya N, Nishikimi T, Goto Y, Miyao Y, Kobayashi Y, Morii I, Daikoku S, Matsumoto T, Miyazaki S, Matsuoka H, Takishita S, Kangawa K, Matsuo H, Nonogi H. Plasma brain natriuretic peptide is a biochemical marker for the prediction of progressive ventricular remodeling after acute myocardial infarction. 1998;135:21-8
- Nagler A (see Gilon et al). 1998;135:457-62
- Nagueh SF, Kopelev HA, Zoghbi WA. Effects of adenosine on left ventricular filling dynamics in patients with and without coronary artery disease: a Doppler echocardiographic study. 1998;135:647-54
- Nakagawa K (see Miwa et al). 1998;135:762-71
- Nakamura H (see Hikita et al). 1998;135:813-8
- Nakamura M, Arakawa N, Yoshida H, Makita S, Niinuma H, Hiramori K. Vasodilatory effects of B-type natriuretic peptide are impaired in patients with chronic heart failure. 1998;135:414-20
- Nakamura M (see Yamakado et al). 1998;135:584-91
- Nakano K (see Kobayashi et al). 1998;135:1086-92
- Nakano T (see Yamakado et al). 1998;135:584-91
- Nakashima Y (see Sonoda et al). 1998;135:621-7
- Nakatani S (see Nakayama et al). 1998;135:99-106
- Nakayama K, Miyatake K, Uematsu M, Tanaka N, Kamakura S, Nakatani S, Yamazaki N, Yamagishi M. Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome. 1998;135:99-106
- Natterson PD (see Shinbane et al). 1998;135:93-8
- Nellens P (see Vanderheyden et al). 1998;135:67-73
- Nenciaz MR, Sarasin FP, Junod AF, Bogousslavsky J. Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic abstention? A decision analytic perspective. 1998;135:532-41
- Nicholson NS, Panzer-Knodle SG, Haas NF, Taite BB, Szalony JA, Page JD, Feigen LP, Lansky DM, Salyers AK. Assessment of platelet function assays. 1998;135:S170-8
- Niinuma H (see Nakamura et al). 1998;135:414-20
- Nishikimi T (see Nagaya et al). 1998;135:21-8
- Nishiyama Y, Ikeda H, Haramaki N, Yoshida N, Imaizumi T. Oxidative stress is related to exercise intolerance in patients with heart failure. 1998;135:115-20
- Nonogi H (see Nagaya et al). 1998;135:21-8
- Norgaard A (see Knudsen et al). 1998;135:51-7
- Nosir YFM (see Kasprzak et al). 1998;135:995-1003
- Notarius CF, Levy RD, Tully A, Fitchett D, Magder S. Cardiac versus noncardiac limits to exercise after heart transplantation. 1998;135:339-48
- Nowicki A (see Lange et al). 1998;135:970-9
- Nuñez S, Maisel A. Comparison between mixed venous oxygen saturation and thermodilution cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine. 1998;135:383-8
- Nyquist O (see Sylvén et al). 1998;135:677-83
- O**
- O'Brien ER (see Le May et al). 1998;135:714-8
- O'Connor CM, Gattis WA, Swedberg K. Current and novel pharmacologic approaches in advanced heart failure. 1998;135:S249-63
- Oesterle SN (see Schwarzacher et al). 1998;135:1063-6
- Oetgen WJ (see Berger et al). 1998;135:349-56
- Ogris E (see Globits et al). 1998;135:592-7
- O'Keane C (see Hennessy et al). 1998;135:952-9
- O'Keefe JH (see Christian et al). 1998;135:310-7
- Olmer L (see Birnbaum et al). 1998;135:805-12
- Olsewski R (see Lange et al). 1998;135:970-9
- Or R (see Gilon et al). 1998;135:457-62
- Ortan F (see Moreyra et al). 1998;135:138-45
- Osterhues H-H, Kochs M, Hombach V. Time-dependent changes of heart rate variability after percutaneous transluminal angioplasty. 1998;135:755-61
- Otake Y (see Ito et al). 1998;135:1020-6
- Otero-Ferreiro A (see García-Fernández et al). 1998;135:476-81
- Otmami A (see Rey et al). 1998;135:1036-9

- Otsuji S (see Tsuchikane et al). 1998;135:495-502
Özkutlu S (see Alehan and Özkutlu). 1998;135:598-603

P

- Pacher B (see Globits et al). 1998;135:592-7
Pacher R (see Globits et al). 1998;135:592-7
Packer M (see Adams et al). 1998;135:389-97
Padhi ID (see Tisdale et al). 1998;135:739-47
Page JD (see Nicholson et al). 1998;135:S170-8
Paglieroni TG (see Galloway et al). 1998;135:888-900
Palka P (see Caso et al). 1998;135:43-50
Palka P (see Lange et al). 1998;135:970-9
Pandozi C (see Ammirati et al). 1998;135:671-6
Panzer-Knodle SG (see Nicholson et al). 1998;135:S170-8
Paone G (see Tisdale et al). 1998;135:739-47
Papagiannis J (see Van Praagh et al). 1998;135:772-85
Paris JA (see Maynard et al). 1998;135:797-804
Passannante MR (see Kalaria et al). 1998;135:215-20
Pastor-Benavent JA (see García-Fernández et al). 1998;135:476-81
Patterson JH (see Adams et al). 1998;135:389-97
Pavlova M, Fouron J-C, Drblik SP, van Doesburg NH, Bigras J-L, Smallhorn J, Harder J, Robertson M. Factors affecting the prognosis of Ebstein's anomaly during fetal life. 1998;135:1081-5
Perego GB (see Salvioni et al). 1998;135:503-9
Pérez-Castellano N (see García-Fernández et al). 1998;135:476-81
Perez-Vizcayno MJ (see Phillips et al). 1998;135:719-25
Perkins L (see Mohler et al). 1998;135:253-60
Pernès J-M (see Dubois-Randé et al). 1998;135:844-9
Perry KT (see Wood et al). 1998;135:1048-54
Peters KG (see Tenaglia et al). 1998;135:10-4
Peterson M (see Horneast et al). 1998;135:1040-7
Pethig K, Heublein B, Wählers T, Haverich A. Mechanism of luminal narrowing in cardiac allograft vasculopathy: inadequate vascular remodeling rather than intimal hyperplasia is the major predictor of coronary artery stenosis. 1998;135:628-33
Pfeffer MA (see Hager et al). 1998;135:406-13
Pfisterer M (see Ferguson et al). 1998;135:S77-89
Phillips PS, Segovia J, Alfonso F, Goicolea J, Hernandez R, Banuelos C, Fernandez-Ortiz A, Perez-Vizcayno MJ, Kimura BJ, Macaya C. Advantage of stents in the most proximal left anterior descending coronary artery. 1998;135:719-25
Pina I (see Uretsky et al). 1998;135:S264-84
Pitsavos C, Toutouzas K, Dornellis J, Skoumas J, Skoumbourdis E, Stefanadis C, Toutouzas P. Aortic stiffness in young patients with heterozygous familial hypercholesterolemia. 1998;135:604-8
Plokker HWT (see Suttrop et al). 1998;135:318-22
Pratikakis Y (see Dendale et al). 1998;135:875-80
Psomadaki ZD (see Michaelides et al). 1998;135:74-81

Q

- Quero LF (see García-Fernández et al). 1998;135:476-81
Quigg RJ (see Uretsky et al). 1998;135:S264-84
Quinn M, Fitzgerald DJ. Long-term administration of glycoprotein IIb/IIIa antagonists. 1998;135:S113-8

R

- Radford MJ (see Krumholz et al). 1998;135:523-31
Rashtian M (see Gadallah et al). 1998;135:38-42

- Rasmanis G (see Sylven et al). 1998;135:677-83
Reiffel JA. Impact of structural heart disease on the selection of class III antiarrhythmics for the prevention of atrial fibrillation and flutter. 1998;135:551-6 (Curriculum cardiol.)
Reimers B, Camassa N, Di Mario C, Akiyama T, Di Francesco L, Finci L, Colombo A. Mechanical recanalization of total coronary occlusions with the use of a new guide wire. 1998;135:726-31
Rein AJT (see Gilon et al). 1998;135:457-62
Reinhart WH, Dziekan G, Goebbels U, Myers J, Dubach P. Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function. 1998;135:379-82
Reisin L (see Schneeweiss et al). 1998;135:272-80
Reuter H (see Terres et al). 1998;135:281-6
Rey JL, Tribouilloy C, Elghelbazouri F, Otmani A. Single-lead VDD pacing: long-term experience with four different systems. 1998;135:1036-9
Riba A (see Hager et al). 1998;135:406-13
Ribeiro A, Juhlin-Dannfelt A, Brodin L-A, Holmgren A, Jorfeldt L. Pulmonary embolism: relation between the degree of right ventricle overload and the extent of perfusion defects. 1998;135:868-74
Rich MW, Brooks K, Luther P. Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995. 1998;135:367-72
Richards DR, Gilliland Y, Bernal JA, Smart FW, Stapleton DD, Ventura HO, Cheirif J. Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients. 1998;135:641-6
Rickards AF (see Kurbaan et al). 1998;135:703-8
Rickenbacher P (see Gullestad et al). 1998;135:221-9
Riegger GAJ (see Muscholl et al). 1998;135:58-66
Riessen R, Kearney M, Lawler J, Isner JM. Immunolocalization of thrombospondin-1 in human atherosclerotic and restenotic arteries. 1998;135:357-64
Rizzo M (see Al-Mousa et al). 1998;135:323-8
Robertson M (see Pavlova et al). 1998;135:1081-5
Rocco T (see Fang et al). 1998;135:980-7
Roelandt JRTC (see Kasprzak et al). 1998;135:995-1003
Rogers WJ (see Becker et al). 1998;135:786-96
Rogers WJ (see Tracy et al). 1998;135:29-37
Rosamond WD (see Goldberg et al). 1998;135:293-9
Ross H (see Gullestad et al). 1998;135:221-9
Rossi R (see Modena et al). 1998;135:287-92
Roukema G, Singh JP, Meijis M, Carvalho C, Hart G. Effect of exercise-induced ischemia on QT interval dispersion. 1998;135:88-92
Rouleau JL (see Hager et al). 1998;135:406-13
Rozanski A (see Merz et al). 1998;135:881-7
Rozenman Y (see Gilon et al). 1998;135:457-62
Ruggerio C (see Shah et al). 1998;135:373-8
Russell SD, McNeer FR, Beere PA, Logan LJ, Higginbotham MB. Improvement in the mechanical efficiency of walking: an explanation for the "placebo effect" seen during repeated exercise testing of patients with heart failure. 1998;135:107-14
Russell SD, McNeer FR, Higginbotham MB. Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise. 1998;135:398-405
Russo L (see Del Rosso et al). 1998;135:564-70
Ryan K (see Al-Mousa et al). 1998;135:323-8
Ryan T (see Mohler et al). 1998;135:253-60

S

- Sada M (see Wang et al). 1998;135:82-7

- Sakariassen KS (see Hanson and Sakariassen). 1998;135: S132-45
- Sakata K (see Sasaki et al). 1998;135:937-44
- Salveti E (see Del Rosso et al). 1998;135:564-70
- Salvi A (see Mazzoli et al). 1998;135:15-20
- Salvioni A, Galli S, Marenzi G, Lauri G, Perego GB, Assanelli E, Guazzi MD. Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty. 1998;135:503-9
- Salyers AK (see Nicholson et al). 1998;135:S170-8
- Sansoni M (see Del Rosso et al). 1998;135:564-70
- Santini M (see Ammirati et al). 1998;135:671-6
- Santoro GM (see Antoniucci et al). 1998;135:510-8
- Sarasin FP (see Nendaz et al). 1998;135:532-41
- Sasaki K, Sakata K, Kachi E, Hirata S, Ishihara T, Ishikawa K. Sequential changes in cardiac structure and function in patients with Duchenne type muscular dystrophy: a two-dimensional echocardiographic study. 1998;135:937-44
- Sasaki T (see Murata et al). 1998;135:960-9
- Sasayama S (see Yamada et al). 1998;135:329-34
- Satomura K (see Hikita et al). 1998;135:813-8
- Savageau J (see Goldberg et al). 1998;135:293-9
- Savion N (see Varon et al). 1998;135:S187-93
- Sawada SG (see Mohler et al). 1998;135:253-60
- Saxon LA (see Shinbane et al). 1998;135:93-8
- Scanlon PJ (see Langholz et al). 1998;135:197-206
- Schechter D (see Gilon et al). 1998;135:457-62
- Schlepper M (see Elsässer et al). 1998;135:463-75
- Schlesinger Z (see Schneeweiss et al). 1998;135:272-80
- Schlippert U (see Korte et al). 1998;135:577-83
- Schmitt O (see Korte et al). 1998;135:577-83
- Schneeweiss A, Kobrin I, Charlton V, Caspi A, Marmor A, Sclarovsky S, Reisin L, Schlesinger Z. Adding the new calcium antagonist mibefradil to patients receiving long-term β -blocker therapy results in improved antianginal and anti-ischemic efficacy. 1998;135:272-80
- Schröder R (see Dissmann et al). 1998;135:1-9
- Schroeder E (see Gurné et al). 1998;135:146-51
- Schuenemann S (see Werner et al). 1998;135:300-9
- Schulman KA, Mark DB, Califf RM. Outcomes and costs within a disease management program for advanced congestive heart failure. 1998;135:S285-92
- Schultz L (see Shivkumar et al). 1998;135:261-7
- Schunkert H (see Muscholl et al). 1998;135:58-66
- Schwarzacher SP, Fitzgerald PJ, Metz JA, Yeung AC, Oesterle SN, Belef M, Kernoff RS, Yock PG. Enhancement of spatial orientation of intravascular ultrasound images with side holes guiding catheters. 1998;135:1063-6
- Sclarovsky S (see Birnbaum et al). 1998;135:805-12
- Sclarovsky S (see Schneeweiss et al). 1998;135:272-80
- Segar DS (see Mohler et al). 1998;135:253-60
- Segovia J (see Phillips et al). 1998;135:719-25
- Sekiguchi H (see Yamamoto et al). 1998;135:542-9
- Selby JV (see Wong et al). 1998;135:435-42
- Semplici F (see Mazzoli et al). 1998;135:15-20
- Senior R, Basu S, Khattar R, Lahiri A. Independent prognostic value of the extent and severity of systolic wall thickening abnormality at infarct site after thrombolytic therapy. 1998;135:1093-8
- Serafini F (see Vescovo et al). 1998;135:130-7
- Shah NB, Der E, Ruggerio C, Heidenreich PA, Massie BM. Prevention of hospitalizations for heart failure with an interactive home monitoring program. 1998;135:373-8
- Shah T (see Kalaria et al). 1998;135:215-20
- Shavelle R (see Kennedy et al). 1998;135:696-702
- Shimada K (see Yamamoto et al). 1998;135:542-9
- Shimada K (see Yamamoto et al). 1998;135:365 (Letter)
- Shimizu H (see Yoshino et al). 1998;135:689-95
- Shinbane JS, Lesh MD, Stevenson WG, Klitzner TS, Natterson PD, Wiener I, Ursell PC, Saxon LA. Anatomic and electrophysiologic relation between the coronary sinus and mitral annulus: implications for ablation of left-sided accessory pathways. 1998;135:93-8
- Shinohara S (see Murata et al). 1998;135:960-9
- Shivkumar K, Schultz L, Goldstein S, Gheorghade M. Effects of propranolol in patients entered in the Beta-Blocker Heart Attack Trial with their first myocardial infarction and persistent electrocardiographic ST-segment depression. 1998;135:261-7
- Shyu K-G, Kuan P-L, Cheng J-J, Hung C-R. Cardiac troponin T, creatine kinase, and its isoform release after successful percutaneous transluminal coronary angioplasty with or without stenting. 1998;135:862-7
- Sideris SK (see Dilaveris et al). 1998;135:733-8
- Silber S. Hemostasis success rates and local complications with collagen after femoral access for cardiac catheterization: analysis of 6007 published patients. 1998;135:152-6
- Silverman NA (see Tisdale et al). 1998;135:739-47
- Simoons ML (see Braunwald et al). 1998;135:S56-66
- Simoons ML (see Califf and Simoons). 1998;135:S33-4
- Simoons ML (see van Hout et al). 1998;135:S98-106
- Singh JP (see Roukema et al). 1998;135:88-92
- Sketch MH Jr (see Tenaglia et al). 1998;135:10-4
- Skoumas J (see Pitsavos et al). 1998;135:604-8
- Skoumbourdis E (see Pitsavos et al). 1998;135:604-8
- Slauson S (see Gullestad et al). 1998;135:221-9
- Slavin S (see Gilon et al). 1998;135:457-62
- Smallhorn J (see Pavlova et al). 1998;135:1081-5
- Smallhorn JE (see Magee et al). 1998;135:907-13
- Smart FW (see Richards et al). 1998;135:641-6
- Solomon AJ, Kourantas PC, Hopkins RA, Katz NM, Wallace RB, Hannan RL. Early discharge of patients with new-onset atrial fibrillation after cardiovascular surgery. 1998;135:557-63
- Somberg JC (see Tarabey et al). 1998;135:519-22
- Sonel AF (see Mohler et al). 1998;135:253-60
- Sonoda S, Takeuchi M, Nakashima Y, Kuroiwa A. Safety and optimal dose of intracoronary adenosine 5'-triphosphate for the measurement of coronary flow reserve. 1998;135:621-7
- Sopko G (see Tracy et al). 1998;135:29-37
- Sorensen SG (see Karagounis et al). 1998;135:1027-35
- Souza J (see Weiss et al). 1998;135:945-51
- Spain MG (see Christian et al). 1998;135:310-7
- Spencer FA (see Becker et al). 1998;135:786-96
- Stambler BS (see Wood et al). 1998;135:1048-54
- Stapleton DD (see Richards et al). 1998;135:641-6
- Stefanadis C (see Michaelides et al). 1998;135:74-81
- Stefanadis C (see Pitsavos et al). 1998;135:604-8
- Stein BC, Levin RI. Natriuretic peptides: physiology, therapeutic potential, and risk stratification in ischemic heart disease. 1998;135:914-23
- Stevenson LW, Massie BM, Francis GS. Optimizing therapy for complex or refractory heart failure: a management algorithm. 1998;135:S293-309
- Stevenson WG (see Shinbane et al). 1998;135:93-8
- Stewart DJ (see Dupuis et al). 1998;135:614-20
- Strain JE (see Moses et al). 1998;135:988-94
- Strasser R (see Elsässer et al). 1998;135:463-75
- Strickberger SA (see Weiss et al). 1998;135:945-51
- Stump DC (see Tracy et al). 1998;135:29-37
- Su S-F (see Lee et al). 1998;135:634-40
- Suciu C (see Moreyra et al). 1998;135:138-45
- Sudrow A (see Terres et al). 1998;135:281-6
- Sugimura T (see Fukuda et al). 1998;135:482-7
- Sugrue D (see Hennessy et al). 1998;135:952-9
- Sugrue DD (see McKenna et al). 1998;135:833-7
- Sukenik D (see Tarabey et al). 1998;135:519-22
- Sumitsuiji S (see Tsuchikane et al). 1998;135:495-502
- Sutherland GR (see Caso et al). 1998;135:43-50
- Sutherland GR (see Lange et al). 1998;135:970-9
- Suttorp MJ, Mast EG, Plokker HWT, Kelder JC, Ernst SMPG,

- Bal ET. Primary coronary stenting after successful balloon angioplasty of chronic total occlusions: a single-center experience. 1998;135:318-22
- Suwa M (see Ito et al). 1998;135:1020-6
- Suzuki J (see Yotsukura et al). 1998;135:1004-9
- Suzuki T (see Murata et al). 1998;135:960-9
- Swedberg K (see O'Connor et al). 1998;135:S249-63
- Swenson R (see Maynard et al). 1998;135:797-804
- Sylvén C, Lindahl S, Hellkvist K, Nyquist O, Rasmanis G. Excellent reliability of nursebased bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T. 1998;135:677-83
- Szalony JA (see Nicholson et al). 1998;135:S170-8

T

- Taams M (see Kasprzak et al). 1998;135:995-1003
- Taite BB (see Nicholson et al). 1998;135:S170-8
- Takase B (see Hikita et al). 1998;135:813-8
- Takenaka K (see Murata et al). 1998;135:960-9
- Takeuchi M (see Sonoda et al). 1998;135:621-7
- Takishita S (see Nagaya et al). 1998;135:21-8
- Tamaki S (see Yamada et al). 1998;135:329-34
- Tamarin I (see Varon et al). 1998;135:S187-93
- Tanaka N (see Nakayama et al). 1998;135:99-106
- Taniuchi M (see Yoshino et al). 1998;135:689-95
- Tarabey R, Sukenik D, Molnar J, Somberg JC. Effect of intra-coronary balloon inflation at percutaneous transluminal coronary angioplasty on QT dispersion. 1998;135:519-22
- Tardif J-C (see Dupuis et al). 1998;135:614-20
- Tarumi T (see Yamakado et al). 1998;135:584-91
- Tateyama H (see Tsuchikane et al). 1998;135:495-502
- Tebbe U (see Miketic et al). 1998;135:709-13
- Teiger E (see Dubois-Randé et al). 1998;135:844-9
- Tenaglia AN, Peters KG, Sketch MH Jr, Annex BH. Neovascularization in atherectomy specimens from patients with unstable angina: implications for pathogenesis of unstable angina. 1998;135:10-4
- Ten Cate FJ (see Kasprzak et al). 1998;135:995-1003
- Tenderini P (see Vescovo et al). 1998;135:130-7
- Terano A (see Kawano et al). 1998;135:268-71
- Terres W, Kümmel P, Sudrow A, Reuter H, Meinertz T, Hamm CW. Enhanced coagulation activation in troponin T-positive unstable angina pectoris. 1998;135:281-6
- Thaker KB (see Gadallah et al). 1998;135:38-42
- Theopistou AM (see Dilaveris et al). 1998;135:733-8
- Théroux P. Oral inhibitors of platelet membrane receptor glycoprotein IIb/IIIa in clinical cardiology: issues and opportunities. 1998;135:S107-12
- Thompson B (see Tracy et al). 1998;135:29-37
- Thygesen K (see Knudsen et al). 1998;135:51-7
- Timmermans P (see Gurné et al). 1998;135:146-51
- Tisdale JE, Padhi ID, Goldberg AD, Silverman NA, Webb CR, Higgins RSD, Paone G, Frank DM, Borzak S. A randomized, double-blind comparison of intravenous diltiazem and digoxin for atrial fibrillation after coronary artery bypass surgery. 1998;135:739-47
- Tixier D (see Dubois-Randé et al). 1998;135:844-9
- Tofani N (see Mazzoli et al). 1998;135:15-20
- Tognoni G (see Bobbio et al). 1998;135:443-8
- Tomasko L (see Adams et al). 1998;135:389-97
- Tomono Y (see Yotsukura et al). 1998;135:1004-9
- Toutouzas K (see Pitsavos et al). 1998;135:604-8
- Toutouzas P (see Pitsavos et al). 1998;135:604-8
- Toutouzas PK (see Dilaveris et al). 1998;135:733-8
- Toutouzas PK (see Michaelides et al). 1998;135:74-81
- Tracy RP, Kleiman NS, Thompson B, Cannon CP, Bovill EG, Brown RG, Collen D, Mahan E, Mann KG, Rogers WJ,

- Sopko G, Stump DC, Williams DO, Zaret BL. Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial. 1998;135:29-37
- Trapani M (see Antoniucci et al). 1998;135:510-8
- Tribouilloy C (see Rey et al). 1998;135:1036-9
- Tsuchikane E, Katoh O, Sumitsui S, Fukuhara A, Funamoto M, Otsuji S, Tateyama H, Awata N, Kobayashi T. Impact of cilostazol on intimal proliferation after directional coronary atherectomy. 1998;135:495-502
- Tsutamoto T (see Maeda et al). 1998;135:825-32
- Tully A (see Notarius et al). 1998;135:339-48
- Tung CY (see Alexander et al). 1998;135:157-80
- Tunick PA (see Applebaum et al). 1998;135:850-4
- Turan F (see Degertekin et al). 1998;135:207-14
- Turpie AGG. Pharmacology of the low-molecular-weight heparins. 1998;135:S329-S335

U

- Udagawa H (see Yoshino et al). 1998;135:689-95
- Uematsu M (see Nakayama et al). 1998;135:99-106
- Udermir C (see Moses et al). 1998;135:988-94
- Unger P (see Berkenboom et al). 1998;135:488-94
- Uretsky BF, Pina I, Quigg RJ, Brill JV, MacInerney EJ, Mintzer R, Armstrong PW. Beyond drug therapy: nonpharmacologic care of the patient with advanced heart failure. 1998;135:S264-84
- Uretsky BF (see Adams et al). 1998;135:389-97
- Ursell PC (see Shinbane et al). 1998;135:93-8

V

- Vachieri J-L (see Berkenboom et al). 1998;135:488-94
- Vagelos R (see Gullestad et al). 1998;135:221-9
- Vahanian A (see Chronos et al). 1998;135:S67-76
- Valenti R (see Antoniucci et al). 1998;135:510-8
- Valenti TM (see Hoffmann et al). 1998;135:684-8
- van Boven AJ, Jukema JW, Haaksma J, Zwinderman AH, Crijns HJGM, Lie KI. Depressed heart rate variability is associated with events in patients with stable coronary artery disease and preserved left ventricular function. 1998;135:571-6
- Van Den Berg MP, Crijns HJGM, Van Veldhuisen DJ, Van Gelder IC, De Kam PJ, Lie KI. Atrial natriuretic peptide in patients with heart failure and chronic atrial fibrillation: role of duration of atrial fibrillation. 1998;135:242-4
- Vanderheyden M, Goethals M, Nellens P, Andries E, Brugada P. Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope. 1998;135:67-73
- Vanderlugt JT (see Wood et al). 1998;135:1048-54
- Van de Werf F (see Braunwald et al). 1998;135:S56-66
- van Doesburg NH (see Pavlova et al). 1998;135:1081-5
- Van Gelder IC (see Van Den Berg et al). 1998;135:242-4
- van Hout BA, Bowman L, Zelinger DJ, Simoons ML. Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study. 1998;135:S98-106
- van Hout BA (see Chronos et al). 1998;135:S67-76
- Van Praagh R, Papagiannis J, Grünfelder J, Bartram U, Martanovic P. Pathologic anatomy of corrected transposition of the great arteries: medical and surgical implications. 1998;135:772-85

- Van Veldhuisen DJ (see Van Den Berg et al). 1998;135:242-4
 Varon D, Beyer R, Brenner B, Lashevski I, Lanir N, Tamarin I, Savion N. Cone and plate(let) analyzer: monitoring glycoprotein IIb/IIIa antagonists and von Willebrand disease replacement therapy by testing platelet deposition under flow conditions. 1998;135:187-93
 Varsamis E (see Missouri et al). 1998;135:838-43
 Vassanelli C (see Ferguson et al). 1998;135:577-89
 Vega M (see Garcia-Fernández et al). 1998;135:476-81
 Ventura HO (see Richards et al). 1998;135:641-6
 Vergassola R (see Mazzoli et al). 1998;135:15-20
 Vescovo G, Serafini F, Libera LD, Leprotti C, Facchin L, Tenderini P, Ambrosio GB. Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements. 1998;135:130-7
 Vidaillet H (see Califf et al). 1998;135:S320-S326
 Virgós-Lamela A (see Garcia-Fernández et al). 1998;135:476-81
 Vogt A (see Elsässer et al). 1998;135:463-75

W

- Wada A (see Maeda et al). 1998;135:825-32
 Wählers T (see Pethig et al). 1998;135:628-33
 Wakefield LK (see Wood et al). 1998;135:1048-54
 Waktare JEP (see Hnatkova et al). 1998;135:1010-9
 Wallace RB (see Solomon et al). 1998;135:557-63
 Wallis DE (see Langholz et al). 1998;135:197-206
 Waly HM (see Ferguson et al). 1998;135:S35-42
 Wang S, Xie J, Sada M, Doherty TM, French WJ. TACHY: an expert system for the management of supraventricular tachycardia in the elderly. 1998;135:82-7
 Wang S (see Kennedy et al). 1998;135:696-702
 Weaver WD (see Maynard et al). 1998;135:797-804
 Webb CR (see Tisdale et al). 1998;135:739-47
 Weiss R, Knight BP, Bahu M, Zivin A, Souza J, Goyal R, Daoud E, Man KC, Strickberger SA, Halter JB, Morady F. Cardiac electrophysiologic effects of norepinephrine in human beings. 1998;135:945-51
 Weisse AB (see Kalaria et al). 1998;135:215-20
 Werner GS, Gastmann O, Ferrari M, Schuenemann S, Knies A, Diedrich J, Kreuzer H. Risk factors for acute and sub-acute stent thrombosis after high-pressure stent implantation: a study by intracoronary ultrasound. 1998;135:300-9
 Wetli CV (see Hollander et al). 1998;135:245-52
 Whellan D (see Alexander et al). 1998;135:157-80
 Whellan D (see Alexander et al). 1998;135:1099-114
 White MM (see Jennings and White). 1998;135:S179-83
 Wiener I (see Shinbane et al). 1998;135:93-8
 Wilensky RL (see Mohler et al). 1998;135:253-60
 Williams DO (see Tracy et al). 1998;135:29-37
 Williams WL (see Le May et al). 1998;135:714-8
 Wilson AC (see Moreyra et al). 1998;135:138-45
 Wilson JM (see Ferguson et al). 1998;135:S35-42
 Wolpert C (see Korte et al). 1998;135:577-83
 Wong CC, Froelicher ES, Bacchetti P, Gee L, Selby JV, Lundstrom R. In a managed care setting, are there sex differences in the use of coronary angiography after acute myocardial infarction? 1998;135:435-42
 Wood MA, Stambler BS, Ellenbogen KA, Gilligan DM, Perry KT, Wakefield LK, Vanderlugt JT. Suppression of inducible

- ventricular tachycardia by ibutilide in patients with coronary artery disease. 1998;135:1048-54
 Wu C-C (see Ho et al). 1998;135:655-62
 Wun C-C (see Hager et al). 1998;135:406-13
 Wun HH (see Applebaum et al). 1998;135:850-4
 Wun T (see Galloway et al). 1998;135:888-900

X

- Xie J (see Wang et al). 1998;135:82-7

Y

- Yamada N (see Yamakado et al). 1998;135:584-91
 Yamada T, Matsumori A, Tamaki S, Sasayama S. Myosin light chain I grade: a simple marker for the severity and prognosis of patients with acute myocardial infarction. 1998;135:329-34
 Yamagishi M (see Nakayama et al). 1998;135:99-106
 Yamakado T, Yamada N, Tarumi T, Nakamura M, Nakano T. Left ventricular inotropic and lusitropic responses to pacing-induced tachycardia in patients with varying degrees of ventricular dysfunction. 1998;135:584-91
 Yamamoto K, Ikeda U, Sekiguchi H, Shimada K. Plasma levels of adrenomedullin in patients with mitral stenosis. 1998;135:542-9
 Yamamoto K, Ikeda U, Fukazawa H, Shimada K. Hemostatic markers in heart disease. 1998;135:365 (Letter)
 Yamamoto K (see Murata et al). 1998;135:960-9
 Yamazaki N (see Nakayama et al). 1998;135:99-106
 Yano K (see Yoshino et al). 1998;135:689-95
 Yilmaci B (see Degertekin et al). 1998;135:207-14
 Yeung AC (see Schwarzwacher et al). 1998;135:1063-6
 Yock PG (see Schwarzwacher et al). 1998;135:1063-6
 Yoshida H (see Nakamura et al). 1998;135:414-20
 Yoshida N (see Nishiyama et al). 1998;135:115-20
 Yoshino H, Udagawa H, Shimizu H, Kachi E, Kajiwara T, Yano K, Taniuchi M, Ishikawa K. ST-segment elevation in right precordial leads implies depressed right ventricular function after acute inferior myocardial infarction. 1998;135:689-95
 Yotsukura M, Koide Y, Fujii K, Tomono Y, Katayama A, Ando H, Suzuki J, Ishikawa K. Heart rate variability during the first month of smoking cessation. 1998;135:1004-9
 Young GP (see Hollander et al). 1998;135:245-52
 Young JB (see Adams et al). 1998;135:389-97
 Young JB (see Gheorghiadu et al). 1998;135:S231-48

Z

- Zannad F (see Adams and Zannad). 1998;135:S204-15
 Zaret BL (see Tracy et al). 1998;135:29-37
 Zelinger DJ (see van Hout et al). 1998;135:S98-106
 Zipoli A (see Del Rosso et al). 1998;135:564-70
 Zivin A (see Weiss et al). 1998;135:945-51
 Zlotikamien B (see Birnbaum et al). 1998;135:805-12
 Zoghbi WA (see Nagueh et al). 1998;135:647-54
 Zwiderman AH (see van Boven et al). 1998;135:571-6

Subject index*

A

Abciximab

- Abciximab therapy in percutaneous intervention: economic issues in the United States (Goklaney et al). 1998;135:590-7
- Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:598-106
- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114
- Use of abciximab in interventional cardiology (Chronos et al). 1998;135:567-76

Academic medical centers

- Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Acetylcholine

- Evaluation in vivo of the endothelial function of the native gastropiploic artery (Gurné et al). 1998;135:146-51

Acetylsalicylic acid; see Aspirin

Activated partial thromboplastin time; see Partial thromboplastin time

Adenosine

- Effects of adenosine on left ventricular filling dynamics in patients with and without coronary artery disease: a Doppler echocardiographic study (Nagueh et al) 1998;135:647-54

Adenosine triphosphate

- Safety and optimal dose of intracoronary adenosine 5'-triphosphate for the measurement of coronary flow reserve (Sonoda et al). 1998;135:621-7

Administration, oral

- Long-term administration of glycoprotein IIb/IIIa antagonists (Quinn and Fitzgerald). 1998;135:5113-8
- Oral inhibitors of platelet membrane receptor glycoprotein IIb/IIIa in clinical cardiology: issues and opportunities (Thérault). 1998;135:5107-12

Administration, sublingual

- Head-up tilt testing potentiated with low-dose sublingual isosorbide dinitrate: a simplified time-saving approach for the evaluation of unexplained syncope (Ammirati et al). 1998;135:671-6
- Shortened head-up tilt testing potentiated with sublingual nitroglycerin in patients with unexplained syncope (Del Rosso et al). 1998;135:564-70

Administration schedule, drug

- Effect of angiotensin-converting enzyme inhibitor dosing interval on functional parameters in patients with chronic heart failure (Krum et al). 1998;135:237-41

Adrenergic beta receptor blockers

- Adding the new calcium antagonist mibefradil to patients receiving long-term β -blocker therapy results in improved antianginal and antiischemic efficacy (Schneeweiss et al). 1998;135:272-80
- Correction (McDermott and Gheorghiadu). 1998;135:924 (Letter)
- Effects of propranolol in patients entered in the Beta-Blocker

Heart Attack Trial with their first myocardial infarction and persistent electrocardiographic ST-segment depression (Shivkumar et al). 1998;135:261-7

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Adrenomedullin

Plasma levels of adrenomedullin in patients with mitral stenosis (Yamamoto et al). 1998;135:542-9

Aged

- Clinical correlates of in-hospital costs for acute myocardial infarction in patients 65 years of age and older (Krumholz et al). 1998;135:523-31
- New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)
- TACHY: an expert system for the management of supraventricular tachycardia in the elderly (Wang et al). 1998;135:82-7

Alcohol drinking

Alcohol consumption and idiopathic dilated cardiomyopathy: a case control study (McKenna et al). 1998;135:833-7

Aldosterone

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Alteplase

Human platelet activation by thrombolytic agents: effects of tissue-type plasminogen activator and urokinase on platelet surface P-selectin expression (Kawano et al). 1998;135:268-71

Ambulatory care

- Beneficial effects of intermittent home administration of the inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study (Cesario et al). 1998;135:121-9
- Prevention of hospitalizations for heart failure with an interactive home monitoring program (Shah et al). 1998;135:373-8

American College of Cardiology

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

American Heart Association

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Angina, unstable

- Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60
- Comparison of ionic and nonionic low osmolar contrast media in relation to thrombotic complications of angioplasty in patients with unstable angina (Malekianpour et al). 1998;135:1067-75
- Enhanced coagulation activation in troponin T-positive unstable angina pectoris (Terres et al). 1998;135:281-6
- Neovascularization in atherectomy specimens from patients with unstable angina: implications for pathogenesis of unstable angina (Tenaglia et al). 1998;135:10-4
- New therapies for unstable angina and non-Q-wave myocardial infarction: recent clinical trials (Cohen). 1998;135:S343-52
- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114
- Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80
- TIMI 11B. Enoxaparin versus unfractionated heparin for unstable angina or non-Q-wave myocardial infarction: a double-blind, placebo-controlled, parallel-group, multicenter trial. Rationale, study design, and methods (Antman). 1998;135:S353-60

Angina pectoris

Adding the new calcium antagonist mibefradil to patients

*January, pp. 1-180; February, part 1, pp. 181-366; part 2, pp. S1-30; March, pp. 367-550; April, part 1, pp. 551-732; part 2, pp. S31-106; May, part 1, pp. 733-924; part 2, pp. S107-200; June, part 1, pp. 925-1114; part 2, pp. S201-326; part 3, pp. S327-66.

Angina pectoris—cont'd

receiving long-term β -blocker therapy results in improved antianginal and antiischemic efficacy (Schneeweiss et al). 1998;135:272-80

Alterations of autonomic nervous activity preceding nocturnal variant angina: sympathetic augmentation with parasympathetic impairment (Miwa et al). 1998;135:762-71

Enhanced coagulation activation in troponin T-positive unstable angina pectoris (Terres et al). 1998;135:281-6

Extent of ischemic stimulus and plasma β -endorphin levels in silent myocardial ischemia (Hikita et al). 1998;135:813-8

Plasma endothelin-1 levels in patients with angina pectoris and normal coronary angiograms (Hoffmann et al). 1998;135:684-8

Angiogenesis; see Neovascularization**Angiography; see Coronary angiography****Angioplasty, transluminal, percutaneous coronary**

Abciximab therapy in percutaneous intervention: economic issues in the United States (Goklaney et al). 1998;135:S90-7

Advantage of stents in the most proximal left anterior descending coronary artery (Phillips et al). 1998;135:719-25

Cardiac troponin T, creatine kinase, and its isoform release after successful percutaneous transluminal coronary angioplasty with or without stenting (Shyu et al). 1998;135:862-7

Comparison of ionic and nonionic low osmolar contrast media in relation to thrombotic complications of angioplasty in patients with unstable angina (Malekianpour et al). 1998;135:1067-75

Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:S98-106

Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy (Kurban et al). 1998;135:703-8

Effect of intracoronary balloon inflation at percutaneous transluminal coronary angioplasty on QT dispersion (Tarabey et al). 1998;135:519-22

Effects of the 14F Hemopump on coronary hemodynamics in patients undergoing high-risk coronary angioplasty (Dubois-Randé et al). 1998;135:844-9

Hemostasis success rates and local complications with collagen after femoral access for cardiac catheterization: analysis of 6007 published patients (Silber). 1998;135:152-6

Influence of gradually increased slow balloon inflation on restenosis after coronary angioplasty (Miketic et al). 1998;135:709-13

Intercenter variability in outcome for patients treated with direct coronary angioplasty during acute myocardial infarction (Christian et al). 1998;135:310-7

Long-term angiographic prognosis of lesions dilated by coronary angioplasty (Kitazume et al). 1998;135:1076-80

Mechanical recanalization of total coronary occlusions with the use of a new guide wire (Reimers et al). 1998;135:726-31

Primary coronary stenting after successful balloon angioplasty of chronic total occlusions: a single-center experience (Suttorp et al). 1998;135:318-22

Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81

Safe use of platelet GP IIb/IIIa inhibitors (Ferguson et al). 1998;135:S77-89

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty (Salvioni et al). 1998;135:503-9

Time-dependent changes of heart rate variability after percutaneous transluminal angioplasty (Osterhues et al). 1998;135:755-61

Use of abciximab in interventional cardiology (Chronos et al). 1998;135:S67-76

Angiotensin-converting enzyme inhibitors

Beneficial effects of 1-year captopril therapy in children with chronic aortic regurgitation who have no symptoms (Alehan and Özkutlu). 1998;135:598-603

Clinical predictors of worsening heart failure during withdrawal from digoxin therapy (Adams et al). 1998;135:389-97

Correction (McDermott and Gheorghiadu). 1998;135:924 (Letter)

Effect of angiotensin-converting enzyme inhibitor dosing interval on functional parameters in patients with chronic heart failure (Krum et al). 1998;135:237-41

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Vascular remodeling: the role of angiotensin-converting enzyme inhibitors (Chrysant). 1998;135:S21-30 (Symposium)

Anti-arrhythmia agents

Impact of structural heart disease on the selection of class III antiarrhythmics for the prevention of atrial fibrillation and flutter (Reiffel). 1998;135:551-6 (Curriculum cardiol.)

Antibodies, monoclonal

Glycoprotein IIb/IIIa antagonists: potential induction and detection of drug-dependent antiplatelet antibodies (Gines). 1998;135:S152-9

Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81

Antibody formation

Chlamydia pneumoniae antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20

Anticoagulants

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic abstention? A decision analytic perspective (Nendaz et al). 1998;135:532-41

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

Antihypertensive agents

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

Antioxidants

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Antiplatelet agents; see Platelet aggregation inhibitors**Antithrombotic agents; see Fibrinolytic agents****Aorta**

Aortic stiffness in young patients with heterozygous familial hypercholesterolemia (Pitsavos et al). 1998;135:604-8

Aorta, thoracic

Accuracy of echocardiography for detection of aortic arch obstruction after stage I Norwood procedure (Fraisie et al). 1998;135:230-6

Aortic regurgitation; see Aortic valve insufficiency**Aortic valve**

Quantification of the aortic valve area in three-dimensional

Aortic valve—cont'd

echocardiographic data sets: analysis of orifice overestimation resulting from suboptimal cut-plane selection (Kasprzak et al). 1998;135:995-1003

Serial Doppler echocardiographic evaluation of Carpentier-Edwards pericardial valve dysfunction: comparison with Ionescu-Shiley valve (Kobayashi et al). 1998;135:1086-92

Aortic valve insufficiency

Beneficial effects of 1-year captopril therapy in children with chronic aortic regurgitation who have no symptoms (Alehan and Özkutlu). 1998;135:598-603

Arrhythmia

Effect of exercise-induced ischemia on QT interval dispersion (Roukema et al). 1998;135:88-92

Increased atrial vulnerability in arrhythmogenic right ventricular disease (Brembilla-Perrot et al). 1998;135:748-54

Arterial elastance

Effective arterial elastance and the hemodynamic effects of intraaortic balloon counterpulsation in patients with coronary heart disease (Marchionni et al). 1998;135:855-61

Arterial occlusive diseases

Aortic stiffness in young patients with heterozygous familial hypercholesterolemia (Pitsavos et al). 1998;135:604-8

Coronary artery disease in diabetic and nondiabetic patients with lower extremity arterial disease: a report from the Coronary Artery Surgery Study Registry (Barzilay et al). 1998;135:1055-62

Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography (Kennedy et al). 1998;135:696-702

Mechanical recanalization of total coronary occlusions with the use of a new guide wire (Reimers et al). 1998;135:726-31

Mechanisms of arterial thrombosis: foundation for therapy (Fuster). 1998;135:S361-6

Primary coronary stenting after successful balloon angioplasty of chronic total occlusions: a single-center experience (Suttorp et al). 1998;135:318-22

Aspirin

The emerging role of low-molecular-weight heparins in cardiology practice—introduction (Braunwald). 1998;135:S327-8

Human platelet activation by thrombolytic agents: effects of tissue-type plasminogen activator and urokinase on platelet surface P-selectin expression (Kawano et al). 1998;135:268-71

New therapies for unstable angina and non-Q-wave myocardial infarction: recent clinical trials (Cohen). 1998;135:S343-52

Atherectomy

Impact of cilostazol on intimal proliferation after directional coronary atherectomy (Tsuchikane et al). 1998;135:495-502

Neovascularization in atherectomy specimens from patients with unstable angina: implications for pathogenesis of unstable angina (Tenaglia et al). 1998;135:10-4

Spectrum of surgical risk for left main coronary stenoses: benchmark for potentially competing percutaneous therapies (Ellis et al). 1998;135:335-8

Atherosclerosis

Aortic stiffness in young patients with heterozygous familial hypercholesterolemia (Pitsavos et al). 1998;135:604-8

Immunolocalization of thrombospondin-1 in human atherosclerotic and restenotic arteries (Riessen et al). 1998;135:357-64

Neovascularization in atherectomy specimens from patients with unstable angina: implications for pathogenesis of unstable angina (Tenaglia et al). 1998;135:10-4

Atrial fibrillation

Analysis of the cardiac rhythm preceding episodes of paroxysmal atrial fibrillation (Hnatkova et al). 1998;135:1010-9

Assessment of left atrial appendage function after cardioversion of atrial fibrillation: relation to left atrial mechanical function (Ito et al). 1998;135:1020-6

Atrial natriuretic peptide in patients with heart failure and chronic atrial fibrillation: role of duration of atrial fibrillation (Van Den Berg et al). 1998;135:242-4

Comparison of Quality of Well-Being scale and NYHA functional status classification in patients with atrial fibrillation (Ganiats et al). 1998;135:819-24

Early discharge of patients with new-onset atrial fibrillation after cardiovascular surgery (Solomon et al). 1998;135:557-63

Factors associated with atrial fibrillation in patients with mitral stenosis: a cardiac catheterization study (Moreyra et al). 1998;135:138-45

Hemostatic markers in heart disease (Yamamoto et al) (Letter); (Lip) (Reply). 1998;135:365-6

Impact of structural heart disease on the selection of class III antiarrhythmics for the prevention of atrial fibrillation and flutter (Reiffel). 1998;135:551-6 (Curriculum cardi.)

N-terminal proANF in acute atrial fibrillation: a biochemical marker of atrial pressures but not a predictor for conversion to sinus rhythm (Hornestam et al). 1998;135:1040-7

A randomized, double-blind comparison of intravenous diltiazem and digoxin for atrial fibrillation after coronary artery bypass surgery (Tisdale et al). 1998;135:739-47

Simple electrocardiographic markers for the prediction of paroxysmal idiopathic atrial fibrillation (Dilaveris et al). 1998;135:733-8

Atrial flutter

Impact of structural heart disease on the selection of class III antiarrhythmics for the prevention of atrial fibrillation and flutter (Reiffel). 1998;135:551-6 (Curriculum cardi.)

Atrial function

Assessment of left atrial appendage function after cardioversion of atrial fibrillation: relation to left atrial mechanical function (Ito et al). 1998;135:1020-6

Atrial natriuretic peptide release is more dependent on atrial filling volume than on filling pressure in chronic congestive heart failure (Globits et al). 1998;135:592-7

Cardiac versus noncardiac limits to exercise after heart transplantation (Notarius et al). 1998;135:339-48

Atrial natriuretic factor

Atrial natriuretic peptide in patients with heart failure and chronic atrial fibrillation: role of duration of atrial fibrillation (Van Den Berg et al). 1998;135:242-4

Atrial natriuretic peptide release is more dependent on atrial filling volume than on filling pressure in chronic congestive heart failure (Globits et al). 1998;135:592-7

Natriuretic peptides: physiology, therapeutic potential, and risk stratification in ischemic heart disease (Stein and Levin). 1998;135:914-23

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

N-terminal proANF in acute atrial fibrillation: a biochemical marker of atrial pressures but not a predictor for conversion to sinus rhythm (Hornestam et al). 1998;135:1040-7

Plasma brain natriuretic peptide as a biochemical marker of high left ventricular end-diastolic pressure in patients with symptomatic left ventricular dysfunction (Maeda et al). 1998;135:825-32

Plasma brain natriuretic peptide is a biochemical marker for the prediction of progressive ventricular remodeling after acute myocardial infarction (Nagaya et al). 1998;135:21-8

Vasodilatory effects of B-type natriuretic peptide are impaired in patients with chronic heart failure (Nakamura et al). 1998;135:414-20

Autonomic nervous system

Alterations of autonomic nervous activity preceding nocturnal variant angina: sympathetic augmentation with parasympathetic impairment (Miwa et al). 1998;135:762-71

Time-dependent changes of heart rate variability after percuta-

Autonomic nervous system—cont'd

neous transluminal angioplasty (Osterhues et al). 1998;135:755-61

Azithromycin

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

B**Balloon dilatation**

Advantage of stents in the most proximal left anterior descending coronary artery (Phillips et al). 1998;135:719-25

Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy (Kurbaan et al). 1998;135:703-8

Effect of intracoronary balloon inflation at percutaneous transluminal coronary angioplasty on QT dispersion (Tarabey et al). 1998;135:519-22

Influence of gradually increased slow balloon inflation on restenosis after coronary angioplasty (Miketic et al). 1998;135:709-13

Long-term angiographic prognosis of lesions dilated by coronary angioplasty (Kitazume et al). 1998;135:1076-80

Beta-Blocker Heart Attack Trial

Effects of propranolol in patients entered in the Beta-Blocker Heart Attack Trial with their first myocardial infarction and persistent electrocardiographic ST-segment depression (Shivkumar et al). 1998;135:261-7

Beta-blockers; see Adrenergic beta receptor blockers**Beta-endorphin**

Extent of ischemic stimulus and plasma β -endorphin levels in silent myocardial ischemia (Hikita et al). 1998;135:813-8

BHAT; see Beta-Blocker Heart Attack Trial**Biological markers**

Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60

Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Hemostatic markers in heart disease (Yamamoto et al) (Letter); (Lip) (Reply). 1998;135:365-6

Myosin light chain I grade: a simple marker for the severity and prognosis of patients with acute myocardial infarction (Yamada et al). 1998;135:329-34

N-terminal proANF in acute atrial fibrillation: a biochemical marker of atrial pressures but not a predictor for conversion to sinus rhythm (Hornestam et al). 1998;135:1040-7

Plasma brain natriuretic peptide as a biochemical marker of high left ventricular end-diastolic pressure in patients with symptomatic left ventricular dysfunction (Maeda et al). 1998;135:825-32

Plasma brain natriuretic peptide is a biochemical marker for the prediction of progressive ventricular remodeling after acute myocardial infarction (Nagaya et al). 1998;135:21-8

Bioprostheses

Serial Doppler echocardiographic evaluation of Carpentier-Edwards pericardial valve dysfunction: comparison with Ionescu-Shiley valve (Kobayashi et al). 1998;135:1086-92

Blood circulation

Blood flow and antithrombotic drug effects (Hanson and Sakariassen). 1998;135:132-45

Reduced pulmonary clearance of endothelin-1 in pulmonary hypertension (Dupuis et al). 1998;135:614-20

Blood coagulation

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Enhanced coagulation activation in troponin T-positive unstable angina pectoris (Terres et al). 1998;135:281-6

Fundamentals of coagulation and glycoprotein IIb/IIIa receptor inhibition (Ferguson et al). 1998;135:535-42

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Blood flow velocity

Comparison of intracoronary Doppler guide wire and transesophageal echocardiography in measurement of flow velocity and coronary flow reserve in the left anterior descending coronary artery (Gadallah et al). 1998;135:38-42

Relation between single tomographic intravascular ultrasound image parameters and intracoronary Doppler flow velocity in patients with intermediately severe coronary stenoses (Moses et al). 1998;135:988-94

Safety and optimal dose of intracoronary adenosine 5'-triphosphate for the measurement of coronary flow reserve (Sonoda et al). 1998;135:621-7

Blood platelets

Platelet-leukocyte interactions (Doré). 1998;135:S146-51

Serotonin and heart rate in hypertensive and normotensive subjects (Missouris et al). 1998;135:838-43

Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty (Salvioni et al). 1998;135:503-9

Blood pressure

Effects of intraaortic balloon counterpulsation on carotid artery blood flow (Applebaum et al). 1998;135:850-4

Hypertension, hypertrophy, hormones, and the heart (Glasser). 1998;135:S16-20 (Symposium)

JNC V revisited: standard of care or individualized treatment for hypertension? (Alderman). 1998;135:S8-15 (Symposium)

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

The role of vascular health in hypertension management—introduction (Chrysant). 1998;135:S1 (Symposium)

Serotonin and heart rate in hypertensive and normotensive subjects (Missouris et al). 1998;135:838-43

Vascular remodeling: the role of angiotensin-converting enzyme inhibitors (Chrysant). 1998;135:S21-30 (Symposium)

Blood viscosity

Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function (Reinhart et al). 1998;135:379-82

Blunt injuries; see Wounds, nonpenetrating**Brain natriuretic peptide; see Natriuretic hormone****C****Calcification**

Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography (Kennedy et al). 1998;135:696-702

Calcium

Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography (Kennedy et al). 1998;135:696-702

Calcium channel blockers

Absence of a deleterious effect of calcium channel blockers in patients with left ventricular dysfunction after myocardial infarction: the SAVE study experience (Hager et al). 1998;135:406-13

Calcium channel blockers—cont'd

Adding the new calcium antagonist mibefradil to patients receiving long-term β -blocker therapy results in improved antianginal and antiischemic efficacy (Schneeweiss et al). 1998;135:272-80

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Captopril

Beneficial effects of 1-year captopril therapy in children with chronic aortic regurgitation who have no symptoms (Alehan and Özkutlu). 1998;135:598-603

Cardiac output

Cardiac versus noncardiac limits to exercise after heart transplantation (Notarius et al). 1998;135:339-48

Comparison between mixed venous oxygen saturation and thermomodulation cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Nuñez and Maisel). 1998;135:383-8

Cardiac pacing, artificial

Left ventricular inotropic and lusitropic responses to pacing-induced tachycardia in patients with varying degrees of ventricular dysfunction (Yamakado et al). 1998;135:584-91

Role of transesophageal echocardiography in the evaluation of patients with clinical pacemaker syndrome (Lee et al). 1998;135:634-40

Single-lead VDD pacing: long-term experience with four different systems (Rey et al). 1998;135:1036-9

Cardiomyopathy, congestive

Alcohol consumption and idiopathic dilated cardiomyopathy: a case control study (McKenna et al). 1998;135:833-7

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Cardiotonic agents

Beneficial effects of intermittent home administration of the inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study (Cesario et al). 1998;135:121-9

Comparison between mixed venous oxygen saturation and thermomodulation cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Nuñez and Maisel). 1998;135:383-8

Cardiovascular diseases

Cardiovascular stress response and coronary artery disease: evidence of an adverse postmenopausal effect in women (Merz et al). 1998;135:881-7

Hypertension, hypertrophy, hormones, and the heart (Glasser). 1998;135:S16-20 (Symposium)

JNC V revisited: standard of care or individualized treatment for hypertension? (Alderman). 1998;135:S8-15 (Symposium)

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

The role of vascular health in hypertension management—introduction (Chrysant). 1998;135:S1 (Symposium)

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Thyroid hormone and cardiovascular disease (Gombert-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Cardioverter-defibrillators, implantable; see Defibrillators, implantable

Carotid arteries

Effects of intraaortic balloon counterpulsation on carotid artery blood flow (Applebaum et al). 1998;135:850-4

Carpentier-Edwards pericardial valve; see Heart valve prosthesis

Catecholamines

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Catheter ablation

Anatomic and electrophysiologic relation between the coronary sinus and mitral annulus: implications for ablation of left-sided accessory pathways (Shinbane et al). 1998;135:93-8

Catheterization, central venous

Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation (Gilon et al). 1998;135:457-62

Cell survival

Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75

Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80

Time course of myocardial viability after acute myocardial infarction: an echocardiographic study (Knudsen et al). 1998;135:51-7

Cerebrovascular circulation

Effects of intraaortic balloon counterpulsation on carotid artery blood flow (Applebaum et al). 1998;135:850-4

Cerebrovascular disorders

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic abstention? A decision analytic perspective (Nendaz et al). 1998;135:532-41

Chagas disease

Correction (Belotti). 1998;135:550 (Letter)

Chest pain

Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60

Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

Chest trauma; see Thoracic injuries

Child

Beneficial effects of 1-year captopril therapy in children with chronic aortic regurgitation who have no symptoms (Alehan and Özkutlu). 1998;135:598-603

Chlamydia pneumoniae

Chlamydia pneumoniae antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20

Cilostazol

Impact of cilostazol on intimal proliferation after directional coronary atherectomy (Tsuchikane et al). 1998;135:495-502

Cineventriculography

Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study (Lange et al). 1998;135:970-9

Clinical trials

An overview of the results of clinical trials with glycoprotein IIb/IIIa inhibitors (Adgey). 1998;135:S43-55

Cocaine

Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52

Collagen

- Hemostasis success rates and local complications with collagen after femoral access for cardiac catheterization: analysis of 6007 published patients (Silber). 1998;135:152-6
- Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction (Modena et al). 1998;135:287-92

Community health services

- Prognostic value of exercise thallium-201 imaging in a community population (Miller et al). 1998;135:663-70

Computer systems

- TACHY: an expert system for the management of supraventricular tachycardia in the elderly (Wang et al). 1998;135:82-7

Contrast media

- Comparison of ionic and nonionic low osmolar contrast media in relation to thrombotic complications of angioplasty in patients with unstable angina (Malekianpour et al). 1998;135:1067-75
- Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80

Cooperative Cardiovascular Project

- Resource use and quality of care for Medicare patients with acute myocardial infarction in Maryland and the District of Columbia: analysis of data from the Cooperative Cardiovascular Project (Berger et al). 1998;135:349-56

Cor pulmonale; see Pulmonary heart disease**Coronary angiography**

- Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography (Kennedy et al). 1998;135:696-702
- In a managed care setting, are there sex differences in the use of coronary angiography after acute myocardial infarction? (Wong et al). 1998;135:435-42
- Late clinical and angiographic follow-up after stenting in evolving and recent myocardial infarction (Le May et al). 1998;135:714-8
- Long-term angiographic prognosis of lesions dilated by coronary angioplasty (Kitazume et al). 1998;135:1076-80
- Plasma endothelin-1 levels in patients with angina pectoris and normal coronary angiograms (Hoffmann et al). 1998;135:684-8

Coronary angioplasty; see Angioplasty, transluminal, percutaneous coronary**Coronary Angioplasty versus Bypass Revascularization Investigation trial**

- Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy (Kurban et al). 1998;135:703-8

Coronary arteriosclerosis

- Aortic stiffness in young patients with heterozygous familial hypercholesterolemia (Pitsavos et al). 1998;135:604-8
- Immunolocalization of thrombospondin-1 in human atherosclerotic and restenotic arteries (Riessen et al). 1998;135:357-64
- Noninvasive assessment of transplant-associated arteriosclerosis (Fang et al). 1998;135:980-7

Coronary artery bypass

- Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75
- Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy (Kurban et al). 1998;135:703-8
- Evaluation in vivo of the endothelial function of the native gastroepiploic artery (Gurné et al). 1998;135:146-51
- A randomized, double-blind comparison of intravenous dilt-

azem and digoxin for atrial fibrillation after coronary artery bypass surgery (Tisdale et al). 1998;135:739-47

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

Spectrum of surgical risk for left main coronary stenoses: benchmark for potentially competing percutaneous therapies (Ellis et al). 1998;135:335-8

Thrombolysis in Myocardial Infarction frame count in saphenous vein grafts (Al-Mousa et al). 1998;135:323-8

Coronary Artery Surgery Study Registry

Coronary artery disease in diabetic and nondiabetic patients with lower extremity arterial disease: a report from the Coronary Artery Surgery Study Registry (Barzilay et al). 1998;135:1055-62

Coronary care units

Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

Coronary circulation

- Comparison of intracoronary Doppler guide wire and transesophageal echocardiography in measurement of flow velocity and coronary flow reserve in the left anterior descending coronary artery (Gadallah et al). 1998;135:38-42
- Effects of intraaortic balloon counterpulsation on carotid artery blood flow (Applebaum et al). 1998;135:850-4
- Effects of the 14F Hemopump on coronary hemodynamics in patients undergoing high-risk coronary angioplasty (Dubois-Randé et al). 1998;135:844-9
- Relation between single tomographic intravascular ultrasound image parameters and intracoronary Doppler flow velocity in patients with intermediately severe coronary stenoses (Moses et al). 1998;135:988-94
- Safety and optimal dose of intracoronary adenosine 5'-triphosphate for the measurement of coronary flow reserve (Sonoda et al). 1998;135:621-7
- Thrombolysis in Myocardial Infarction frame count in saphenous vein grafts (Al-Mousa et al). 1998;135:323-8

Coronary disease, complications

- Cardiovascular stress response and coronary artery disease: evidence of an adverse postmenopausal effect in women (Merz et al). 1998;135:881-7
- Depressed heart rate variability is associated with events in patients with stable coronary artery disease and preserved left ventricular function (van Boven et al). 1998;135:571-6

Coronary disease, diagnosis

- Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62
- Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography (Kennedy et al). 1998;135:696-702
- Platelet activation during dobutamine stress echocardiography (Galloway et al). 1998;135:888-900
- Relation between single tomographic intravascular ultrasound image parameters and intracoronary Doppler flow velocity in patients with intermediately severe coronary stenoses (Moses et al). 1998;135:988-94

Coronary disease, drug therapy

- Abciximab therapy in percutaneous intervention: economic issues in the United States (Goklaney et al). 1998;135:590-7
- Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:598-106
- The emerging role of low-molecular-weight heparins in cardiology practice—introduction (Braunwald). 1998;135:S327-8
- Fundamentals of coagulation and glycoprotein IIb/IIIa receptor inhibition (Ferguson et al). 1998;135:S35-42

Coronary disease, drug therapy—cont'd

- Mechanisms of arterial thrombosis: foundation for therapy (Fuster). 1998;135:S361-6
- New antiplatelet agents for acute coronary syndromes (Ferguson and Lau). 1998;135:S194-200
- New therapies for unstable angina and non-Q-wave myocardial infarction: recent clinical trials (Cohen). 1998;135:S343-52
- Oral inhibitors of platelet membrane receptor glycoprotein IIb/IIIa in clinical cardiology: issues and opportunities (Theroux). 1998;135:S107-12
- An overview of the results of clinical trials with glycoprotein IIb/IIIa inhibitors (Adgey). 1998;135:S43-55
- Rationale and clinical evidence for the use of GP IIb/IIIa inhibitors in acute coronary syndromes (Braunwald et al). 1998;135:S56-66
- Safe use of platelet GP IIb/IIIa inhibitors (Ferguson et al). 1998;135:S77-89
- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114
- Suppression of inducible ventricular tachycardia by ibutilide in patients with coronary artery disease (Wood et al). 1998;135:1048-54
- TIMI 11B. Enoxaparin versus unfractionated heparin for unstable angina or non-Q-wave myocardial infarction: a double-blind, placebo-controlled, parallel-group, multicenter trial. Rationale, study design, and methods (Antman). 1998;135:S353-60
- Use of abciximab in interventional cardiology (Chronos et al). 1998;135:S67-76
- Use of GP IIb/IIIa inhibitors in coronary syndromes: State of the art—introduction (Califf and Simoons). 1998;135:S33-4

Coronary disease, economics

- Abciximab therapy in percutaneous intervention: economic issues in the United States (Goklaney et al). 1998;135:S90-7
- Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:S98-106

Coronary disease, pathology

- Endothelial function of internal mammary artery in patients with coronary artery disease and in cardiac transplant recipients (Berkenboom et al). 1998;135:488-94

Coronary disease, physiopathology

- Ability of the exercise electrocardiogram test to detect ischemia in stable coronary artery disease patients with ST-segment depression on the resting electrocardiogram (Kalaria and Dwyer). 1998;135:901-6
- Chlamydia pneumoniae* antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20
- Coronary artery disease in diabetic and nondiabetic patients with lower extremity arterial disease: a report from the Coronary Artery Surgery Study Registry (Barzilay et al). 1998;135:1055-62
- Depressed heart rate variability is associated with events in patients with stable coronary artery disease and preserved left ventricular function (van Boven et al). 1998;135:571-6
- Effects of adenosine on left ventricular filling dynamics in patients with and without coronary artery disease: a Doppler echocardiographic study (Nagueh et al). 1998;135:647-54
- Neovascularization in atherectomy specimens from patients with unstable angina: implications for pathogenesis of unstable angina (Tenaglia et al). 1998;135:10-4
- New antiplatelet agents for acute coronary syndromes (Ferguson and Lau). 1998;135:S194-200

Coronary disease, prevention and control

- Risk factors in the offspring of women with premature coronary heart disease (Allen and Blumenthal). 1998;135:428-34

- Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Coronary disease, surgery

- Advantage of stents in the most proximal left anterior descending coronary artery (Phillips et al). 1998;135:719-25
- Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80
- Spectrum of surgical risk for left main coronary stenoses: benchmark for potentially competing percutaneous therapies (Ellis et al). 1998;135:335-8

Coronary disease, therapy

- Effective arterial elastance and the hemodynamic effects of intraaortic balloon counterpulsation in patients with coronary heart disease (Marchionni et al). 1998;135:855-61
- Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function (Reinhart et al). 1998;135:379-82
- JNC V revisited: standard of care or individualized treatment for hypertension? (Alderman). 1998;135:S8-15 (Symposium)
- Prehospital delay in patients with acute coronary heart disease: concordance between patient interviews and medical records (Goldberg et al). 1998;135:293-9
- Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81

Coronary sinus

- Anatomic and electrophysiologic relation between the coronary sinus and mitral annulus: implications for ablation of left-sided accessory pathways (Shinbane et al). 1998;135:93-8

Coronary stents; see Stents

Coronary vasospasm

- Alterations of autonomic nervous activity preceding nocturnal variant angina: sympathetic augmentation with parasympathetic impairment (Miwa et al). 1998;135:762-71

Coronary vessels

- Advantage of stents in the most proximal left anterior descending coronary artery (Phillips et al). 1998;135:719-25
- Comparison of intracoronary Doppler guide wire and transesophageal echocardiography in measurement of flow velocity and coronary flow reserve in the left anterior descending coronary artery (Gadallah et al). 1998;135:38-42
- Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy (Kurban et al). 1998;135:703-8
- Mechanical recanalization of total coronary occlusions with the use of a new guide wire (Reimers et al). 1998;135:726-31
- Mechanism of luminal narrowing in cardiac allograft vasculopathy: inadequate vascular remodeling rather than intimal hyperplasia is the major predictor of coronary artery stenosis (Pethig et al). 1998;135:628-33
- Pathologic anatomy of corrected transposition of the great arteries: medical and surgical implications (Van Praagh et al). 1998;135:772-85
- Safety and optimal dose of intracoronary adenosine 5'-triphosphate for the measurement of coronary flow reserve (Sonoda et al). 1998;135:621-7

Corrections

- Effect of β -adrenergic stimulation of the QRS duration of the signal-averaged electrocardiogram (Arnar et al) (1997;134:395-8). 1998;135:732

Correspondence; see Letters

Costs and cost analysis

- Abciximab therapy in percutaneous intervention: economic issues in the United States (Goklaney et al). 1998;135:S90-7
- Advanced congestive heart failure: What do patients want? (Califf et al). 1998;135:S320-6

Costs and cost analysis—cont'd

- Clinical correlates of in-hospital costs for acute myocardial infarction in patients 65 years of age and older (Krumholz et al). 1998;135:523-31
- Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:898-106
- Outcomes and costs within a disease management program for advanced congestive heart failure (Schulman et al). 1998;135:S285-92

Counterpulsation

- Effective arterial elastance and the hemodynamic effects of intraaortic balloon counterpulsation in patients with coronary heart disease (Marchionni et al). 1998;135:855-61
- Effects of intraaortic balloon counterpulsation on carotid artery blood flow (Applebaum et al). 1998;135:850-4

Creatine kinase

- Cardiac troponin T, creatine kinase, and its isoform release after successful percutaneous transluminal coronary angioplasty with or without stenting (Shyu et al). 1998;135:862-7
- Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9
- Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81

Creatine kinase isoenzymes

- Cardiac troponin T, creatine kinase, and its isoform release after successful percutaneous transluminal coronary angioplasty with or without stenting (Shyu et al). 1998;135:862-7
- Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60
- Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52
- Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83
- Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81

Curriculum in cardiology

- Curriculum in cardiology. 1998;135:187-96, 551-6, 925-36

Cycle ergometry; see Exercise test**Cytokines**

- Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

D**Decision making**

- Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic ablation? A decision analytic perspective (Nendaz et al). 1998;135:532-41

Defibrillators, implantable

- Prospective evaluation of shoulder-related problems in patients with pectoral cardioverter-defibrillator implantation (Korte et al). 1998;135:577-83

Delivery of health care

- Prehospital delay in patients with acute coronary heart dis-

ease: concordance between patient interviews and medical records (Goldberg et al). 1998;135:293-9

Dexfenfluramine

- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

Diabetes mellitus

- Coronary artery disease in diabetic and nondiabetic patients with lower extremity arterial disease: a report from the Coronary Artery Surgery Study Registry (Barzilay et al). 1998;135:1055-62

Diagnostic imaging

- Ability of the exercise electrocardiogram test to detect ischemia in stable coronary artery disease patients with ST-segment depression on the resting electrocardiogram (Kalaria and Dwyer). 1998;135:901-6
- Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75
- Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60
- Comparison of intracoronary Doppler guide wire and transesophageal echocardiography in measurement of flow velocity and coronary flow reserve in the left anterior descending coronary artery (Gadallah et al). 1998;135:38-42
- Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80
- Diagnostic value of transesophageal echocardiography in the assessment of congenitally corrected transposition of the great arteries in adult patients (Caso et al). 1998;135:43-50
- Noninvasive assessment of transplant-associated arteriosclerosis (Fang et al). 1998;135:980-7
- Platelet activation during dobutamine stress echocardiography (Galloway et al). 1998;135:888-900
- Prognostic value of exercise thallium-201 imaging in a community population (Miller et al). 1998;135:663-70
- Quantification of the aortic valve area in three-dimensional echocardiographic data sets: analysis of orifice overestimation resulting from suboptimal cut-plane selection (Kasprzak et al). 1998;135:995-1003
- Relation between single tomographic intravascular ultrasound image parameters and intracoronary Doppler flow velocity in patients with intermediately severe coronary stenoses (Moses et al). 1998;135:988-94
- Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation (Gilon et al). 1998;135:457-62
- Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81
- Sequential changes in cardiac structure and function in patients with Duchenne type muscular dystrophy: a two-dimensional echocardiographic study (Sasaki et al). 1998;135:937-44
- Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study (Lange et al). 1998;135:970-9
- Time course of myocardial viability after acute myocardial infarction: an echocardiographic study (Knudsen et al). 1998;135:51-7
- Transesophageal echocardiographic assessment of systolic mitral leaflet displacement among patients with mitral valve prolapse (Langholz et al). 1998;135:197-206
- Validation of flow convergence region method in assessing mitral valve area in the course of transthoracic and trans-

Diagnostic imaging—cont'd

esophageal echocardiographic studies (Degertekin et al). 1998;135:207-14

Digoxin

Clinical predictors of worsening heart failure during withdrawal from digoxin therapy (Adams et al). 1998;135:389-97

A randomized, double-blind comparison of intravenous diltiazem and digoxin for atrial fibrillation after coronary artery bypass surgery (Tisdale et al). 1998;135:739-47

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Diltiazem

A randomized, double-blind comparison of intravenous diltiazem and digoxin for atrial fibrillation after coronary artery bypass surgery (Tisdale et al). 1998;135:739-47

Dipyridamole

Noninvasive evaluation of myocardial ischemia in Kawasaki disease: comparison between dipyridamole stress thallium imaging and exercise stress testing (Fukuda et al). 1998;135:482-7

Diuretics

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Dobutamine

Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62

Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75

Cardiac versus noncardiac limits to exercise after heart transplantation (Notarius et al). 1998;135:339-48

Comparison between mixed venous oxygen saturation and thermodilution cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Nuñez and Maisel). 1998;135:383-8

Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80

Correlation of myocardial histologic changes in hibernating myocardium with dobutamine stress echocardiographic findings (Hennessy et al). 1998;135:952-9

Platelet activation during dobutamine stress echocardiography (Galloway et al). 1998;135:888-900

Time course of myocardial viability after acute myocardial infarction: an echocardiographic study (Knudsen et al). 1998;135:51-7

Doppler echocardiography; see Echocardiography, Doppler

Dosing; see Administration schedule, drug

Dyspnea

Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405

Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7

E

Ebstein's anomaly

Factors affecting the prognosis of Ebstein's anomaly during fetal life (Pavlova et al). 1998;135:1081-5

Echocardiography

Accuracy of echocardiography for detection of aortic arch obstruction after stage I Norwood procedure (Fraissee et al). 1998;135:230-6

Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106

Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62

Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75

Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60

Correlation of myocardial histologic changes in hibernating myocardium with dobutamine stress echocardiographic findings (Hennessy et al). 1998;135:952-9

Platelet activation during dobutamine stress echocardiography (Galloway et al). 1998;135:888-900

Quantification of the aortic valve area in three-dimensional echocardiographic data sets: analysis of orifice overestimation resulting from suboptimal cut-plane selection (Kasprzak et al). 1998;135:995-1003

Sequential changes in cardiac structure and function in patients with Duchenne type muscular dystrophy: a two-dimensional echocardiographic study (Sasaki et al). 1998;135:937-44

Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9

Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study (Lange et al). 1998;135:970-9

Time course of myocardial viability after acute myocardial infarction: an echocardiographic study (Knudsen et al). 1998;135:51-7

Echocardiography, Doppler

Effects of adenosine on left ventricular filling dynamics in patients with and without coronary artery disease: a Doppler echocardiographic study (Nagueh et al). 1998;135:647-54

Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients (Richards et al). 1998;135:641-6

Serial Doppler echocardiographic evaluation of Carpentier-Edwards pericardial valve dysfunction: comparison with Ionescu-Shiley valve (Kobayashi et al). 1998;135:1086-92

Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study (Lange et al). 1998;135:970-9

Echocardiography, transesophageal

Comparison of intracoronary Doppler guide wire and transesophageal echocardiography in measurement of flow velocity and coronary flow reserve in the left anterior descending coronary artery (Gadallah et al). 1998;135:38-42

Diagnostic value of transesophageal echocardiography in the assessment of congenitally corrected transposition of the great arteries in adult patients (Caso et al). 1998;135:43-50

Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation (Gilon et al). 1998;135:457-62

Echocardiography, transesophageal—cont'd

- Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81
- Role of transesophageal echocardiography in the evaluation of patients with clinical pacemaker syndrome (Lee et al). 1998;135:634-40
- Transesophageal echocardiographic assessment of systolic mitral leaflet displacement among patients with mitral valve prolapse (Langholz et al). 1998;135:197-206
- Validation of flow convergence region method in assessing mitral valve area in the course of transthoracic and transesophageal echocardiographic studies (Degertekin et al). 1998;135:207-14

Economics

- Abciximab therapy in percutaneous intervention: economic issues in the United States (Goklaney et al). 1998;135:S90-7
- Clinical correlates of in-hospital costs for acute myocardial infarction in patients 65 years of age and older (Krumholz et al). 1998;135:523-31

Ejection fraction; see Stroke volume**Electric countershock**

- Assessment of left atrial appendage function after cardioversion of atrial fibrillation: relation to left atrial mechanical function (Ito et al). 1998;135:1020-6

Electrocardiography

- Ability of the exercise electrocardiogram test to detect ischemia in stable coronary artery disease patients with ST-segment depression on the resting electrocardiogram (Kalaria and Dwyer). 1998;135:901-6
- Admission clinical and electrocardiographic characteristics predicting an increased risk for early reinfarction after thrombolytic therapy (Birnbaum et al). 1998;135:805-12
- Anatomic and electrophysiologic relation between the coronary sinus and mitral annulus: implications for ablation of left-sided accessory pathways (Shinbane et al). 1998;135:93-8
- Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62
- Effect of exercise-induced ischemia on QT interval dispersion (Roukema et al). 1998;135:88-92
- Effect of intracoronary balloon inflation at percutaneous transluminal coronary angioplasty on QT dispersion (Tarabey et al). 1998;135:519-22
- Effects of propranolol in patients entered in the Beta-Blocker Heart Attack Trial with their first myocardial infarction and persistent electrocardiographic ST-segment depression (Shivkumar et al). 1998;135:261-7
- Multivariate associates of QT dispersion in patients with acute myocardial infarction: primacy of patency status of the infarct-related artery (Karagounis et al). 1998;135:1027-35
- Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81
- Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81
- Simple electrocardiographic markers for the prediction of paroxysmal idiopathic atrial fibrillation (Dilaveris et al). 1998;135:733-8
- ST-segment elevation in right precordial leads implies depressed right ventricular function after acute inferior myocardial infarction (Yoshino et al). 1998;135:689-95

Electrocardiography, Doppler

- Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106

Electrophysiology

- Anatomic and electrophysiologic relation between the coronary sinus and mitral annulus: implications for ablation of left-sided accessory pathways (Shinbane et al). 1998;135:93-8
- Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106
- Cardiac electrophysiologic effects of norepinephrine in human beings (Weiss et al). 1998;135:945-51
- Early discharge of patients with new-onset atrial fibrillation after cardiovascular surgery (Solomon et al). 1998;135:557-63
- Heart rate variability during the first month of smoking cessation (Yotsukura et al). 1998;135:1004-9
- Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81
- Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80
- Shortened head-up tilt testing potentiated with sublingual nitroglycerin in patients with unexplained syncope (Del Rosso et al). 1998;135:564-70
- Simple electrocardiographic markers for the prediction of paroxysmal idiopathic atrial fibrillation (Dilaveris et al). 1998;135:733-8

Emergency medical services

- Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60

Endorphins

- Extent of ischemic stimulus and plasma β -endorphin levels in silent myocardial ischemia (Hikita et al). 1998;135:813-8

Endothelins

- Plasma endothelin-1 levels in patients with angina pectoris and normal coronary angiograms (Hoffmann et al). 1998;135:684-8
- Reduced pulmonary clearance of endothelin-1 in pulmonary hypertension (Dupuis et al). 1998;135:614-20

Endothelium, vascular

- Endothelial function of internal mammary artery in patients with coronary artery disease and in cardiac transplant recipients (Berkenboom et al). 1998;135:488-94
- Evaluation in vivo of the endothelial function of the native gastroepiploic artery (Gurné et al). 1998;135:146-51

Enoxaparin

- TIMI 11B. Enoxaparin versus unfractionated heparin for unstable angina or non-Q-wave myocardial infarction: a double-blind, placebo-controlled, parallel-group, multicenter trial. Rationale, study design, and methods (Antman). 1998;135:S353-60

Enzymes

- Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Epinephrine

- Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Equipment and supplies

- Comparison of intracoronary Doppler guide wire and transesophageal echocardiography in measurement of flow velocity and coronary flow reserve in the left anterior descending coronary artery (Gadallah et al). 1998;135:38-42

Equipment and supplies—cont'd

- Effects of the 14F Hemopump on coronary hemodynamics in patients undergoing high-risk coronary angioplasty (Dubois-Randé et al). 1998;135:844-9
- Enhancement of spatial orientation of intravascular ultrasound images with side holes guiding catheters (Schwarzacher et al). 1998;135:1063-6
- Mechanical recanalization of total coronary occlusions with the use of a new guide wire (Reimers et al). 1998;135:726-31

Ergometry; see Exercise test

Essential hypertension; see Hypertension

Estrogen replacement therapy

- Cardiovascular stress response and coronary artery disease: evidence of an adverse postmenopausal effect in women (Merz et al). 1998;135:881-7

Euthyroid sick syndromes

- Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Evaluation of 7E3 for the Prevention of Ischemic Complications

- Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:598-106

Exercise test

- Ability of the exercise electrocardiogram test to detect ischemia in stable coronary artery disease patients with ST-segment depression on the resting electrocardiogram (Kalaria and Dwyer). 1998;135:901-6
- Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62
- Cardiac versus noncardiac limits to exercise after heart transplantation (Notarius et al). 1998;135:339-48
- Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80
- Correlation of myocardial histologic changes in hibernating myocardium with dobutamine stress echocardiographic findings (Hennessy et al). 1998;135:952-9
- Effect of exercise-induced ischemia on QT interval dispersion (Roukema et al). 1998;135:88-92
- Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405
- Extent of ischemic stimulus and plasma β -endorphin levels in silent myocardial ischemia (Hikita et al). 1998;135:813-8
- Improvement in the mechanical efficiency of walking: an explanation for the "placebo effect" seen during repeated exercise testing of patients with heart failure (Russell et al). 1998;135:107-14
- Noninvasive evaluation of myocardial ischemia in Kawasaki disease: comparison between dipyridamole stress thallium imaging and exercise stress testing (Fukuda et al). 1998;135:482-7
- Oxidative stress is related to exercise intolerance in patients with heart failure (Nishiyama et al). 1998;135:115-20
- Platelet activation during dobutamine stress echocardiography (Galloway et al). 1998;135:888-900
- Prognostic value of exercise thallium-201 imaging in a community population (Miller et al). 1998;135:663-70
- Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81
- Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9

- Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7

Exercise therapy

- Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function (Reinhart et al). 1998;135:379-82

Exertion

- Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405

Expert systems

- TACHY: an expert system for the management of supraventricular tachycardia in the elderly (Wang et al). 1998;135:82-7

F

False positive reactions

- Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81

Fatigue

- Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405
- Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7

Fetus

- Factors affecting the prognosis of Ebstein's anomaly during fetal life (Pavlova et al). 1998;135:1081-5

Fibrin

- Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Fibrinogen

- Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Fibrinolytic agents

- Administration of thrombolytic therapy to 17,944 patients with acute myocardial infarction: the GISSI-3 database (Bobbio et al). 1998;135:443-8
- Blood flow and antithrombotic drug effects (Hanson and Sakariassen). 1998;135:5132-45
- Human platelet activation by thrombolytic agents: effects of tissue-type plasminogen activator and urokinase on platelet surface P-selectin expression (Kawano et al). 1998;135:268-71
- Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic abstention? A decision analytic perspective (Nendaz et al). 1998;135:532-41
- Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Fibrinopeptides A

- Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty (Salvioni et al). 1998;135:503-9

Foramen ovale, patent; see Heart septal defects

Free radicals

- Oxidative stress is related to exercise intolerance in patients with heart failure (Nishiyama et al). 1998;135:115-20

G**Gadolinium**

Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80

Gastroepiploic artery

Evaluation in vivo of the endothelial function of the native gastroepiploic artery (Gurné et al). 1998;135:146-51

Glycoprotein IIb/IIIa complex; see Platelet membrane glycoproteins**Glycoproteins**

Immunolocalization of thrombospondin-1 in human atherosclerotic and restenotic arteries (Riessen et al). 1998;135:357-64

Graft occlusion, vascular

Mechanism of luminal narrowing in cardiac allograft vasculopathy: inadequate vascular remodeling rather than intimal hyperplasia is the major predictor of coronary artery stenosis (Pethig et al). 1998;135:628-33

Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico

Administration of thrombolytic therapy to 17,944 patients with acute myocardial infarction: the GISSI-3 database (Bobbio et al). 1998;135:443-8

Guide wire; see Equipment and supplies**H****Heart atrium**

Assessment of left atrial appendage function after cardioversion of atrial fibrillation: relation to left atrial mechanical function (Ito et al). 1998;135:1020-6

Cardiac versus noncardiac limits to exercise after heart transplantation (Notarius et al). 1998;135:339-48

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Increased atrial vulnerability in arrhythmogenic right ventricular disease (Brembilla-Perrot et al). 1998;135:748-54

Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation (Gilon et al). 1998;135:457-62

Heart catheterization

Accuracy of echocardiography for detection of aortic arch obstruction after stage I Norwood procedure (Fraisie et al). 1998;135:230-6

Echocardiography and cardiac catheterization in the preoperative assessment of ventricular septal defect in infancy (Magee et al). 1998;135:907-13

Factors associated with atrial fibrillation in patients with mitral stenosis: a cardiac catheterization study (Moreyra et al). 1998;135:138-45

Hemostasis success rates and local complications with collagen after femoral access for cardiac catheterization: analysis of 6007 published patients (Silber). 1998;135:152-6

Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation (Gilon et al). 1998;135:457-62

Heart conduction system

Analysis of the cardiac rhythm preceding episodes of paroxysmal atrial fibrillation (Hnatkova et al). 1998;135:1010-9

Anatomic and electrophysiologic relation between the coronary sinus and mitral annulus: implications for ablation of left-sided accessory pathways (Shinbane et al). 1998;135:93-8

Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrio-

ventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106

Cardiac electrophysiologic effects of norepinephrine in human beings (Weiss et al). 1998;135:945-51

Simple electrocardiographic markers for the prediction of paroxysmal idiopathic atrial fibrillation (Dilaveris et al). 1998;135:733-8

Heart defects, congenital

Diagnostic value of transesophageal echocardiography in the assessment of congenitally corrected transposition of the great arteries in adult patients (Caso et al). 1998;135:43-50

Echocardiography and cardiac catheterization in the preoperative assessment of ventricular septal defect in infancy (Magee et al). 1998;135:907-13

Factors affecting the prognosis of Ebstein's anomaly during fetal life (Pavlova et al). 1998;135:1081-5

Pathologic anatomy of corrected transposition of the great arteries: medical and surgical implications (Van Praagh et al). 1998;135:772-85

Pulmonary embolism: relation between the degree of right ventricle overload and the extent of perfusion defects (Ribeiro et al). 1998;135:868-74

Heart diseases

Hemostatic markers in heart disease (Yamamoto et al) (Letter); (Lip) (Reply). 1998;135:365-6

Impact of structural heart disease on the selection of class III antiarrhythmics for the prevention of atrial fibrillation and flutter (Reiffel). 1998;135:551-6 (Curriculum cardiol.)

Heart failure, congestive, drug therapy

Beneficial effects of intermittent home administration of the inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study (Cesario et al). 1998;135:121-9

Clinical predictors of worsening heart failure during withdrawal from digoxin therapy (Adams et al). 1998;135:389-97

Current and novel pharmacologic approaches in advanced heart failure (O'Connor et al). 1998;135:S249-63

Current medical therapy for advanced heart failure (Gheorghiade et al). 1998;135:S231-48

Effect of angiotensin-converting enzyme inhibitor dosing interval on functional parameters in patients with chronic heart failure (Krum et al). 1998;135:237-41

Optimizing therapy for complex or refractory heart failure: a management algorithm (Stevenson et al). 1998;135:S293-309

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Heart failure, congestive, economics

Advanced congestive heart failure: What do patients want? (Califf et al). 1998;135:S320-6

Outcomes and costs within a disease management program for advanced congestive heart failure (Schulman et al). 1998;135:S285-92

Heart failure, congestive, epidemiology

Clinical definition and epidemiology of advanced heart failure (Adams and Zannad). 1998;135:S204-15

Current medical therapy for advanced heart failure (Gheorghiade et al). 1998;135:S231-48

Heart failure caused by preserved systolic function: a common and costly clinical entity (Dauterman et al). 1998;135:S310-9

Heart failure, congestive, pathophysiology

Atrial natriuretic peptide in patients with heart failure and chronic atrial fibrillation: role of duration of atrial fibrillation (Van Den Berg et al). 1998;135:242-4

Atrial natriuretic peptide release is more dependent on atrial

Heart failure, congestive, physiopathology—cont'd

- filling volume than on filling pressure in chronic congestive heart failure (Globits et al). 1998;135:592-7
- Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405
- Oxidative stress is related to exercise intolerance in patients with heart failure (Nishiyama et al). 1998;135:115-20
- The pathophysiology of advanced heart failure (Baig et al). 1998;135:S216-30
- Plasma brain natriuretic peptide as a biochemical marker of high left ventricular end-diastolic pressure in patients with symptomatic left ventricular dysfunction (Maeda et al). 1998;135:825-32
- Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)
- Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7
- Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)
- Vasodilatory effects of B-type natriuretic peptide are impaired in patients with chronic heart failure (Nakamura et al). 1998;135:414-20

Heart failure, congestive, surgery

- Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9
- Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Heart failure, congestive, therapy

- Advanced congestive heart failure: What do patients want? (Califf et al). 1998;135:S320-6
- Beyond drug therapy: nonpharmacologic care of the patient with advanced heart failure (Uretsky et al). 1998;135:S264-84
- Comparison between mixed venous oxygen saturation and thermodilution cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Nuñez and Maisel). 1998;135:383-8
- Correction (McDermott and Gheorghiadu). 1998;135:924 (Letter)
- Improvement in the mechanical efficiency of walking: an explanation for the "placebo effect" seen during repeated exercise testing of patients with heart failure (Russell et al). 1998;135:107-14
- Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function (Reinhart et al). 1998;135:379-82
- Optimizing therapy for complex or refractory heart failure: a management algorithm (Stevenson et al). 1998;135:S293-309
- Outcomes and costs within a disease management program for advanced congestive heart failure (Schulman et al). 1998;135:S285-92
- Prevention of hospitalizations for heart failure with an interactive home monitoring program (Shah et al). 1998;135:373-8

Heart injuries

- Role of transthoracic echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81

Heart rate

- Alterations of autonomic nervous activity preceding nocturnal variant angina: sympathetic augmentation with parasympathetic impairment (Miwa et al). 1998;135:762-71

Analysis of the cardiac rhythm preceding episodes of paroxysmal atrial fibrillation (Hnatkova et al). 1998;135:1010-9

Depressed heart rate variability is associated with events in patients with stable coronary artery disease and preserved left ventricular function (van Boven et al). 1998;135:571-6

Heart rate variability during the first month of smoking cessation (Yotsukura et al). 1998;135:1004-9

N-terminal proANF in acute atrial fibrillation: a biochemical marker of atrial pressures but not a predictor for conversion to sinus rhythm (Hornestam et al). 1998;135:1040-7

Serotonin and heart rate in hypertensive and normotensive subjects (Missouri et al). 1998;135:838-43

Time-dependent changes of heart rate variability after percutaneous transluminal angioplasty (Osterhues et al). 1998;135:755-61

Heart septal defects

Echocardiography and cardiac catheterization in the preoperative assessment of ventricular septal defect in infancy (Magee et al). 1998;135:907-13

Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic ablation? A decision analytic perspective (Nendaz et al). 1998;135:532-41

Heart septum

Diversity of myocardial involvement in systemic sclerosis: an 8-year study of 95 Japanese patients (Murata et al). 1998;135:960-9

Heart transplantation

- Cardiac versus noncardiac limits to exercise after heart transplantation (Notarius et al). 1998;135:339-48
- Endothelial function of internal mammary artery in patients with coronary artery disease and in cardiac transplant recipients (Berkenboom et al). 1998;135:488-94
- Mechanism of luminal narrowing in cardiac allograft vasculopathy: inadequate vascular remodeling rather than intimal hyperplasia is the major predictor of coronary artery stenosis (Pethig et al). 1998;135:628-33
- Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients (Richards et al). 1998;135:641-6
- Noninvasive assessment of transplant-associated arteriosclerosis (Fang et al). 1998;135:980-7
- Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9
- Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Heart valve diseases

- Beneficial effects of 1-year captopril therapy in children with chronic aortic regurgitation who have no symptoms (Alehan and Özkutlu). 1998;135:598-603
- Factors associated with atrial fibrillation in patients with mitral stenosis: a cardiac catheterization study (Moreyra et al). 1998;135:138-45
- Plasma levels of adrenomedullin in patients with mitral stenosis (Yamamoto et al). 1998;135:542-9
- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114
- Treatment of chronic mitral regurgitation (Cooper and Gersh). 1998;135:925-36 (Curriculum cardiol.)

Heart valve prosthesis

Serial Doppler echocardiographic evaluation of Carpentier-Edwards pericardial valve dysfunction: comparison with Ionescu-Shiley valve (Kobayashi et al). 1998;135:1086-92

Heart ventricle

Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atri-

Heart ventricle—cont'd

oventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Increased atrial vulnerability in arrhythmogenic right ventricular disease (Brembilla-Perrot et al). 1998;135:748-54

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

Heart-assist devices

Effects of the 14F Hemopump on coronary hemodynamics in patients undergoing high-risk coronary angioplasty (Dubois-Randé et al). 1998;135:844-9

Hemodynamics

Comparison between mixed venous oxygen saturation and thermodilution cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Nuñez and Maisel). 1998;135:383-8

Effective arterial elastance and the hemodynamic effects of intraaortic balloon counterpulsation in patients with coronary heart disease (Marchionni et al). 1998;135:855-61

Effects of adenosine on left ventricular filling dynamics in patients with and without coronary artery disease: a Doppler echocardiographic study (Nagueh et al). 1998;135:647-54

Effects of intraaortic balloon counterpulsation on carotid artery blood flow (Applebaum et al). 1998;135:850-4

Effects of the 14F Hemopump on coronary hemodynamics in patients undergoing high-risk coronary angioplasty (Dubois-Randé et al). 1998;135:844-9

Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Hemopump; see Heart-assist devices**Hemorrhage**

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Hemostasis

Hemostasis success rates and local complications with collagen after femoral access for cardiac catheterization: analysis of 6007 published patients (Silber). 1998;135:152-6

Hemostatic markers in heart disease (Yamamoto et al) (Letter). (Lip) (Reply). 1998;135:365-6

Heparin

The emerging role of low-molecular-weight heparins in cardiology practice—introduction (Braunwald). 1998;135:S327-8

Low-molecular-weight heparin for the treatment of venous thromboembolism (Hirsh). 1998;135:S336-42

New therapies for unstable angina and non-Q-wave myocardial infarction: recent clinical trials (Cohen). 1998;135:S343-52

Pharmacology of the low-molecular-weight heparins (Turpie). 1998;135:S329-35

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

TIMI 11B. Enoxaparin versus unfractionated heparin for unstable angina or non-Q-wave myocardial infarction: a double-blind, placebo-controlled, parallel-group, multicenter trial. Rationale, study design, and methods (Antman). 1998;135:S353-60

Hereditary diseases

Aortic stiffness in young patients with heterozygous familial hypercholesterolemia (Pitsavos et al). 1998;135:604-8

Risk factors in the offspring of women with premature coronary heart disease (Allen and Blumenthal). 1998;135:428-34

Home care services

Beneficial effects of intermittent home administration of the

inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study (Cesario et al). 1998;135:121-9

Prevention of hospitalizations for heart failure with an interactive home monitoring program (Shah et al). 1998;135:373-8

Hormones

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Hypertension, hypertrophy, hormones, and the heart (Glasser). 1998;135:S16-20 (Symposium)

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

Hospitalization

Clinical correlates of in-hospital costs for acute myocardial infarction in patients 65 years of age and older (Krumholz et al). 1998;135:523-31

Correction (McDermott and Gheorghiadu). 1998;135:924 (Letter)

Early discharge of patients with new-onset atrial fibrillation after cardiovascular surgery (Solomon et al). 1998;135:557-63

Outcomes and costs within a disease management program for advanced congestive heart failure (Schulman et al). 1998;135:S285-92

Prehospital delay in patients with acute coronary heart disease: concordance between patient interviews and medical records (Goldberg et al). 1998;135:293-9

Prevention of hospitalizations for heart failure with an interactive home monitoring program (Shah et al). 1998;135:373-8

Hydralazine

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Hydroxybutyrate dehydrogenase

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Hypercholesterolemia, familial

Aortic stiffness in young patients with heterozygous familial hypercholesterolemia (Pitsavos et al). 1998;135:604-8

Hyperlipidemia

Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Hyperplasia

Impact of cilostazol on intimal proliferation after directional coronary atherectomy (Tsuchikane et al). 1998;135:495-502

Mechanism of luminal narrowing in cardiac allograft vasculopathy: inadequate vascular remodeling rather than intimal hyperplasia is the major predictor of coronary artery stenosis (Pethig et al). 1998;135:628-33

Hypertension

Hypertension, hypertrophy, hormones, and the heart (Glasser). 1998;135:S16-20 (Symposium)

JNC V revisited: standard of care or individualized treatment for hypertension? (Alderman). 1998;135:S8-15 (Symposium)

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

The role of vascular health in hypertension management—introduction (Chrysant). 1998;135:S1 (Symposium)

Serotonin and heart rate in hypertensive and normotensive subjects (Missouri et al). 1998;135:838-43

Vascular remodeling: the role of angiotensin-converting enzyme inhibitors (Chrysant). 1998;135:S21-30 (Symposium)

Hypertension, pulmonary

Reduced pulmonary clearance of endothelin-1 in pulmonary hypertension (Dupuis et al). 1998;135:614-20

Hyperthyroidism

Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Hypertrophy, left ventricular

Hypertension, hypertrophy, hormones, and the heart (Glasser). 1998;135:S16-20 (Symposium)

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

Hypothyroidism

Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Ibutilide

Suppression of inducible ventricular tachycardia by ibutilide in patients with coronary artery disease (Wood et al). 1998;135:1048-54

Immune system

Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

Immunoglobulins

Chlamydia pneumoniae antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20

Infant

Echocardiography and cardiac catheterization in the preoperative assessment of ventricular septal defect in infancy (Magee et al). 1998;135:907-13

Factors affecting the prognosis of Ebstein's anomaly during fetal life (Pavlova et al). 1998;135:1081-5

Infection

Chlamydia pneumoniae antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20

Infusions, intravenous

A randomized, double-blind comparison of intravenous diltiazem and digoxin for atrial fibrillation after coronary artery bypass surgery (Tisdale et al). 1998;135:739-47

Inotropic agents; see Cardiotonic agents

Inotropism; see Myocardial contraction

Insulin

Hypertension, hypertrophy, hormones, and the heart (Glasser). 1998;135:S16-20 (Symposium)

Insurance, health

In a managed care setting, are there sex differences in the use of coronary angiography after acute myocardial infarction? (Wong et al). 1998;135:435-42

Intensive care units

Comparison between mixed venous oxygen saturation and thermodilution cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Nuñez and Maisel). 1998;135:383-8

Interleukin-1

Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

Interleukin-2

Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

Interleukin-6

Chlamydia pneumoniae antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20

Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

Interviews

Prehospital delay in patients with acute coronary heart dis-

ease: concordance between patient interviews and medical records (Goldberg et al). 1998;135:293-9

Intimal hyperplasia; see Hyperplasia

Intra-aortic balloon pumping

Effective arterial elastance and the hemodynamic effects of intraaortic balloon counterpulsation in patients with coronary heart disease (Marchionni et al). 1998;135:855-61

Effects of intraaortic balloon counterpulsation on carotid artery blood flow (Applebaum et al). 1998;135:850-4

Intracoronary stents; see Stents

Intraoperative monitoring

Validation of flow convergence region method in assessing mitral valve area in the course of transthoracic and transesophageal echocardiographic studies (Degertekin et al). 1998;135:207-14

Intravenous Streptokinase in Acute Myocardial Infarction study

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Ionescu-Shiley valve; see Heart valve prosthesis

ISAM study; see Intravenous Streptokinase in Acute Myocardial Infarction study

Ischemic heart disease; see Myocardial ischemia

Isoenzymes

Cardiac troponin T, creatine kinase, and its isoform release after successful percutaneous transluminal coronary angioplasty with or without stenting (Shyu et al). 1998;135:862-7

Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60

Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81

Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7

Isosorbide dinitrate

Evaluation in vivo of the endothelial function of the native gastroepiploic artery (Gurné et al). 1998;135:146-51

Head-up tilt testing potentiated with low-dose sublingual isosorbide dinitrate: a simplified time-saving approach for the evaluation of unexplained syncope (Ammirati et al). 1998;135:671-6

J

Japan

Diversity of myocardial involvement in systemic sclerosis: an 8-year study of 95 Japanese patients (Murata et al). 1998;135:960-9

Joint National Committee for the Prevention and Treatment of High Blood Pressure

JNC V revisited: standard of care or individualized treatment for hypertension? (Alderman). 1998;135:58-15 (Symposium)

K

Kawasaki disease; see Mucocutaneous lymph node syndrome

L**Leg**

Coronary artery disease in diabetic and nondiabetic patients with lower extremity arterial disease: a report from the Coronary Artery Surgery Study Registry (Barzilay et al). 1998;135:1055-62

Length of stay

Early discharge of patients with new-onset atrial fibrillation after cardiovascular surgery (Solomon et al). 1998;135:557-63

Letters

Correction (Belotti). 1998;135:550 (Letter)

Correction (McDermott and Gheorghiadu). 1998;135:924 (Letter)

Hemostatic markers in heart disease (Yamamoto et al) (Letter); (Lip) (Reply). 1998;135:365-6

Leukocytes

Platelet-leukocyte interactions (Doré). 1998;135:146-51

Ligands

Expression of ligand-induced binding sites on glycoprotein IIb/IIIa complexes and the effect of various inhibitors (Jennings and White). 1998;135:S179-83

Long-term administration of glycoprotein IIb/IIIa antagonists (Quinn and Fitzgerald). 1998;135:S113-8

Platelet aggregation in flow: differential roles for adhesive receptors and ligands (Frojmovic). 1998;135:S119-31

Platelet-leukocyte interactions (Doré). 1998;135:S146-51

Lipids

Aortic stiffness in young patients with heterozygous familial hypercholesterolemia (Pitsavos et al). 1998;135:604-8

Lipopolysaccharides

Chlamydia pneumoniae antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20

Low-molecular-weight heparin; see Heparin

M**Magnesium**

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Magnetic resonance imaging

Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80

Malondialdehyde

Oxidative stress is related to exercise intolerance in patients with heart failure (Nishiyama et al). 1998;135:115-20

Mammary arteries

Endothelial function of internal mammary artery in patients with coronary artery disease and in cardiac transplant recipients (Berkenboom et al). 1998;135:488-94

Managed care programs

In a managed care setting, are there sex differences in the use of coronary angiography after acute myocardial infarction? (Wong et al). 1998;135:435-42

Mechanical assist devices; see Heart-assist devices

Mechanoreceptors

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Medical records

Prehospital delay in patients with acute coronary heart disease: concordance between patient interviews and medical records (Goldberg et al). 1998;135:293-9

Medicare

Resource use and quality of care for Medicare patients with acute myocardial infarction in Maryland and the District of Columbia: analysis of data from the Cooperative Cardiovascular Project (Berger et al). 1998;135:349-56

Mibefradil

Adding the new calcium antagonist mibefradil to patients receiving long-term β -blocker therapy results in improved antianginal and antiischemic efficacy (Schneeweiss et al). 1998;135:272-80

Milrinone

Beneficial effects of intermittent home administration of the inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study (Cesario et al). 1998;135:121-9

Comparison between mixed venous oxygen saturation and thermolite cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Nuñez and Maisel). 1998;135:383-8

Mitral annulus

Anatomic and electrophysiologic relation between the coronary sinus and mitral annulus: implications for ablation of left-sided accessory pathways (Shinbane et al). 1998;135:93-8

Mitral regurgitation; see Mitral valve insufficiency

Mitral valve

Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients (Richards et al). 1998;135:641-6

Serial Doppler echocardiographic evaluation of Carpentier-Edwards pericardial valve dysfunction: comparison with Ionescu-Shiley valve (Kobayashi et al). 1998;135:1086-92

Validation of flow convergence region method in assessing mitral valve area in the course of transthoracic and transesophageal echocardiographic studies (Degertekin et al). 1998;135:207-14

Mitral valve insufficiency

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Treatment of chronic mitral regurgitation (Cooper and Gersh). 1998;135:925-36 (Curriculum cardiol.)

Mitral valve prolapse

Transesophageal echocardiographic assessment of systolic mitral leaflet displacement among patients with mitral valve prolapse (Langholz et al). 1998;135:197-206

Mitral valve stenosis

Factors associated with atrial fibrillation in patients with mitral stenosis: a cardiac catheterization study (Moreyra et al). 1998;135:138-45

Plasma levels of adrenomedullin in patients with mitral stenosis (Yamamoto et al). 1998;135:542-9

Validation of flow convergence region method in assessing mitral valve area in the course of transthoracic and transesophageal echocardiographic studies (Degertekin et al). 1998;135:207-14

Models, theoretical

Blood flow and antithrombotic drug effects (Hanson and Sakariassen). 1998;135:S132-45

Morbidity

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

Mortality

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

Mucocutaneous lymph node syndrome

Noninvasive evaluation of myocardial ischemia in Kawasaki

Mucocutaneous lymph node syndrome—cont'd

disease: comparison between dipyridamole stress thallium imaging and exercise stress testing (Fukuda et al). 1998;135:482-7

Muscle, smooth, vascular

Immunolocalization of thrombospondin-1 in human atherosclerotic and restenotic arteries (Riessen et al). 1998;135:357-64

Vascular remodeling: the role of angiotensin-converting enzyme inhibitors (Chrysant). 1998;135:S21-30 (Symposium)

Muscles

Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7

Muscular dystrophy

Sequential changes in cardiac structure and function in patients with Duchenne type muscular dystrophy: a two-dimensional echocardiographic study (Sasaki et al). 1998;135:937-44

Myocardial contraction

Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106

Correlation of myocardial histologic changes in hibernating myocardium with dobutamine stress echocardiographic findings (Hennessy et al). 1998;135:952-9

Left ventricular inotropic and lusitropic responses to pacing-induced tachycardia in patients with varying degrees of ventricular dysfunction (Yamakado et al). 1998;135:584-91

Myocardial diseases

Increased atrial vulnerability in arrhythmogenic right ventricular disease (Brembilla-Perrot et al). 1998;135:748-54

Myocardial infarction, complications

Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80

Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction (Modena et al). 1998;135:287-92

Time course of myocardial viability after acute myocardial infarction: an echocardiographic study (Knudsen et al). 1998;135:51-7

Myocardial infarction, diagnosis

Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52

Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

In a managed care setting, are there sex differences in the use of coronary angiography after acute myocardial infarction? (Wong et al). 1998;135:435-42

Myosin light chain I grade: a simple marker for the severity and prognosis of patients with acute myocardial infarction (Yamada et al). 1998;135:329-34

Myocardial infarction, diagnosis

Admission clinical and electrocardiographic characteristics predicting an increased risk for early reinfarction after thrombolytic therapy (Birnbaum et al). 1998;135:805-12

Myocardial infarction, drug therapy

Absence of a deleterious effect of calcium channel blockers in patients with left ventricular dysfunction after myocardial infarction: the SAVE study experience (Hager et al). 1998;135:406-13

Administration of thrombolytic therapy to 17,944 patients with acute myocardial infarction: the GISSI-3 database (Bobbio et al). 1998;135:443-8

Effects of propranolol in patients entered in the Beta-Blocker Heart Attack Trial with their first myocardial infarction and persistent electrocardiographic ST-segment depression (Shivkumar et al). 1998;135:261-7

Independent prognostic value of the extent and severity of systolic wall thickening abnormality at infarct site after thrombolytic therapy (Senior et al). 1998;135:1093-8

New therapies for unstable angina and non-Q-wave myocardial infarction: recent clinical trials (Cohen). 1998;135:S343-52

Prevalence of spontaneous reperfusion and associated myocardial salvage in patients with acute myocardial infarction (Christian et al). 1998;135:421-7

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

TIMI 11B. Enoxaparin versus unfractionated heparin for unstable angina or non-Q-wave myocardial infarction: a double-blind, placebo-controlled, parallel-group, multicenter trial. Rationale, study design, and methods (Antman). 1998;135:S353-60

Myocardial infarction, economics

Clinical correlates of in-hospital costs for acute myocardial infarction in patients 65 years of age and older (Krumholz et al). 1998;135:523-31

Myocardial infarction, epidemiology

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Disssmann et al). 1998;135:1-9

Myocardial infarction, physiopathology

Chlamydia pneumoniae antibody response in patients with acute myocardial infarction and their follow-up (Mazzoli et al). 1998;135:15-20

Independent prognostic value of the extent and severity of systolic wall thickening abnormality at infarct site after thrombolytic therapy (Senior et al). 1998;135:1093-8

Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction (Modena et al). 1998;135:287-92

Multivariate associates of QT dispersion in patients with acute myocardial infarction: primacy of patency status of the infarct-related artery (Karagounis et al). 1998;135:1027-35

Plasma brain natriuretic peptide is a biochemical marker for the prediction of progressive ventricular remodeling after acute myocardial infarction (Nagaya et al). 1998;135:21-8

ST-segment elevation in right precordial leads implies depressed right ventricular function after acute inferior myocardial infarction (Yoshino et al). 1998;135:689-95

Myocardial infarction, surgery

Late clinical and angiographic follow-up after stenting in evolving and recent myocardial infarction (Le May et al). 1998;135:714-8

Myocardial infarction, therapy

Early assessment and in-hospital management of patients with acute myocardial infarction at increased risk for adverse outcomes: a nationwide perspective of current clinical practice (Becker et al). 1998;135:786-96

Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function (Reinhart et al). 1998;135:379-82

Intercenter variability in outcome for patients treated with

Myocardial infarction, therapy—cont'd

direct coronary angioplasty during acute myocardial infarction (Christian et al). 1998;135:310-7

Prevalence of spontaneous reperfusion and associated myocardial salvage in patients with acute myocardial infarction (Christian et al). 1998;135:421-7

Randomized, controlled trial of RheothRx (poloxamer 188) in patients with suspected acute myocardial infarction (Maynard et al). 1998;135:797-804

Resource use and quality of care for Medicare patients with acute myocardial infarction in Maryland and the District of Columbia: analysis of data from the Cooperative Cardiovascular Project (Berger et al). 1998;135:349-56

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Myocardial ischemia, diagnosis

Ability of the exercise electrocardiogram test to detect ischemia in stable coronary artery disease patients with ST-segment depression on the resting electrocardiogram (Kalara and Dwyer). 1998;135:901-6

Effect of exercise-induced ischemia on QT interval dispersion (Roukema et al). 1998;135:88-92

Noninvasive evaluation of myocardial ischemia in Kawasaki disease: comparison between dipyridamole stress thallium imaging and exercise stress testing (Fukuda et al). 1998;135:482-7

Myocardial ischemia, drug therapy

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:109-114

Myocardial ischemia, pathophysiology

Effect of intracoronary balloon inflation at percutaneous transluminal coronary angioplasty on QT dispersion (Tarabey et al). 1998;135:519-22

Extent of ischemic stimulus and plasma β -endorphin levels in silent myocardial ischemia (Hikita et al). 1998;135:813-8

Natriuretic peptides: physiology, therapeutic potential, and risk stratification in ischemic heart disease (Stein and Levin). 1998;135:914-23

Myocardium

Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75

Contrast enhanced and functional magnetic resonance imaging for the detection of viable myocardium after infarction (Dendale et al). 1998;135:875-80

Correction (Belotti). 1998;135:550 (Letter)

Correlation of myocardial histologic changes in hibernating myocardium with dobutamine stress echocardiographic findings (Hennessy et al). 1998;135:952-9

Diversity of myocardial involvement in systemic sclerosis: an 8-year study of 95 Japanese patients (Murata et al). 1998;135:960-9

Myoglobin

Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52

Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

Myosin

Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7

Myosin-light-chain kinase

Myosin light chain I grade: a simple marker for the severity

and prognosis of patients with acute myocardial infarction (Yamada et al). 1998;135:329-34

N**Natriuretic hormone**

Atrial natriuretic peptide release is more dependent on atrial filling volume than on filling pressure in chronic congestive heart failure (Globits et al). 1998;135:592-7

Natriuretic peptides: physiology, therapeutic potential, and risk stratification in ischemic heart disease (Stein and Levin). 1998;135:914-23

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

N-terminal proANF in acute atrial fibrillation: a biochemical marker of atrial pressures but not a predictor for conversion to sinus rhythm (Hornestam et al). 1998;135:1040-7

Plasma brain natriuretic peptide as a biochemical marker of high left ventricular end-diastolic pressure in patients with symptomatic left ventricular dysfunction (Maeda et al). 1998;135:825-32

Plasma brain natriuretic peptide is a biochemical marker for the prediction of progressive ventricular remodeling after acute myocardial infarction (Nagaya et al). 1998;135:21-8

Vasodilatory effects of B-type natriuretic peptide are impaired in patients with chronic heart failure (Nakamura et al). 1998;135:414-20

Neovascularization

Neovascularization in atherectomy specimens from patients with unstable angina: implications for pathogenesis of unstable angina (Tenaglia et al). 1998;135:10-4

Neuroendocrine system; see Neurosecretory systems**Neurosecretory systems**

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Natriuretic peptides: physiology, therapeutic potential, and risk stratification in ischemic heart disease (Stein and Levin). 1998;135:914-23

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

Neutrophils

Platelet-leukocyte interactions (Doré). 1998;135:S146-51

New York Heart Association classification

Comparison of Quality of Well-Being scale and NYHA functional status classification in patients with atrial fibrillation (Ganiats et al). 1998;135:819-24

Nitrates

Evaluation in vivo of the endothelial function of the native gastroepiploic artery (Gurné et al). 1998;135:146-51

Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Nitroglycerin

Shortened head-up tilt testing potentiated with sublingual nitroglycerin in patients with unexplained syncope (Del Rosso et al). 1998;135:564-70

Norepinephrine

Cardiac electrophysiologic effects of norepinephrine in human beings (Weiss et al). 1998;135:945-51

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Natriuretic peptides: physiology, therapeutic potential, and

Norepinephrine—cont'd

risk stratification in ischemic heart disease (Stein and Levin). 1998;135:914-23

Nursing diagnosis

Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

O

Oral administration; see Administration, oral

Outcome assessment

Comparison of Quality of Well-Being scale and NYHA functional status classification in patients with atrial fibrillation (Ganiats et al). 1998;135:819-24

Early assessment and in-hospital management of patients with acute myocardial infarction at increased risk for adverse outcomes: a nationwide perspective of current clinical practice (Becker et al). 1998;135:786-96

Intercenter variability in outcome for patients treated with direct coronary angioplasty during acute myocardial infarction (Christian et al). 1998;135:310-7

Late clinical and angiographic follow-up after stenting in evolving and recent myocardial infarction (Le May et al). 1998;135:714-8

Outcomes and costs within a disease management program for advanced congestive heart failure (Schulman et al). 1998;135:285-92

Primary coronary stenting after successful balloon angioplasty of chronic total occlusions: a single-center experience (Suttorp et al). 1998;135:318-22

Randomized, controlled trial of RheothRx (poloxamer 188) in patients with suspected acute myocardial infarction (Maynard et al). 1998;135:797-804

Outpatient care; see Ambulatory care

Oxygen consumption

Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405

Oxidative stress is related to exercise intolerance in patients with heart failure (Nishiyama et al). 1998;135:115-20

P

Pacemaker, artificial

Left ventricular inotropic and lusitropic responses to pacing-induced tachycardia in patients with varying degrees of ventricular dysfunction (Yamakado et al). 1998;135:584-91

Role of transesophageal echocardiography in the evaluation of patients with clinical pacemaker syndrome (Lee et al). 1998;135:634-40

Single-lead VDD pacing: long-term experience with four different systems (Rey et al). 1998;135:1036-9

Pain

Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60

Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

Extent of ischemic stimulus and plasma β -endorphin levels in silent myocardial ischemia (Hikita et al). 1998;135:813-8

Prospective evaluation of shoulder-related problems in patients with pectoral cardioverter-defibrillator implantation (Korte et al). 1998;135:577-83

Papaverine

Safety and optimal dose of intracoronary adenosine 5'-triphosphate for the measurement of coronary flow reserve (Sonoda et al). 1998;135:621-7

Parasympathetic nervous system

Alterations of autonomic nervous activity preceding nocturnal variant angina: sympathetic augmentation with parasympathetic impairment (Miwa et al). 1998;135:762-71

Time-dependent changes of heart rate variability after percutaneous transluminal angioplasty (Osterhues et al). 1998;135:755-61

Partial thromboplastin time

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Patent foramen ovale; see Heart septal defects

Patient admission

Admission clinical and electrocardiographic characteristics predicting an increased risk for early reinfarction after thrombolytic therapy (Birnbaum et al). 1998;135:805-12

Prehospital delay in patients with acute coronary heart disease: concordance between patient interviews and medical records (Goldberg et al). 1998;135:293-9

Patient discharge

Early discharge of patients with new-onset atrial fibrillation after cardiovascular surgery (Solomon et al). 1998;135:557-63

Prevention of hospitalizations for heart failure with an interactive home monitoring program (Shah et al). 1998;135:373-8

Patient education

Beyond drug therapy: nonpharmacologic care of the patient with advanced heart failure (Uretsky et al). 1998;135:5264-84

Patient readmission

Correction (McDermott and Gheorghiade). 1998;135:924 (Letter)

Patient satisfaction

Advanced congestive heart failure: What do patients want? (Califf et al). 1998;135:S320-6

Pectoralis muscles

Prospective evaluation of shoulder-related problems in patients with pectoral cardioverter-defibrillator implantation (Korte et al). 1998;135:577-83

Peptides

Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction (Modena et al). 1998;135:287-92

Percutaneous transluminal coronary angioplasty; see Angioplasty, transluminal, percutaneous coronary

Perfusion

Pulmonary embolism: relation between the degree of right ventricle overload and the extent of perfusion defects (Ribeiro et al). 1998;135:868-74

Pharmacokinetics

Pharmacology of the low-molecular-weight heparins (Turpie). 1998;135:S329-35

Placebo effect

Improvement in the mechanical efficiency of walking: an explanation for the "placebo effect" seen during repeated exercise testing of patients with heart failure (Russell et al). 1998;135:107-14

Plasma

Extent of ischemic stimulus and plasma β -endorphin levels in silent myocardial ischemia (Hikita et al). 1998;135:813-8

Plasma endothelin-1 levels in patients with angina pectoris and normal coronary angiograms (Hoffmann et al). 1998;135:684-8

Plasma levels of adrenomedullin in patients with mitral stenosis (Yamamoto et al). 1998;135:542-9

Plasma—cont'd

Serotonin and heart rate in hypertensive and normotensive subjects (Missouris et al). 1998;135:838-43

Plasminogen

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Plasminogen activator; see Alteplase**Platelet activation**

Enhanced coagulation activation in troponin T-positive unstable angina pectoris (Terres et al). 1998;135:281-6

Glycoprotein IIb/IIIa antagonists: potential induction and detection of drug-dependent antiplatelet antibodies (Cines). 1998;135:S152-9

Human platelet activation by thrombolytic agents: effects of tissue-type plasminogen activator and urokinase on platelet surface P-selectin expression (Kawano et al). 1998;135:268-71

Methods for monitoring platelet function (Cox). 1998;135:S160-9

Platelet activation during dobutamine stress echocardiography (Galloway et al). 1998;135:888-900

Platelet aggregation in flow: differential roles for adhesive receptors and ligands (Frojmovic). 1998;135:S119-31

Platelet-leukocyte interactions (Doré). 1998;135:S146-51

Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty (Salvioni et al). 1998;135:503-9

Platelet adhesiveness

Platelet aggregation in flow: differential roles for adhesive receptors and ligands (Frojmovic). 1998;135:S119-31

Platelet-leukocyte interactions (Doré). 1998;135:S146-51

Platelet aggregation

Assessment of platelet function assays (Nicholson et al). 1998;135:S170-8

Platelet aggregation in flow: differential roles for adhesive receptors and ligands (Frojmovic). 1998;135:S119-31

Platelet aggregation inhibitors

Blood flow and antithrombotic drug effects (Hanson and Sakariassen). 1998;135:S132-45

Cone and plate(let) analyzer: monitoring glycoprotein IIb/IIIa antagonists and von Willebrand disease replacement therapy by testing platelet deposition under flow conditions (Varon et al). 1998;135:S187-93

Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:S98-106

Expression of ligand-induced binding sites on glycoprotein IIb/IIIa complexes and the effect of various inhibitors (Jennings and White). 1998;135:S179-83

Glycoprotein IIb/IIIa antagonists: potential induction and detection of drug-dependent antiplatelet antibodies (Cines). 1998;135:S152-9

Impact of cilostazol on intimal proliferation after directional coronary atherectomy (Tsuchikane et al). 1998;135:495-502

Long-term administration of glycoprotein IIb/IIIa antagonists (Quinn and Fitzgerald). 1998;135:S113-8

Methods for monitoring platelet function (Cox). 1998;135:S160-9

New antiplatelet agents for acute coronary syndromes (Ferguson and Lau). 1998;135:S194-200

Oral inhibitors of platelet membrane receptor glycoprotein IIb/IIIa in clinical cardiology: issues and opportunities (Thérault). 1998;135:S107-12

An overview of the results of clinical trials with glycoprotein IIb/IIIa inhibitors (Adgey). 1998;135:S43-55

Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic abstention? A decision analytic perspective (Nendaz et al). 1998;135:532-41

Rationale and clinical evidence for the use of GP IIb/IIIa inhibitors in acute coronary syndromes (Braunwald et al). 1998;135:S56-66

Safe use of platelet GP IIb/IIIa inhibitors (Ferguson et al). 1998;135:S77-89

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Use of abciximab in interventional cardiology (Chronos et al). 1998;135:S67-76

Use of GP IIb/IIIa inhibitors in coronary syndromes: State of the art—introduction (Califf and Simoons). 1998;135:S33-4

Platelet count

Cone and plate(let) analyzer: monitoring glycoprotein IIb/IIIa antagonists and von Willebrand disease replacement therapy by testing platelet deposition under flow conditions (Varon et al). 1998;135:S187-93

Platelet function tests

Assessment of platelet function assays (Nicholson et al). 1998;135:S170-8

Cone and plate(let) analyzer: monitoring glycoprotein IIb/IIIa antagonists and von Willebrand disease replacement therapy by testing platelet deposition under flow conditions (Varon et al). 1998;135:S187-93

Methods for monitoring platelet function (Cox). 1998;135:S160-9

Novel methods for assessing platelet function (Frelinger and Hillman). 1998;135:S184-6

Platelet membrane glycoproteins

Blood flow and antithrombotic drug effects (Hanson and Sakariassen). 1998;135:S132-45

Cone and plate(let) analyzer: monitoring glycoprotein IIb/IIIa antagonists and von Willebrand disease replacement therapy by testing platelet deposition under flow conditions (Varon et al). 1998;135:S187-93

Costs and effects in therapy for acute coronary syndromes: the case of abciximab in high-risk patients undergoing percutaneous transluminal coronary angioplasty in the EPIC study (van Hout et al). 1998;135:S98-106

Expression of ligand-induced binding sites on glycoprotein IIb/IIIa complexes and the effect of various inhibitors (Jennings and White). 1998;135:S179-83

Fundamentals of coagulation and glycoprotein IIb/IIIa receptor inhibition (Ferguson et al). 1998;135:S35-42

Glycoprotein IIb/IIIa antagonists: potential induction and detection of drug-dependent antiplatelet antibodies (Cines). 1998;135:S152-9

Long-term administration of glycoprotein IIb/IIIa antagonists (Quinn and Fitzgerald). 1998;135:S113-8

Methods for monitoring platelet function (Cox). 1998;135:S160-9

New antiplatelet agents for acute coronary syndromes (Ferguson and Lau). 1998;135:S194-200

Oral inhibitors of platelet membrane receptor glycoprotein IIb/IIIa in clinical cardiology: issues and opportunities (Thérault). 1998;135:S107-12

An overview of the results of clinical trials with glycoprotein IIb/IIIa inhibitors (Adgey). 1998;135:S43-55

Platelet aggregation in flow: differential roles for adhesive receptors and ligands (Frojmovic). 1998;135:S119-31

Rationale and clinical evidence for the use of GP IIb/IIIa inhibitors in acute coronary syndromes (Braunwald et al). 1998;135:S56-66

Safe use of platelet GP IIb/IIIa inhibitors (Ferguson et al). 1998;135:S77-89

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Use of abciximab in interventional cardiology (Chronos et al). 1998;135:S67-76

Use of GP IIb/IIIa inhibitors in coronary syndromes: State of the art—introduction (Califf and Simoons). 1998;135:S33-4

Poloxalene

Randomized, controlled trial of RheothRx (poloxamer 188) in patients with suspected acute myocardial infarction (Maynard et al). 1998;135:797-804

Postmenopause

Cardiovascular stress response and coronary artery disease: evidence of an adverse postmenopausal effect in women (Merz et al). 1998;135:881-7

Postoperative complications

Accuracy of echocardiography for detection of aortic arch obstruction after stage I Norwood procedure (Fraisie et al). 1998;135:230-6

Early discharge of patients with new-onset atrial fibrillation after cardiovascular surgery (Solomon et al). 1998;135:557-63

A randomized, double-blind comparison of intravenous diltiazem and digoxin for atrial fibrillation after coronary artery bypass surgery (Tisdale et al). 1998;135:739-47

Practice guidelines

In a managed care setting, are there sex differences in the use of coronary angiography after acute myocardial infarction? (Wong et al). 1998;135:435-42

Predictive value of tests

Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60

Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81

Preoperative care

Echocardiography and cardiac catheterization in the preoperative assessment of ventricular septal defect in infancy (Magee et al). 1998;135:907-13

Procollagen

Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction (Modena et al). 1998;135:287-92

Prognosis

Factors affecting the prognosis of Ebstein's anomaly during fetal life (Pavlova et al). 1998;135:1081-5

Independent prognostic value of the extent and severity of systolic wall thickening abnormality at infarct site after thrombolytic therapy (Senior et al). 1998;135:1093-8

Long-term angiographic prognosis of lesions dilated by coronary angioplasty (Kitazume et al). 1998;135:1076-80

Myosin light chain I grade: a simple marker for the severity and prognosis of patients with acute myocardial infarction (Yamada et al). 1998;135:329-34

Prognostic value of exercise thallium-201 imaging in a community population (Miller et al). 1998;135:663-70

Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9

Progress in cardiology

Progress in cardiology. 1998;135:181-6

Propranolol

Effects of propranolol in patients entered in the Beta-Blocker Heart Attack Trial with their first myocardial infarction and persistent electrocardiographic ST-segment depression (Shivkumar et al). 1998;135:261-7

Prospective Randomized Study of Ventricular Function and Efficacy of Digoxin

Clinical predictors of worsening heart failure during withdrawal from digoxin therapy (Adams et al). 1998;135:389-97

P-selectin

Human platelet activation by thrombolytic agents: effects of tissue-type plasminogen activator and urokinase on platelet surface P-selectin expression (Kawano et al). 1998;135:268-71

Pulmonary circulation

Reduced pulmonary clearance of endothelin-1 in pulmonary hypertension (Dupuis et al). 1998;135:614-20

Pulmonary embolism

Pulmonary embolism: relation between the degree of right ventricle overload and the extent of perfusion defects (Ribeiro et al). 1998;135:868-74

Pulmonary function tests; see Respiratory function tests

Pulmonary gas exchange

Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405

Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements (Vescovo et al). 1998;135:130-7

Pulmonary heart disease

Diversity of myocardial involvement in systemic sclerosis: an 8-year study of 95 Japanese patients (Murata et al). 1998;135:960-9

Pulmonary veins

Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients (Richards et al). 1998;135:641-6

Pulmonary wedge pressure

Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients (Richards et al). 1998;135:641-6

Pulse

Serotonin and heart rate in hypertensive and normotensive subjects (Missouri et al). 1998;135:838-43

Q

QUADS; see Quinapril Australasian Dosing Study

Quality of health care

Resource use and quality of care for Medicare patients with acute myocardial infarction in Maryland and the District of Columbia: analysis of data from the Cooperative Cardiovascular Project (Berger et al). 1998;135:349-56

Quality of life

Comparison of Quality of Well-Being scale and NYHA functional status classification in patients with atrial fibrillation (Ganiats et al). 1998;135:819-24

Quinapril

Effect of angiotensin-converting enzyme inhibitor dosing interval on functional parameters in patients with chronic heart failure (Krum et al). 1998;135:237-41

Quinapril Australasian Dosing Study

Effect of angiotensin-converting enzyme inhibitor dosing interval on functional parameters in patients with chronic heart failure (Krum et al). 1998;135:237-41

R

Radionuclide imaging

Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75

Noninvasive evaluation of myocardial ischemia in Kawasaki disease: comparison between dipyridamole stress thallium imaging and exercise stress testing (Fukuda et al). 1998;135:482-7

Radionuclide imaging—cont'd

Prognostic value of exercise thallium-201 imaging in a community population (Miller et al). 1998;135:663-70

Randomized Assessment of Digoxin and Inhibitors of Angiotensin-Converting Enzyme

Clinical predictors of worsening heart failure during withdrawal from digoxin therapy (Adams et al). 1998;135:389-97

Recanalization

Mechanical recanalization of total coronary occlusions with the use of a new guide wire (Reimers et al). 1998;135:726-31

Referral and consultation

Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography (Kennedy et al). 1998;135:696-702

Prognostic value of exercise thallium-201 imaging in a community population (Miller et al). 1998;135:663-70

Renin

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Renin-angiotensin system

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Neurohormonal activity and left ventricular geometry in patients with essential arterial hypertension (Muscholl et al). 1998;135:58-66

Reperfusion

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Prevalence of spontaneous reperfusion and associated myocardial salvage in patients with acute myocardial infarction (Christian et al). 1998;135:421-7

Research

Immunolocalization of thrombospondin-1 in human atherosclerotic and restenotic arteries (Riessen et al). 1998;135:357-64

Respiratory burst

Oxidative stress is related to exercise intolerance in patients with heart failure (Nishiyama et al). 1998;135:115-20

Respiratory function tests

Exertional dyspnea in heart failure: a symptom unrelated to pulmonary function at rest or during exercise (Russell et al). 1998;135:398-405

Restenosis

Advantage of stents in the most proximal left anterior descending coronary artery (Phillips et al). 1998;135:719-25

Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy (Kurban et al). 1998;135:703-8

Immunolocalization of thrombospondin-1 in human atherosclerotic and restenotic arteries (Riessen et al). 1998;135:357-64

Influence of gradually increased slow balloon inflation on restenosis after coronary angioplasty (Miketic et al). 1998;135:709-13

Primary coronary stenting after successful balloon angioplasty of chronic total occlusions: a single-center experience (Suttorp et al). 1998;135:318-22

Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads (Michaelides et al). 1998;135:74-81

Restenosis after coronary stenting in current clinical practice (Antonucci et al). 1998;135:510-8

Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty (Salvioni et al). 1998;135:503-9

Revascularization

Differential restenosis rate of individual coronary artery sites

after multivessel angioplasty: implications for revascularization strategy (Kurban et al). 1998;135:703-8

Session highlights from the American Heart Association Scientific Sessions: November 9-12, 1997 (Alexander et al). 1998;135:157-80

Rheology

Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function (Reinhart et al). 1998;135:379-82

Rheumatic heart disease

Factors associated with atrial fibrillation in patients with mitral stenosis: a cardiac catheterization study (Moreyra et al). 1998;135:138-45

Risk factors

Admission clinical and electrocardiographic characteristics predicting an increased risk for early reinfarction after thrombolytic therapy (Birnbaum et al). 1998;135:805-12

Alcohol consumption and idiopathic dilated cardiomyopathy: a case control study (McKenna et al). 1998;135:833-7

Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography (Kennedy et al). 1998;135:696-702

Early assessment and in-hospital management of patients with acute myocardial infarction at increased risk for adverse outcomes: a nationwide perspective of current clinical practice (Becker et al). 1998;135:786-96

Factors associated with atrial fibrillation in patients with mitral stenosis: a cardiac catheterization study (Moreyra et al). 1998;135:138-45

New concepts in hypertension: focus on the elderly (Black). 1998;135:S2-7 (Symposium)

Risk factors for acute and subacute stent thrombosis after high-pressure stent implantation: a study by intracoronary ultrasound (Werner et al). 1998;135:300-9

Risk factors in the offspring of women with premature coronary heart disease (Allen and Blumenthal). 1998;135:428-34

Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9

Spectrum of surgical risk for left main coronary stenoses: benchmark for potentially competing percutaneous therapies (Ellis et al). 1998;135:335-8

S**Safety**

Safe use of platelet GP IIb/IIIa inhibitors (Ferguson et al). 1998;135:S77-89

Salvage therapy

Prevalence of spontaneous reperfusion and associated myocardial salvage in patients with acute myocardial infarction (Christian et al). 1998;135:421-7

Saphenous vein

Thrombolysis in Myocardial Infarction frame count in saphenous vein grafts (Al-Mousa et al). 1998;135:323-8

Sclerosis

Diversity of myocardial involvement in systemic sclerosis: an 8-year study of 95 Japanese patients (Murata et al). 1998;135:960-9

Serotonin

Serotonin and heart rate in hypertensive and normotensive subjects (Missouris et al). 1998;135:838-43

Sex

In a managed care setting, are there sex differences in the use of coronary angiography after acute myocardial infarction? (Wong et al). 1998;135:435-42

Risk factors in the offspring of women with premature coronary heart disease (Allen and Blumenthal). 1998;135:428-34

Shoulder

Prospective evaluation of shoulder-related problems in patients with pectoral cardioverter-defibrillator implantation (Korte et al). 1998;135:577-83

Single-photon emission computed tomography; *see* Tomography, emission computed, single-photon

Sinus rhythm

Analysis of the cardiac rhythm preceding episodes of paroxysmal atrial fibrillation (Hnatkova et al). 1998;135:1010-9

N-terminal proANF in acute atrial fibrillation: a biochemical marker of atrial pressures but not a predictor for conversion to sinus rhythm (Hornestam et al). 1998;135:1040-7

Smoking cessation

Heart rate variability during the first month of smoking cessation (Yotsukura et al). 1998;135:1004-9

Stents

Advantage of stents in the most proximal left anterior descending coronary artery (Phillips et al). 1998;135:719-25

Cardiac troponin T, creatine kinase, and its isoform release after successful percutaneous transluminal coronary angioplasty with or without stenting (Shyu et al). 1998;135:862-7

Late clinical and angiographic follow-up after stenting in evolving and recent myocardial infarction (Le May et al). 1998;135:714-8

Primary coronary stenting after successful balloon angioplasty of chronic total occlusions: a single-center experience (Suttorp et al). 1998;135:318-22

Restenosis after coronary stenting in current clinical practice (Antoniucci et al). 1998;135:510-8

Risk factors for acute and subacute stent thrombosis after high-pressure stent implantation: a study by intracoronary ultrasound (Werner et al). 1998;135:300-9

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;135:1099-114

Spectrum of surgical risk for left main coronary stenoses: benchmark for potentially competing percutaneous therapies (Ellis et al). 1998;135:335-8

Stress, psychological

Cardiovascular stress response and coronary artery disease: evidence of an adverse postmenopausal effect in women (Merz et al). 1998;135:881-7

Stress test; *see* Exercise test

Stroke; *see* Cerebrovascular disorders

Stroke volume

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction (Modena et al). 1998;135:287-92

Plasma brain natriuretic peptide as a biochemical marker of high left ventricular end-diastolic pressure in patients with symptomatic left ventricular dysfunction (Maeda et al). 1998;135:825-32

Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9

Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study (Lange et al). 1998;135:970-9

Sublingual administration; *see* Administration, sublingual

Substance abuse

Effect of recent cocaine use on the specificity of cardiac mark-

ers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52

Substance withdrawal syndrome

Clinical predictors of worsening heart failure during withdrawal from digoxin therapy (Adams et al). 1998;135:389-97

Heart rate variability during the first month of smoking cessation (Yotsukura et al). 1998;135:1004-9

Superoxide dismutase

Oxidative stress is related to exercise intolerance in patients with heart failure (Nishiyama et al). 1998;135:115-20

Supraventricular tachycardia; *see* Tachycardia, supraventricular

Survival

Serial exercise testing and prognosis in selected patients considered for cardiac transplantation (Gullestad et al). 1998;135:221-9

Survival and Ventricular Enlargement Trial

Absence of a deleterious effect of calcium channel blockers in patients with left ventricular dysfunction after myocardial infarction: the SAVE study experience (Hager et al). 1998;135:406-13

Sympathetic nervous system

Alterations of autonomic nervous activity preceding nocturnal variant angina: sympathetic augmentation with parasympathetic impairment (Miwa et al). 1998;135:762-71

Syncope

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Head-up tilt testing potentiated with low-dose sublingual isosorbide dinitrate: a simplified time-saving approach for the evaluation of unexplained syncope (Ammirati et al). 1998;135:671-6

Shortened head-up tilt testing potentiated with sublingual nitroglycerin in patients with unexplained syncope (Del Rosso et al). 1998;135:564-70

Systole

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Heart failure caused by preserved systolic function: a common and costly clinical entity (Dauterman et al). 1998;135:5310-9

Independent prognostic value of the extent and severity of systolic wall thickening abnormality at infarct site after thrombolytic therapy (Senior et al). 1998;135:1093-8

Transesophageal echocardiographic assessment of systolic mitral leaflet displacement among patients with mitral valve prolapse (Langholz et al). 1998;135:197-206

T

TACHY system

TACHY: an expert system for the management of supraventricular tachycardia in the elderly (Wang et al). 1998;135:82-7

Tachycardia, supraventricular

Impact of structural heart disease on the selection of class III antiarrhythmics for the prevention of atrial fibrillation and flutter (Reiffel). 1998;135:551-6 (Curriculum cardiol.)

Increased atrial vulnerability in arrhythmogenic right ventricular disease (Brembilla-Perrot et al). 1998;135:748-54

TACHY: an expert system for the management of supraventricular tachycardia in the elderly (Wang et al). 1998;135:82-7

Tachycardia, ventricular

Increased atrial vulnerability in arrhythmogenic right ventricular disease (Brembilla-Perrot et al). 1998;135:748-54

Left ventricular inotropic and lusitropic responses to pacing-induced tachycardia in patients with varying degrees of ventricular dysfunction (Yamakado et al). 1998;135:584-91

Tachycardia, ventricular—cont'd

Suppression of inducible ventricular tachycardia by ibutilide in patients with coronary artery disease (Wood et al). 1998;135:1048-54

Tendinitis

Prospective evaluation of shoulder-related problems in patients with pectoral cardioverter-defibrillator implantation (Korte et al). 1998;135:577-83

Thallium

Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62

Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75

Noninvasive evaluation of myocardial ischemia in Kawasaki disease: comparison between dipyridamole stress thallium imaging and exercise stress testing (Fukuda et al). 1998;135:482-7

Prognostic value of exercise thallium-201 imaging in a community population (Miller et al). 1998;135:663-70

Thermoludition

Comparison between mixed venous oxygen saturation and thermoludition cardiac output in monitoring patients with severe heart failure treated with milrinone and dobutamine (Núñez and Maisel). 1998;135:383-8

Thoracic injuries

Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81

Thrombin

Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty (Salvioni et al). 1998;135:503-9

Thrombocytopenia

Glycoprotein IIb/IIIa antagonists: potential induction and detection of drug-dependent antiplatelet antibodies (Cines). 1998;135:5152-9

Thromboembolism

Low-molecular-weight heparin for the treatment of venous thromboembolism (Hirsh). 1998;135:S336-42

Thrombolysis in Myocardial Infarction 11B

TIMI 11B. Enoxaparin versus unfractionated heparin for unstable angina or non-Q-wave myocardial infarction: a double-blind, placebo-controlled, parallel-group, multicenter trial. Rationale, study design, and methods (Antman). 1998;135:S353-60

Thrombolysis in Myocardial Infarction frame count

Thrombolysis in Myocardial Infarction frame count in saphenous vein grafts (Al-Mousa et al). 1998;135:323-8

Thrombolysis in Myocardial Infarction Phase II Trial

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Thrombolytic agents; see Fibrinolytic agents**Thrombolytic therapy**

Administration of thrombolytic therapy to 17,944 patients with acute myocardial infarction: the GISSI-3 database (Bobbio et al). 1998;135:443-8

Admission clinical and electrocardiographic characteristics predicting an increased risk for early reinfarction after thrombolytic therapy (Birnbau et al). 1998;135:805-12

Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9

Independent prognostic value of the extent and severity of

systolic wall thickening abnormality at infarct site after thrombolytic therapy (Senior et al). 1998;135:1093-8

Mechanisms of arterial thrombosis: foundation for therapy (Fuster). 1998;135:S361-6

Preventing stroke recurrence in patients with patent foramen ovale: antithrombotic therapy, foramen closure, or therapeutic ablation? A decision analytic perspective (Nendaz et al). 1998;135:532-41

Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Thrombosis

Blood flow and antithrombotic drug effects (Hanson and Sakariassen). 1998;135:S132-45

Comparison of ionic and nonionic low osmolar contrast media in relation to thrombotic complications of angioplasty in patients with unstable angina (Malekianpour et al). 1998;135:1067-75

Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20

Mechanisms of arterial thrombosis: foundation for therapy (Fuster). 1998;135:S361-6

Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation (Gilon et al). 1998;135:457-62

Risk factors for acute and subacute stent thrombosis after high-pressure stent implantation: a study by intracoronary ultrasound (Werner et al). 1998;135:300-9

Thyroid hormones

Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Thyroxine

Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Tilt test

Different humoral responses during head-up tilt testing among patients with neurocardiogenic syncope (Vanderheyden et al). 1998;135:67-73

Head-up tilt testing potentiated with low-dose sublingual isosorbide dinitrate: a simplified time-saving approach for the evaluation of unexplained syncope (Ammirati et al). 1998;135:671-6

Shortened head-up tilt testing potentiated with sublingual nitroglycerin in patients with unexplained syncope (Del Rosso et al). 1998;135:564-70

Time factors

Time-dependent changes of heart rate variability after percutaneous transluminal angioplasty (Osterhues et al). 1998;135:755-61

Tissue-type plasminogen activator; see Alteplase**Tomography, emission computed, single-photon**

Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62

Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75

Noninvasive evaluation of myocardial ischemia in Kawasaki disease: comparison between dipyridamole stress thallium imaging and exercise stress testing (Fukuda et al). 1998;135:482-7

Transplantation, autologous

Mechanism of luminal narrowing in cardiac allograft vasculopathy: inadequate vascular remodeling rather than intimal hyperplasia is the major predictor of coronary artery stenosis (Pethig et al). 1998;135:628-33

Transposition of great vessels

- Diagnostic value of transesophageal echocardiography in the assessment of congenitally corrected transposition of the great arteries in adult patients (Caso et al). 1998;135:43-50
- Pathologic anatomy of corrected transposition of the great arteries: medical and surgical implications (Van Praagh et al). 1998;135:772-85

Treadmill test; see Exercise test

Treatment outcome

- Comparison of Quality of Well-Being scale and NYHA functional status classification in patients with atrial fibrillation (Ganiats et al). 1998;135:819-24
- Early assessment and in-hospital management of patients with acute myocardial infarction at increased risk for adverse outcomes: a nationwide perspective of current clinical practice (Becker et al). 1998;135:786-96
- Intercenter variability in outcome for patients treated with direct coronary angioplasty during acute myocardial infarction (Christian et al). 1998;135:310-7
- Late clinical and angiographic follow-up after stenting in evolving and recent myocardial infarction (Le May et al). 1998;135:714-8
- Outcomes and costs within a disease management program for advanced congestive heart failure (Schulman et al). 1998;135:S285-92
- Primary coronary stenting after successful balloon angioplasty of chronic total occlusions: a single-center experience (Suttorp et al). 1998;135:318-22
- Randomized, controlled trial of RheothRx (poloxamer 188) in patients with suspected acute myocardial infarction (Maynard et al). 1998;135:797-804

Triiodothyronine

- Thyroid hormone and cardiovascular disease (Gomberg-Maitland and Frishman). 1998;135:187-96 (Curriculum cardiol.)

Troponin

- Cardiac troponin T, creatine kinase, and its isoform release after successful percutaneous transluminal coronary angioplasty with or without stenting (Shyu et al). 1998;135:862-7
- Clinical utility of troponin T levels and echocardiography in the emergency department (Mohler et al). 1998;135:253-60
- Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction (Hollander et al). 1998;135:245-52
- Enhanced coagulation activation in troponin T-positive unstable angina pectoris (Terres et al). 1998;135:281-6
- Excellent reliability of nurse-based bedside diagnosis of acute myocardial infarction by rapid dry-strip creatine kinase MB, myoglobin, and troponin T (Sylvén et al). 1998;135:677-83

Trypanosoma cruzi

- Correction (Belotti). 1998;135:550 (Letter)

Tumor necrosis factor

- Role of cytokines in heart failure (Blum and Miller). 1998;135:181-6 (Prog. cardiol.)

U

Ultrasonography

- Enhancement of spatial orientation of intravascular ultrasound images with side holes guiding catheters (Schwarzacher et al). 1998;135:1063-6
- Relation between single tomographic intravascular ultrasound image parameters and intracoronary Doppler flow velocity in patients with intermediately severe coronary stenoses (Moses et al). 1998;135:988-94
- Risk factors for acute and subacute stent thrombosis after high-pressure stent implantation: a study by intracoronary ultrasound (Werner et al). 1998;135:300-9

- Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study (Lange et al). 1998;135:970-9

Unfractionated heparin; see Heparin

Urokinase

- Human platelet activation by thrombolytic agents: effects of tissue-type plasminogen activator and urokinase on platelet surface P-selectin expression (Kawano et al). 1998;135:268-71

V

Valvotomy, balloon; see Balloon dilatation

Vascular patency

- Evaluation in vivo of the endothelial function of the native gastroepiploic artery (Gurné et al). 1998;135:146-51
- Multivariate associates of QT dispersion in patients with acute myocardial infarction: primacy of patency status of the infarct-related artery (Karagounis et al). 1998;135:1027-35
- Relation of coagulation parameters to patency and recurrent ischemia in the Thrombolysis in Myocardial Infarction (TIMI) Phase II Trial (Tracy et al). 1998;135:29-37

Vascular resistance

- Vascular remodeling: the role of angiotensin-converting enzyme inhibitors (Chrysant). 1998;135:S21-30 (Symposium)

Vasodilation

- Evaluation in vivo of the endothelial function of the native gastroepiploic artery (Gurné et al). 1998;135:146-51
- Natriuretic peptides: physiology, therapeutic potential, and risk stratification in ischemic heart disease (Stein and Levin). 1998;135:914-23
- Safety and optimal dose of intracoronary adenosine 5'-triphosphate for the measurement of coronary flow reserve (Sonoda et al). 1998;135:621-7
- Vasodilatory effects of B-type natriuretic peptide are impaired in patients with chronic heart failure (Nakamura et al). 1998;135:414-20

Vasodilator agents

- Beneficial effects of intermittent home administration of the inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study (Cesario et al). 1998;135:121-9
- Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72

Vasomotor system

- Cardiovascular stress response and coronary artery disease: evidence of an adverse postmenopausal effect in women (Merz et al). 1998;135:881-7

Vasovagal syncope; see Syncope

Vena cava, superior

- Right atrial thrombi are related to indwelling central venous catheter position: insights into time course and possible mechanism of formation (Gilon et al). 1998;135:457-62

Ventilation tests; see Respiratory function tests

Ventricular function

- Absence of a deleterious effect of calcium channel blockers in patients with left ventricular dysfunction after myocardial infarction: the SAVE study experience (Hager et al). 1998;135:406-13
- Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106
- Assessment of myocardial viability: dobutamine echocardiography and thallium-201 single-photon emission computed

Ventricular function—cont'd

- tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery (Elsässer et al). 1998;135:463-75
- Clinical predictors of worsening heart failure during withdrawal from digoxin therapy (Adams et al). 1998;135:389-97
- Depressed heart rate variability is associated with events in patients with stable coronary artery disease and preserved left ventricular function (van Boven et al). 1998;135:571-6
- Diversity of myocardial involvement in systemic sclerosis: an 8-year study of 95 Japanese patients (Murata et al). 1998;135:960-9
- Effect of mitral regurgitation on left ventricular thrombus formation in dilated cardiomyopathy (Kalaria et al). 1998;135:215-20
- Effects of adenosine on left ventricular filling dynamics in patients with and without coronary artery disease: a Doppler echocardiographic study (Nagueh et al). 1998;135:647-54
- Estimation of enzymatic infarct size: direct comparison of the marker enzymes creatine kinase and α -hydroxybutyrate dehydrogenase (Dissmann et al). 1998;135:1-9
- Increased atrial vulnerability in arrhythmogenic right ventricular disease (Brembilla-Perrot et al). 1998;135:748-54
- Independent prognostic value of the extent and severity of systolic wall thickening abnormality at infarct site after thrombolytic therapy (Senior et al). 1998;135:1093-8
- Influence of exercise training on blood viscosity in patients with coronary artery disease and impaired left ventricular function (Reinhart et al). 1998;135:379-82
- Left ventricular inotropic and lusitropic responses to pacing-induced tachycardia in patients with varying degrees of ventricular dysfunction (Yamakado et al). 1998;135:584-91
- Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction (Modena et al). 1998;135:287-92
- Plasma brain natriuretic peptide as a biochemical marker of high left ventricular end-diastolic pressure in patients with symptomatic left ventricular dysfunction (Maeda et al). 1998;135:825-32
- Plasma brain natriuretic peptide is a biochemical marker for the prediction of progressive ventricular remodeling after acute myocardial infarction (Nagaya et al). 1998;135:21-8
- Pulmonary embolism: relation between the degree of right

- ventricle overload and the extent of perfusion defects (Ribeiro et al). 1998;135:868-74
- ST-segment elevation in right precordial leads implies depressed right ventricular function after acute inferior myocardial infarction (Yoshino et al). 1998;135:689-95
- Temporal trends in pharmacotherapy for congestive heart failure at an academic medical center: 1990-1995 (Rich et al). 1998;135:367-72
- Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study (Lange et al). 1998;135:970-9

Viability; see Cell survival**von Willebrand factor**

- Cone and plate(let) analyzer: monitoring glycoprotein IIb/IIIa antagonists and von Willebrand disease replacement therapy by testing platelet deposition under flow conditions (Varon et al). 1998;135:S187-93

W**Wolff-Parkinson-White syndrome**

- Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome (Nakayama et al). 1998;135:99-106

Women

- Assessment of coronary artery disease in women by dobutamine stress echocardiography: comparison with stress thallium-201 single-photon emission computed tomography and exercise electrocardiography (Ho et al). 1998;135:655-62
- Cardiovascular stress response and coronary artery disease: evidence of an adverse postmenopausal effect in women (Merz et al). 1998;135:881-7
- Correction (McDermott and Gheorghide). 1998;135:924 (Letter)
- Risk factors in the offspring of women with premature coronary heart disease (Allen and Blumenthal). 1998;135:428-34

Wounds, nonpenetrating

- Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements (García-Fernández et al). 1998;135:476-81

